



Library and Archives
Canada

Published Heritage
Branch

395 Wellington Street
Ottawa ON K1A 0N4
Canada

Bibliothèque et
Archives Canada

Direction du
Patrimoine de l'édition

395, rue Wellington
Ottawa ON K1A 0N4
Canada

Your file *Votre référence*
ISBN: 978-0-494-71739-4
Our file *Notre référence*
ISBN: 978-0-494-71739-4

NOTICE:

The author has granted a non-exclusive license allowing Library and Archives Canada to reproduce, publish, archive, preserve, conserve, communicate to the public by telecommunication or on the Internet, loan, distribute and sell theses worldwide, for commercial or non-commercial purposes, in microform, paper, electronic and/or any other formats.

The author retains copyright ownership and moral rights in this thesis. Neither the thesis nor substantial extracts from it may be printed or otherwise reproduced without the author's permission.

In compliance with the Canadian Privacy Act some supporting forms may have been removed from this thesis.

While these forms may be included in the document page count, their removal does not represent any loss of content from the thesis.

AVIS:

L'auteur a accordé une licence non exclusive permettant à la Bibliothèque et Archives Canada de reproduire, publier, archiver, sauvegarder, conserver, transmettre au public par télécommunication ou par l'Internet, prêter, distribuer et vendre des thèses partout dans le monde, à des fins commerciales ou autres, sur support microforme, papier, électronique et/ou autres formats.

L'auteur conserve la propriété du droit d'auteur et des droits moraux qui protègent cette thèse. Ni la thèse ni des extraits substantiels de celle-ci ne doivent être imprimés ou autrement reproduits sans son autorisation.

Conformément à la loi canadienne sur la protection de la vie privée, quelques formulaires secondaires ont été enlevés de cette thèse.

Bien que ces formulaires aient inclus dans la pagination, il n'y aura aucun contenu manquant.

■+■
Canada

Running head: SENSORY USE AND RISK OF ILLNESS

Sensory Materials in Child Care: An Assessment of Illness Risk

by

Heidi J. Pitfield

A thesis

presented to Lakehead University

in fulfillment of the

thesis requirement for the degree of

Master of Public Health

Thunder Bay, Ontario, Canada, 2010

© Heidi J. Pitfield 2010

Author's Declaration

I hereby declare that I am the sole author of this thesis. This is a true copy of the thesis, including any required final revisions, as accepted by my examiners.

I understand that my thesis may be made electronically available to the public.

Abstract

Objective. The objective of this study was to assess the risk of illness attributable to sensory use in licensed child care settings.

Design. Four child care centres from one large corporation in the same health region were recruited. Child attendance and illness records for children aged 2.5 – 5.0 years were contrasted against documented sensory use for a 16 month period. All four centres adhered to standardized agency infection prevention and control policies including hand hygiene, cleaning and disinfecting, sensory storage, use and disposal, and exclusion of ill children. Analyses were performed using Open Source Epidemiological Statistics for Public Health (OpenEpi version 2.3), and web-based calculators.

Results. A total of 125 child records were collected. The incidence rates, being the proportions of illness to total population, across the four centres for the 16 month period was found to not be equally distributed, $\chi^2(3, N = 56.14) = 7.90, p < .05$. All centres had higher incidence and incidence rates during winter months and illness remained elevated during the spring and early summer months. Incidence of illness per 100 child attendance days for the 16 month study period for Centres A, B, C and D were 2.63, 0.90, 1.49 and 2.70, respectively. Wet sensory use was more common than dry sensory use.

Discussion. Illnesses in childcare were able to be explored using incidence rates, illness counts and child attendance days. The hypothesis was not able to be adequately addressed due to a lack of data. It is inconclusive whether a link or trend is noted between wet sensory use and illness. Sensory use in child care settings is an essential component of child learning and development and further research is needed to adequately assess the infectious disease transmission risk related to sensory material use in child care settings.

Acknowledgments

The author would like to express gratitude to the YMCA of Simcoe/Muskoka Child and Family Development's Vice-President, Karen Pulla, Quality Assurance Manager, Karen Evans, and centre supervisors for their eager participation in this project. Their dedication to creating healthy settings for child development was very much appreciated. The author thanks Dr. Bill Montelpare, professor with the MPH Program at Lakehead University and thesis advisor for engaging the author in exciting statistical banter. In addition, the author appreciates the voluntary work of Dr. Colin Lee, Associate Medical Officer of Health with the Simcoe Muskoka District Health Unit and Public Health Physician with the Ontario Agency for Health Protection and Promotion, for providing an internal review of the thesis and Dr. Susan Bondy, Assistant Professor with the Dalla Lana School of Public Health at the University of Toronto, for providing an external review of the thesis. Lastly, the author is grateful to her family and friends for supporting her during her many years (and many degrees) of post-secondary education.

Table of Contents

Abstract	iii
Acknowledgments	iv
List of Figures	vi
List of Tables	vii
Introduction	1
Literature Review	3
<i>Risk Factors for Disease Transmission in Child Care Settings</i>	3
<i>Incubation Periods</i>	7
<i>Sensory Materials</i>	8
Method.....	13
<i>Setting and population</i>	13
<i>Illness and sensory monitoring</i>	14
<i>Centre characteristics</i>	15
<i>Analysis</i>	16
Results	18
<i>Child care centres and child characteristics</i>	18
<i>Illness Distribution</i>	18
<i>Sensory Material Use</i>	31
Discussion	38
<i>Limitations</i>	42
<i>Recommendations</i>	43
<i>Conclusion</i>	44
References	46
Appendix	54

List of Figures

Figure 1. Illness counts by child care centre per month and year, Centres A, B, C, and D, September 2008 to December 2009.

Figure 2. Illness incidence rates (total affected to total at risk), by centre per month and year, with 95% confidence score intervals, Centres A, B, C and D, September 2008 to December 2009.

Figure 3. Counts of illness by week, Centres A, B, C, and D, week 35, 2008 to week 52, 2009.

Figure 4. Incidence rates (cases of illness per 100 child attendance days) by month, Centres A, B, C, and D, September 2008 to December 2009.

Figure 5. Sensory use breakdown in percent for centres A, B, C, and D, n = 1344, September 2008 to December 2009.

Figure 6. Sensory use breakdown in percent for centres A, B, C and D, September 2008 to December 2009.

Figure 7. Incidence rates and proportion of wet sensory use, in percent, for centres B and C, September 2008 to December 2009.

Figure 8. Incidence of illness and wet sensory use (1 = used, 0 = not used), Centre B, January to March, 2009.

Figure 9. Incidence of illness and wet sensory use (1 = used, 0 = not used), Centre C, January to March, 2009.

List of Tables

Table 1. *Average incidence rate, in percent, for all centres by year and quarter, October 2008 to December 2009.*

Table 2. *Chi square tests for independence for incidence rates of one sample by centre, $k = 4$, September 2008 to December 2009.*

Table 3. *Quarterly incidence rates of illnesses by centre including chi square (χ^2), October 2008 to December 2009.*

Table 4. *Incidence rates per 100 child attendance days for Centres A, B, C and D, September 2008 to December 2009.*

Table 5. *Mid-p exact tests, Fischer's exact tests, and normal approximation with upper and lower confidence intervals for each incidence rate per 100 child attendance days, Centres A, B, C and D.*

Table 6. *Average number of illnesses and attendance days for centres A, B, C, and D, September 2008 to December 2009.*

Introduction

Child care is an important service utilized in Canada. Between 1967 and 1995, the number of children in paid child care in Canada tripled from 357,000 to 1.36 million (Canadian Pediatric Society (CPS), 2008). While legislation and dedication by child care staff attempt to produce optimal child health in these settings, child care centres are considered to be high risk settings for communicable disease transmission. This is due to children having underdeveloped immune systems, being at various stages of immunization, not practicing strong hygienic routines including hand hygiene, and not having previous encounters with infectious agents. Diseases spread efficiently in childcare settings because large numbers of children from diverse socioeconomic and cultural backgrounds spend numerous hours together in a confined space on a daily basis (Well Beings, 2009).

Sensory materials, any material that stimulates several senses, are mandated into child care programming for their significant contribution to child development. Sensory materials vary but include water, sand, food products and modeling compounds such as waxes, clays, silicone and Play-Doh®. In Ontario, the *Day Nurseries Act, R.S.O. 1990, c. D. 2*, legislates that every operator shall ensure that there is a program of activities to be used in each day nursery that promotes gross and fine motor skills for the developmental levels of the children enrolled (R.R.O. 1990, Reg. 262, s. 53 (1)). Unfortunately many types of sensory materials, due to their ability to support pathogen growth and repeated use by many children at one time, are an infection transmission risk in childcare settings (CPS, 1999).

Studies have been conducted on water and sand play as potential vehicles of transmission however few have been recent. For example, Butz, Fosarelli, Dick, Cusack, and Yolken (1993) identified water-play tables as a common source of rotavirus contamination within the child care environment. Carabin, Gyorkos, Soto, Joseph, Payment and Collet (1999) were the first to note high bacterial contamination in outdoor sandboxes in child care centres. The authors concluded that the high rate of contamination created a potential health risk to children. More recently, Siebers, Oldfield and Crane (2006) identified that outdoor sandpits used in child care centres were a source of infection from animals, particularly cats, as the animals were using the sandpits as litter boxes. Many newer studies have focussed on toys, particularly in healthcare settings such as hospitals, as potential modes of disease transmission. Rogers et al. (2000) concluded that shared toys on a pediatric oncology unit may have served as fomites in the transmission of rotavirus. In assessing bacterial contamination in general practitioners' waiting rooms, Merriman, Corwin and Ikram (2002), identified that ninety percent of soft toys showed moderate to high bacterial contamination. Toys are not generally used as sensory items in child care settings. There were no studies found in the literature outlining analysis of other sensory materials.

Literature Review

Risk Factors for Disease Transmission in Child Care Settings

The risk factors for disease transmission within a child care setting are extensive.

According to the Canadian Pediatric Society (2009) for every 9 hours of child care per week, there is a 12 percent increase in respiratory illness days. Children without siblings at home had a threefold increase in the incidence of respiratory illness. Nesti and Goldbaum (2007), through a systematic review, noted that children cared for in a child care or preschool setting exhibit a two to three times greater risk of acquiring infections, which impacts both on individual health and on the dissemination of disease throughout the community. It was concluded that with the increase of child care utilization worldwide, infection prevention and control measures such as cleaning and disinfecting of contaminated items are indispensable.

St. Sauver, Khurana, Kao and Foxman (1998) undertook to describe hygienic practices in child care and the associations between those practices and the prevalence of respiratory illness in children of those settings. Bivariate and multivariate analysis combined with logistic regression models indicated that wearing diapers, children aged 3 years and younger, improper handwashing and infrequent cleaning of sleeping mats were associated with a higher frequency of respiratory illness.

In 1999, a large cross-border study was undertaken to assess the risk factors associated with pneumococcal infection in children (Levine, Farley, Harrison, Lefkowitz, McGeer and Schwartz, 1999). The study population included over 10 million children, including ~750 000 children younger than 5 years old. To determine whether any characteristics of child care attendance were associated with invasive pneumococcal

disease; additional analysis was limited to recent child care attendees only. Among the recent child care attendees, invasive pneumococcal disease was not associated with the type of child care center (center vs. home), the number of children in the classroom or in the center, or the number of days per week or hours per week that the child attended child care ($P > .05$ for each). However, more recent initiation of child care use was associated with invasive pneumococcal disease. Even after adjusting for age, case-patients were more likely than control subjects to have attended day care for <12 months (OR, 4.16; 95% CI: 1.78, 9.70).

In addition to increased respiratory illnesses, it has also become generally accepted in the field of childcare that gastrointestinal pathogens like norovirus and rotavirus are endemic to these settings (Ferson, Ressler, McIver, Isaacs & Rawlinson, 2000). Pickering (1986) first summarized the risk issue of child care in his article where he indicated:

...the increased risk of acute infectious diarrhea results from exposure to susceptible hosts in a group setting, behavioural characteristics of infants and toddlers which include continuous exploration of their environment with frequent hand-to-mouth or object-to-mouth contact, indiscriminate defecation prior to toilet training, and the need for hands-on contact by care givers (p. 623).

A case-control study by Reves et al. (1993) showed that 19 percent of medical clinic visits for acute diarrhea were attributable to child care. According to the authors, the risk is highest in the first month of enrolment. Dennehy et al. (2006) identified risk factors for rotavirus gastroenteritis requiring hospitalization by conducting a case-control study paired with a surveillance study for three United States pediatric hospitals. Attending child care in the month before hospitalization of the case was identified as being associated with increased risk for hospitalization of rotavirus gastroenteritis (OR = 1.8 (CI 1.4-2.3)).

The diversity of microorganisms in childcare is enormous. Lee, Tin and Kelley (2007) undertook to define the range of microbial contamination in a childcare setting. All toys and furniture from four child care centres were sampled and had viable bacteria detected. *Bacillus spp.* were the most commonly cultured bacteria, followed by *Staphylococcus spp.*, The largest proportion of sequences found in the clone libraries came from a group called the *Pseudomonadaceae*. Pseudomonads comprise an extremely diverse array of bacteria that grow on numerous carbon sources and are often associated with spoilage. Many of them produce biofilm "slime layers" that serve as environmental protection and make them resistant to both antibiotics and cleaning regimens. Moreover, this same slime production ability appears to protect them from the mammalian immune system. The predominance of a diverse array of pseudomonads in any center is consistent with the nature of the environment. The constant spillage of food and liquids, spread over surfaced reachable by children, would make a perfect growth medium for pseudomonads. Over 190 bacterial species from 15 bacterial divisions were found during the study and it was noted that diaper changing contributed significantly to the bacterial contamination.

Cross-contamination or the contamination of a clean object by a contaminated object is a significant risk of increased illness, particularly in the child care setting. Fecal coliform contamination was assessed in licensed daycare centres and recovered from 9.5 percent of the child care surfaces sampled (Holaday, Pantell, Lewis and Gilliss, 1990). Fecal coliforms are bacteria that exist in the intestines of warm blooded animals and humans, and are found in bodily waste, animal droppings, and naturally in soil. Fecal coliforms are considered indicator organisms as their presence may signify recent contamination by human sewage or animal droppings which could contain other bacteria,

viruses, or disease causing organisms. The study found that fecal coliform recovery rate was not influenced by a centre's socioeconomic status, time of year, or presence of children who were not toilet trained. Sixteen percent of staffs' hands and 6 percent of children's hands had positive fecal coliform cultures. Van, Morrow, Reves and Pickering (1991) furthered this notion of cross-contamination by noting that contamination of hands in child care centres is common and toys can serve as sentinels of contamination.

Laborde, Weigle, Weber and Kotch (1993) outlined the effect of fecal contamination in a child care settings on diarrheal illness rates. The study identified that hands, sinks and faucets, contaminated by fecal coliforms, had a significant twofold increased rate of diarrhea compared to non-contaminated sites. Interestingly, the authors noted that the effect of hand contamination did not differ by age group.

Seasonal epidemics in the community invariably impact on child care centres. In a Danish study involving 19 child care centres, Rosenfeldt, Vesikari, Pang, Zeng, Tvede and Paerregaard (2005) noted that acute diarrhea among children attending child care centers was most common in wintertime. Not surprisingly, rotaviruses were the most common causative agents with sapoviruses being second to rotaviruses as etiologic agents found in this population. While not as common as rotaviruses and noroviruses, sapoviruses do primarily affect infants and young children as have secondary incidence rates of approximately 45 percent. This study identified the need to consider sapoviruses as a potential causative agent in any outbreaks of acute non-bacterial gastroenteritis.

In addition to the factors noted above, animal exposures by children in childcare are also a significant risk for disease transmission. Merritt and Herlihy (2003) reviewed *Salmonella* outbreaks in Australian child care settings where the centre was visited by a

local hatchery to display baby chicks and ducklings to the children. The children were not washing their hands after direct contact with the chicks and ducklings, which are identified carriers of *Salmonella*, and the outbreak was halted simply by having children wash their hands. Although Ontario has not had an outbreak with a causal link to chicks and ducklings, sporadic cases of *Salmonella* and other pathogenic organisms have been noted with these animals (Public Health Agency of Canada, 2004).

Incubation Periods

A complicating factor in any infectious disease risk assessment is the incubation period of a pathogenic microorganism. An incubation period is the time between exposure to a pathogen and the onset of symptoms. Incubation periods can range depending on type of pathogen (e.g. bacteria, viruses, parasites) and by type of exposure (e.g. entry route into the body, amount of infectious agent). Incubation periods also range from a few hours or days, as with bacterial toxins, norovirus and influenza, to weeks or months, as with the mumps virus, Hepatitis C virus or prion diseases. Common pathogens of concern in child care settings are primarily viral such as rotavirus, norovirus, influenza and respiratory syncytial virus. These viruses have incubation periods usually of 1 – 6 days.

Most studies including accounting for incubation periods are done in a retrospective manner, where known illness is present and risk factors are assessed for during the known incubation period. Usually a case definition - set criteria including time, place, and symptoms - is used to identify true cases of an infectious disease so other illness/syndromes with similar presentation will not be included. Studies have identified attendance at child care centres themselves as being the risk factor as noted above and also factors within a child care centre as being linked to infectious disease transmission.

During a large community outbreak of *Shigella* in 1991, Mohle-Boetani et al. (1995) used a retrospective case-control study to assess the risk factors in child care centres and shigellosis attributable to attendance at a child care centre. They compared centres that had confirmed cases of shigellosis, as defined by laboratory confirmation and within the incubation period, with centres that had none. Child care centers with outbreaks were more likely than those with no cases to have a food handler who also changed diapers and to provide transportation for children from their homes to the centre. Also a higher toddler-to-toilet ratio was noted in the affected centres. In 58 percent of families with shigellosis, the first person with diarrhea during the outbreak was a child younger than 6 years; 92 percent of diarrheal illnesses among these children were attributable to child care attendance.

Sensory Materials

Most studies concerning sensory materials in child care settings have been on water and sand play tables. Sempertegui et al. (1995) conducted a prospective age, sex and locale-controlled study to determine the risk for diarrheal disease in children from low income families attending childcare centers. The use of reused water for child hand washing before eating and for play was associated with a higher risk of diarrhea in the childcare centre than in private homes (RR = 4.08, CI 2.93 to 5.67, P < 0.001; RR = 3.90, CI 2.79 to 5.44, P < 0.001, respectively). Butz, Fosarelli, Dick, Cusack, and Yolken (1993), while studying the prevalence of rotavirus in child care centres over a six month period, conducted biweekly sampling that identified rotavirus contamination on the telephone receivers, drinking fountains, water-play tables, and toilet handles. Bacteria in large quantities were also identified in water-play table samples.

Carabin et al. (1999) conducted environmental sampling of sandboxes at child care centres and found bacterial levels to be considerably high and suggestive of a potential health risk to children. Recently, Werber et al. (2007) conducted a matched case-control study in Germany to identify risk factors for Shiga toxin-producing *Escherichia coli* (STEC) infection. For children under 3 years, children having played in a sandbox were more likely to contract STEC than children who did not play in a sandbox (OR = 2.6, 95% CI: 1.2, 5.3).

While water and sand risks in child care have been outlined in the literature, no studies were found regarding other sensory items such as uncooked pasta and rice or modeling materials such as waxes, clays and silicone. Settings outside of child care must be utilized to further extrapolate the risk of illness associated with fomites. Fomites are those inanimate objects that may be contaminated with infectious organisms and serve in their transmission. Surfaces, handles, toys, telephones and teaching tools can all be considered fomites.

Hughes, Williams, Williams and Pearson (1986) were one of the first research teams to describe the potential risks of toys as transmitters of infectious diseases. During a hand washing campaign to remind hospital personnel and patients to practice handwashing, a stuffed teddy bear with a written reminder to wash hands was dispensed to each hospitalized child. The researchers suspected the bears might serve as fomites for transmission of nosocomial microorganisms. A prospective study of 39 sterilized bears revealed that all teddy bears became colonized with bacteria, fungi, or both, within 1 week of hospitalization.

Rogers, Weinstock, Eagan, Kiehn, Armstrong and Sepkowitz (2000) noted that shared toys on a 42-bed pediatric oncology unit may have served as fomites and promoted spread during a rotavirus outbreak. An investigation by the acute care facility's infection control team revealed that communal toys in the playroom were not being cleaned according to the weekly protocol. Plush toys (made from fabrics and materials) may support certain pathogens better than plastic or non-porous toys. This was evidenced by a study where Sattar, Lloyd-Evans, Springthorpe and Nair (1986) assessed the potential of fomites and surfaces to transmit rotavirus in institutions such as hospitals, nursing homes and child care centres. The researchers concluded that rotavirus survives better on cotton-polyester items than paper or plastic.

Davies, Mehr, Garland and Morley (2000) conducted a cross-sectional, bacteriological study of all the toys in infants' cots in a neonatal intensive care unit. It was found that 98 per cent of toys grew bacteria, primarily *Staphylococcus* including methicillin-resistant *Staphylococcus aureus* (MRSA). Over a four week period, the researchers noted that all toys became colonized with bacteria, many being pathogenic. Fleming and Randle (2006), replicating the Davies et al. (2000) study, randomly chose 12 toys from a pediatric intensive care unit including personal toys and shared toys. The personal toys were brought in from home as a comfort to the children. It was found that 85 per cent of the home toys harboured viable bacteria which could be damaging to a child's health. While most of the communal toys had no bacteria detected, a piece of Lego© and a cloth hat were found to be contaminated with various bacteria.

Merriman, Corwin and Ikram (2002) aimed to identify the contamination level of toys available in general physician's waiting rooms and noted that soft toys were more

likely to be contaminated than hard toys. Ninety percent of the soft toys had moderate to heavy bacterial contamination, were hard to disinfect, and rapidly became recontaminated after cleaning. The authors concluded that soft toys in a general practitioner's waiting room pose an infectious disease risk and are unsuitable for doctors' waiting rooms.

One of the unique challenges for reusable sensory materials is how to prevent contamination because once contaminated, it is unlikely these materials can be adequately cleaned and disinfected. Food-based products such as pasta, flour and rice are recommended to be discarded after each use but for some of the more expensive modeling materials such as commercial Play-Doh[®], disposing after each use is not feasible. Infection prevention and control measures focus on hand hygiene prior to sensory play to prevent the contamination of sensory materials that will be reused for weeks. Hand hygiene is also critical following sensory play to ensure if materials were contaminated, cross-contamination of the hands is prevented. However, as noted above, cross-contamination by fomites is a common event in the child care setting. In 2005, Boone and Gerba evaluated the prevalence of influenza A virus on surfaces in the home and in child care settings to better assess the potential role of fomites in the transmission of influenza. Over two and a half years, fomites from fourteen different child care centres were tested and while influenza was detected on 23% of fall fomites and 53% of spring fomites, there was no statistical difference between moist and dry fomites.

Current public health recommendations include single usage of any wet sensory item and disposal of any dry food item that may have become wet. This recommendation is based on the potential increased risk of transmission when moisture is available to support pathogen growth. The issue is that best practice guidelines for sensory materials in

child care settings are based on extrapolations of the evidence mentioned above and not on any recent research or direct testing of sensory materials in licensed child care centres.

While the literature has documented a variety of microorganisms that exist in the child care setting, there is little to no evidence regarding how the presence of pathogens in the child care environment translates into childhood illness. In addition, there has been no infectious disease assessment of materials used to enhance children's fine and gross motor skills in relation to risk of illness transmission within a child care centre.

Method

Setting and population

In 2008, there were 5167 licensed spots for children in day nurseries in Simcoe County (County of Simcoe, 2009). This included four age groupings: 0-1.5 years; 1.5-2.5 years; 2.5-5.0 years; and the school age population (5.1-12.0 years). To ensure a ninety-five percent confidence level that the sample population represented the true population and accounting for a five percent error of accuracy, 358 children would need to be involved in the study. No previous studies of illness risk have been done on sensory materials in childcare; therefore an expected proportion of fifty percent was used. While the original intent was to assess records over three age groupings: 0 – 1.5 years; 1.5 – 2.5 years; and 2.5 – 5.0 years, due to time and resource limitations only the 30.1 – 72 months (2.5 – 5.0 years) grouping was analyzed. Therefore the sample size was reduced to a minimum of 120 children.

The analysis was conducted on four licensed child care centres located in Simcoe County, Ontario, which is in central Ontario approximately one hour north of Toronto. The four licensed child care centres were all recruited from one large non-profit corporation with two from the Barrie, Ontario area and two from the Midland, Ontario area. All four centres were established centres, operating for at least three years prior to the start of analysis, and all providing full day child care with operating hours from 0700 hours to 1800 hours from Monday to Friday. The centres were open and providing childcare for 336 days during the defined study period. All child records for the 2.5 – 5.0 year age group in all four centres were analyzed, although due to some children being enrolled in kindergarten schooling, not all children attended the centre for all five days in a week.

The corporation to which all four centres belong is a community-minded business striving to improve health and provide opportunities for communities to grow in mind, health and spirit. As such, these centres have higher spaces available for subsidized families than other centres which may have impacted on the results.

Illness and sensory monitoring

Each centre's child attendance lists, communication books and program plans were intended to be analyzed over a 24 month period (from January 2008 to December 2009). Unfortunately, one centre was unable to locate a portion of the records so the actual analysis was over a 16 month period (September 2008 to December 2009).

In Ontario, every operator of a licensed child care centre must ensure that a daily observation is made of each child in attendance, in each day nursery operated by the operator, before the child begins to associate with other children in order to detect possible symptoms of ill health (Day Nurseries Act, 1990). Attendance is recorded daily on a monthly attendance sheet and a reason for absence must be noted in a centre communication book. Absences due to illness are clearly recorded however the type of illness and/or symptoms were not consistently noted across all four centres therefore no differentiation between gastrointestinal versus respiratory illnesses could be made. Each child was given a unique identifier and all children's daily attendance records, including reason for illness, by centre were transcribed into Microsoft Excel (Appendix).

The attendance and communication books were contrasted against types of daily sensory use: dry or wet. Sensory use is recorded daily in the program plans of each centre. All children in one age group will have the same sensory use on one day. As all four centres were from one large corporation, the same types of sensory materials were used in

all centres but not necessarily on the same days. Dry sensory items included dry pasta and grains, sterile sand, paper, crafts and colouring. Wet sensory items included water, clay, paints, non-commercial play-dough made from flour, water and food colouring, and “goop” made from corn starch and water. Sensory data was collected and coded binomially using Microsoft Excel (Appendix). In a creative attempt to assess if it did have any impact on illness, wet sensory use by month was plotted against the monthly incidence rates. It is noted that due to the constant use of wet sensory materials, it is very difficult to ascertain if a trend exists.

Centre characteristics

All four centres are in the same health region and the same operating policies and procedures existed at all centres. This included hand washing practices before and after sensory use, cleaning & disinfecting procedures including frequency and type of disinfectant, parent communication, illness reporting, isolation and exclusion of ill children, and documentation. All staff use standardized agency forms and books for documenting attendance, absences and sensory use in programming. In addition, all centres adhere to the same infection prevention and control measures regarding sensory materials including preparation, storage, use and disposal. Licensed child care in Ontario also dictates the number of staff per child ratio as well as number and ages of children in a room so all centres had the same staffing and capacity ratios. If diapering was required in these age groups, all four centres used disposable diapers with standardized policies and procedures for diapering including diapering pads and dedicated disinfectants. None of the staff responsible for child care and/or diapering were responsible for food preparation at the centre.

As all four centres reside in Simcoe County, funding for subsidized spaces was available through the County of Simcoe Children's Services. Child care fee subsidy is provided to eligible families within Simcoe County that may have lower socioeconomic statuses than other families in their communities. In order to be eligible, parents or guardians must be working, attending school, fulfilling a participation agreement with Ontario Works, a social assistance program, or, in need of developmental programming for a child with special needs.

Role of Author

The author was the primary data collection agent for the study. By onsite visits to the centres over a period of several days, the author manually transcribed data from hard copy documentation tools used by the centres into an electronic Microsoft Excel database created by the author (Appendix). Decisions regarding inclusion or exclusion of data were determined solely by the author based on preset criteria set by the author. The author introduced the notion of child attendance days as common denominator to compare rates across centres. Complex multivariable statistical analyses were not required as part of the Master of Public Health program.

Analysis

It must be noted that advanced statistical analysis is not a program requirement in a Master of Public Health thesis prepared for Lakehead University. Preliminary analyses were conducted but complex examinations of the data were not preformed. Analyses were performed using Open Source Epidemiological Statistics for Public Health (OpenEpi version 2.3), and web-based calculators programmed from the *Computational Handbook of Statistics: 2nd edition*, by Bruning and Kintz (1979). Absenteeism was divided into three

categories for analysis: absent due to illness, absent not due to illness and not enrolled.

Sensory items as the independent variables were categorized into wet or dry based on addition of water or other liquids to the items.

Illness case counts and centre-based monthly incidence rates were calculated.

Illness counts, the number of newly reported cases of illness during a specific time period, was defined as any new report of child illness, regardless of how long a child remained away from the centre. If the child returned to child care for one full day of programming and then was off ill again, this was counted as a new report of illness. Incidence rates were defined as the ratio of total cases in the defined child population for a defined time frame (e.g. month, quarter) to the total defined child population at risk for the defined time frame.

Counts and incidence rates were compared across all centres to observe trends and expected seasonal illnesses. As children do not attend child care every day of the week or month, and many are enrolled part-time, an incidence rate per child attendance days was used to compare across centres. This rate was defined as the number of new reported cases of illness during a specific time period divided by the number of full day attendance days at the centre. This rate was calculated for the entire study period and then by month.

Nonparametric testing was conducted including Chi square tests for goodness of fit to determine if the distribution of observed frequencies differed from the theoretical expected frequencies. Goodness of fit means how well a statistical model fits a set of observations.

A measure of goodness of fit typically summarizes the discrepancy between observed values and the values expected under the model in question.

Results

Child care centres and child characteristics

Across four centres, 125 child records were analyzed for illness: 23, 36, 41, and 25 for Centres A, B, C, and D respectively. Enrolled children were 54 percent female (range, 43 – 60 percent) and 46 percent male (range, 36 – 57 percent). Forty-four percent of enrolled children (range, 32 – 52 percent) were from families eligible for subsidized child care. Centres A and D, both located in the Midland, Ontario area were smaller in overall capacity including smaller numbers of children in the defined age group. Centres A and D also had the highest proportions of subsidized childcare spaces (52 and 48 percent respectively) and more children attending on a part-time basis.

Illness Distribution

The monthly counts of centre illness ranged from 0 to 22 episodes/month with a mean of 4.156 (figure 1). Confidence levels were not calculated as the counts included all children in the time period acting as a census and not a sampling of the population. Centre C had larger numbers of children ill but when the total population was accounted for, as shown in figure 2, Centres A and D were identified as consistently having the highest incidence rates. Confidence levels were calculated for the incidence rates as they are a proportion, however, score intervals and not exact intervals were used. While exact intervals are recommended for small sample sizes, Agresti and Coull (1998) noted that exact intervals can be too conservative. They noted that score intervals work better in almost all circumstances than exact intervals, even for the smallest sample sizes. For 10 of the 16 months assessed, Centre D had over 30 percent of its children in the defined age group affected with illness. All centres had, expectedly, higher illness counts and incidence rates

during winter months. The fall months of 2009 showed similar incidence rates for all centres. Unexpectedly, illness remained elevated during the late spring and early summer months. Centre B was unique in that its highest rates of illness occurred in April, October and November of 2009 whereas the centre was scarcely affected during the more traditional outbreak season.




Figure 1. Illness counts by child care centre per month and year, Centres A, B, C, and D, September 2008 to December 2009.




Figure 2. Illness incidence rates (total affected to total at risk), by centre per month and year, with 95% confidence score intervals, Centres A, B, C and D, September 2008 to December 2009.

The illness case counts were then assessed by week (figure 3). While January 2009 has the highest counts and incidence rates, it is the third and fourth weeks of January that has the highest counts and incidence rates, it is the third and fourth weeks of January that noted increased illnesses across most centres. Centre B, having higher rates in April, October and November experienced illnesses during the week of April 6-10, 2009 with April 10, 2009 being Good Friday of the Easter weekend. During October and November, 2009, high rates of illness were noted the weeks before and after Halloween. Seasonal activities, not part of the common curriculum, might have been impacting on illness rates in Centre B during the study period.




Figure 3. Counts of illness by week, Centres A, B, C, and D, week 35, 2008 to week 52, 2009.

The incidence rates were assessed quarterly (Q) and as noted in table 1, the overall incidence rates (in percent) were 25.30, 13.32, 21.50 and 37.95 for Centres A, B, C, and D respectively. Centres A and D were again identified to have the highest rates. Centre B had the lowest incidence rates for the majority of the quarters until 2009 Q4 when its rate was quite similar to the other centres.

Table 1

Average incidence rates, in percent, for all centres by year and quarter, October 2008 to December 2009.

		Centre			
		Centre A	Centre B	Centre C	Centre D
Year and Quarter	2008 Q4	22.92	1.96	19.44	33.33
	2009 Q1	52.39	14.58	41.67	73.33
	2009 Q2	28.57	14.04	11.11	28.57
	2009 Q3	23.33	4.76	7.53	15.15
	2009 Q4	22.22	31.25	27.74	39.39
Overall Average Incidence Rate (%)		25.30	13.32	21.50	37.95

Chi square tests for goodness of fit were conducted using monthly incidence rates to determine if the distribution of observed frequencies differed from the theoretical expected frequencies. Cases, or counts, of illness were not used as there were not the same numbers of children at risk in the centres so proportions, not counts, needed to be assessed. The incidence rates for the entire 16 month period were not equally distributed in the population, $\chi^2 (3, N = 56.14) = 7.90, p < .05$. Table 2 outlines the cell ranges for the chi square test for goodness of fit. Since our χ^2 statistic (7.90) exceeded the critical value for 0.05 probability level (7.815), the null hypothesis was rejected.

Table 2

Chi square tests for independence for incidence rates of one sample by centre, k = 4, September 2008 to December 2009.

		Chi Square = Sum of (O-E) ² /E		
		Observed Incidence Rate	Expected Incidence Rate	(O-E) ² /E
Centre	Centre A	16.30	14.04	0.37
	Centre B	6.08	14.04	4.51
	Centre C	13.26	14.04	0.04
	Centre D	20.50	14.04	2.98
Sum				7.9

The data was then examined to determine if the case counts and incidence rates over three month increments were due to chance (Table 3). The incidence rates for 2008 Q4 ($X^2(3, N = 77.66) = 26.30, p < .05$), 2009 Q1 ($X^2(3, N = 181.96) = 39.41, p < .05$), and 2009 Q2 ($X^2(3, N = 82.29) = 12.65, p < .05$) were all noted as significant and not fitting the expected values. Fall 2008 and Winter 2009 had the furthest deviations from the expected illness incidence rates. The proportion of illness distribution for the fourth quarters of 2009, October to December, was found to be equal for the four centres involved. This was expected as those months were noted earlier to all have similar incidence rates. The chi square for 2009 Q3 was determined to be significant but caution is warranted as one of the cells had a frequency less than 5, therefore violating an assumption of the chi square goodness of fit test.

SENSORY USE AND RISK OF ILLNESS

Table 3

Quarterly incidence rates of illnesses by centre including chi square (χ^2), October 2008 to December 2009.

		2008 Q4		
		Illness	At Risk	Incidence Rate (%)
Centre	Centre A	11	48	22.92
	Centre B	1	51	1.96
	Centre C	14	72	19.44
	Centre D	16	48	33.33
Incidence Rate χ^2				26.30

		2009 Q1		
		Illness	At Risk	Incidence Rate (%)
Centre	Centre A	22	42	52.39
	Centre B	7	48	14.58
	Centre C	30	72	41.67
	Centre D	33	45	73.33
Incidence Rate χ^2				39.41

		2009 Q2		
		Illness	At Risk	Incidence Rate (%)
Centre	Centre A	12	42	28.57
	Centre B	8	57	14.04
	Centre C	8	72	11.11
	Centre D	12	42	28.57
Incidence Rate χ^2				12.65

		2009 Q3		
		Illness	At Risk	Incidence Rate (%)
Centre	Centre A	7	30	23.33
	Centre B	3	63	4.76
	Centre C	7	93	7.53
	Centre D	5	33	15.15
Incidence Rate χ^2				16.45

		2009 Q4		
		Illness	At Risk	Incidence Rate (%)
Centre	Centre A	4	18	22.22
	Centre B	15	48	31.25
	Centre C	25	87	27.74
	Centre D	13	33	39.39
Incidence Rate χ^2				4.98

Lastly, to accurately compare illness across the centres and accounting for children that may have only attended part-time or withdrawn during the studied time frame, incidence rates per 100 child attendance days were calculated (Table 4). This comparison of incidence density was possible as all the children in all centres were in the same age grouping. Centre B had the lowest incidence rate of 0.905/100 child attendance days while Centre D had the highest with 2.699/100 child attendance days. This was consistent with the noted incidence rate distributions across centres presented earlier.

Table 4

Incidence rates per 100 child attendance days for Centres A, B, C and D, September 2008 to December 2009.

	Centre A	Centre B	Centre C	Centre D
Total Incidence	55	33	87	91
Total Attendance Days	2087	3648	5852	3372
Incidence Rate per 100 child attendance days	2.635	0.905	1.487	2.699

The incidence rates were then further assessed by exact binomial methods to determine the upper and lower confidence limits. Mid-p exact tests, Fischer exact tests and normal approximation were calculated to allow for discreteness in the distribution (Table 5).

Table 5

Mid-p exact tests, Fischer's exact tests, and normal approximation with upper and lower confidence limits for each centre's incidence rate per 100 child attendance days, Centres A, B, C and D.

	Centre A		
	Lower CL	Rate	Upper CL
Mid-P exact test	2.005	2.635	3.405
Fisher's exact test	1.985		3.430
Normal approximation	1.939		3.332
	Centre B		
	Lower CL	Rate	Upper CL
Mid-P exact test	0.633	0.905	1.256
Fisher's exact test	0.623		1.270
Normal approximation	0.596		1.213
	Centre C		
	Lower CL	Rate	Upper CL
Mid-P exact test	1.198	1.487	1.825
Fisher's exact test	1.191		1.834
Normal approximation	1.174		1.799
	Centre D		
	Lower CL	Rate	Upper CL
Mid-P exact test	2.185	2.699	3.298
Fisher's exact test	2.173		3.313
Normal approximation	2.144		3.253

Of interest were the average numbers of illnesses per child and average attendance days for the centres (Table 6). Centre C which had a higher average number of illnesses had the highest average number of attendance days which reduces the overall rate of incidence per 100 child attendance days. Centre A was noted as having most children attending on a part-time basis for short periods of time (e.g. twice per week for 4 months) while Centre C had most children attending on a full-time basis and for longer periods of time (e.g. five times per week for over a year). While Centre D had comparable attendance days to the centre having the lowest incidence per attendance days rate (Centre B), there was almost a threefold increase in new onsets of illness noted in Centre D.

Table 6

Average number of illnesses and attendance days for centres A, B, C, and D, September 2008 to December 2009

	Centre A	Centre B	Centre C	Centre D
Average Attendance Days per child	94.86	101.33	142.73	134.88
Range	42-194	2-200	29-289	2-292
Average Incidence of Illness per child	2.50	0.91	2.12	3.64
Range	1.03-6.31	0-2.8	0-2.8	0-5.2

Cases of illness per 100 child attendance days were then broken down by month for the study period (Figure 4). All centres had their highest rates documented for January 2009 except for Centre C which has its highest rates for the study period in November 2009. While all centres have increased rates for the fall and winter months, Centres A and D have sustained illness rates throughout the spring and summer. Unfortunately, with no surveillance systems in place to identify baseline rates the noted rates may be within normal limits for the centres. When assessing child attendance days as a measure, the incidence rates across the centres mirrored the incidence rates previously presented. Centres A and D had the highest rates of illness per 100 child attendance days of 2.63 and 2.70 respectively.




Figure 4. Incidence rates (cases of illness per 100 child attendance days) by month, Centres A, B, C, and D, September 2008 to December 2009.

Sensory Material Use

Sensory data was taken from program plans completed by the staff responsible for care of enrolled children in one age group in one room. Of the 336 operating days in the study, wet sensory items were used 51 percent (range, 41 – 60 percent) of the time with 7 percent (range, 0 – 16 percent) of sensory use being unaccounted for (figure 5). The percentages were calculated by summing the number of total wet and dry sensory use divided by the total of 336 operating days. Missing sensory information was due to the inability to find hard copies of weekly program plans and/or incomplete data or description in the program plans. Centres B and C had higher wet sensory use but this may be misleading as Centres A and D had unknown rates of 16 and 10 percent respectively (figure 6). There was no noticeable season in any of the centres where one type of sensory was used more or less however, the months of November 2008 and February 2009 had the lowest use of wet sensory materials in all centres. There was no significant increase in wet sensory usage during warmer months and the average number of monthly wet sensory handling was fairly consistent across all centres ranging from 8.6 to 12.6 times per month that wet sensory items were used.




Figure 5. Sensory use breakdown in percent for centres A, B, C, and D, n = 1344, September 2008 to December 2009.




Figure 6. Sensory use breakdown in percent for centres A, B, C and D, September 2008 to December 2009.

Only Centres B & C were assessed further as they had less than one percent of unknown sensory use. When Centre C experienced their highest incidence rate (54 percent) in January 2009, the wet sensory use for the month was one of the centre’s lowest proportions in the 16 month period at 52 percent (figure 7). Centre B has some instances where higher wet sensory use and higher monthly incidence rates are noted but there is no clear trend or association discernable from the data.




Figure 7. Incidence rates and proportion of wet sensory use, in percent, for centres B and C, September 2008 to December 2009.

Wet sensory use and illness were then analyzed attempting to account for one key component in infectious disease transmission – the incubation period. It was difficult to incorporate incubation period in the analysis as wet sensory use was used at least once, and many times more, than once per week. Therefore, it was difficult to determine if illness may have been the result of exposure on the first or subsequent wet sensory use days. To identify if any patterns of illness incorporated incubation periods, wet sensory use for Centres B and C was graphed against incidence for the first quarter of 2009 (figures 8 and 9). The use of wet sensory items is captured by the bars where illness is graphed as the line above. There are no distinct patterns of illness following wet sensory use and while Centre B had more wet sensory use than Centre C, Centre B had less incidence than Centre C observed.




Figure 8. Incidence of illness and wet sensory use (1 = used, 0 = not used), Centre B, January to March, 2009.




Figure 9. Incidence of illness and wet sensory use (1 = used, 0 = not used), Centre C, January to March, 2009.

Discussion

These analyses provide evidence to start closing a significant gap in child care infection prevention and control recommendations. Sensory use in child care settings has not been adequately or effectively assessed possibly due to strict ethical guidelines surrounding use of children in a study and the difficulty in attributing childhood illness to one specific variable. Child care centres represent challenging study sites as they are natural experiments, particularly regarding infectious diseases. Multiple risk factors are interacting in these centres and controlling for all of them to test a hypothesis is quite difficult. It was recognized early on that a significant amount of time and resources would be required to conduct a well-designed and implemented infectious disease risk assessment for sensory use in child care centres.

The results from the analysis indicate that illness is not occurring randomly in the four recruited child care centres but the reasons the observed illnesses may not be due to sensory materials used. The persistence of the significant chi square test for goodness of fit indicates that there are one or more variables affecting illness in the fall, winter and spring seasons.

All centres had, expectedly, higher incidence and incidence rates during winter months. Of interest, illness also remained elevated during the spring and early summer months. Without having organized surveillance systems in place however, it is hard to determine if the spring and summer illnesses were above normally expected values. A recent study from British Columbia, Canada, noted that the monthly community prevalence for acute gastroenteritis in the 0 – 9 year age group averaged around 15 percent during the spring months (Thomas, M. K., Majowicz, S. E., MacDougall, L., Sockett, P.

N., Kovacs, S. J., Fyfe, M., et al., 2006). The centres in this study had higher than 15 percent incidence rates in spring months but a portion may be attributable to community activity and not factors in the child care setting. In addition, as the specific symptoms were not documented, there was no differentiation between gastroenteritis and respiratory illness. Spring and summer respiratory illnesses in the preschool population have been linked to non-child care variables such as air pollution and environmental allergens (Hertz-Picciotto, Baker, Yap, Dostá, Joad, Lipsett, et al., 2007).

While Centres A and D had consistently higher incidence rates, they also had a higher proportion of subsidized child care spaces and more part time attendees. Low income is one socioeconomic factor that affects the health of children. In a Danish study, Thrane, Sondergaard, Schonheyder and Sorensen (2005) identified that children from low income families had an increased risk of three or more hospital admissions due to infectious diseases, (OR = 3.6 (CI 1.8 - 7.1)). In addition, children of parents with low levels of education were also at higher risk for hospitalization due to infectious diseases, (OR = 1.3, (CI 1.1 – 1.6)). Two centres, A and D, are located in the Midland, ON area which has a higher proportion of low socioeconomic status families. In 2000, the average income for residents of Midland was \$27 445 compared to the Barrie average of \$32 500, both of which are below the provincial average of \$35 185 (Statistics Canada, 2001). In addition, over 20 percent of Midland residents aged 20 – 34 years did not graduate high school compared to 14 percent for Barrie. Therefore, community and/or family risk factors for infectious disease acquisition may be affecting the rates of illness.

Centre B was unique as it was not impacted as greatly as the other centres in regards to incidence or incidence rates. The author notes that this child care centre is

located on the property of a community college primarily servicing the institution's faculty and students. While parent education level was not assessed, the previously mentioned 2005 Danish study identifies a link between parent education level and infectious disease hospitalization risk.

To compare incidence across centres and extrapolating from healthcare statistical methods used in healthcare the concept of incidence density using child attendance days was introduced. In healthcare facilities, patient days are a common denominator used to compare various rates. Each day represents a unit of time during which the services of the institution or facility are used by a patient and allows rates to be calculated for various indicator such as healthcare-acquired infections and ventilator-associated pneumonias. The rationale is that the longer a patient remains in a healthcare facility, the increase in risk of illness. This same strategy was applied to child care where some children are only visiting a centre once or twice a week for a few months while others are enrolled for five days a week for years. As attendance in a child care setting has been evidenced to increase illness as outlined in the literature review, accounting for illness per amount of attendance was needed. Moore (2004) notes that infection rates expressed per day are useful for following a specific illness over time and for interfacility comparison, provided that the rates are expressed by risk groups. For future studies, this per day assessment of illness rates should be incorporated.

Incidence of illness per 100 child attendance days was then divided into monthly rates and a distinct peak in January 2009 was noted. Winter months in North America are often referred to as the outbreak season. Rotavirus, a key viral illness causing gastroenteritis in children is known to peak in incidence in winter months (Cook, Glass,

LeBaron and Ho, 1990). In addition, respiratory syncytial virus, influenza and norovirus are common pathogens that can affect child care settings during winter months. The specific month in which illnesses peak varies, but these pathogens consistently drop to extremely low levels in warmer months (Mounts, Ando, Koopmans, Bresee, Noel, and Glass, 2000). Thus, there may be other pathogens, such as waterborne microorganisms creating illnesses during summer months.

When sensory use was contrasted against incidence of illness, dry sensory materials were utilized 51 percent during the 16 month period compared to wet sensory use at 42 percent. The data available from the centres was not able to support direct testing of whether wet sensory, those items having moisture content able to support microbial growth, affected rates of illnesses in child care centres. While the incidence rates for two of the centres seemed to increase in the last four months of 2009 as wet sensory use increases, it is not consistent and no clear relationship can be inferred. Incubation periods were factored into the analysis by observing incidence against sensory use over a three month period.

As previously stated, accounting for incubation period is quite difficult, particularly when an infectious agent is not identified, as ranges can be from hours to weeks. Looking at the most common pathogens in child care, being viral agents with incubation periods from 1-6 days, there were no distinct patterns of illness noted.

Current public health recommendations assume wet sensory materials pose a higher risk of disease transmission in the child care setting; the findings of this study cannot support or refute that risk assessment. While no obvious patterns emerged from the data, there was no ability to directly test the impact of wet sensory use on illness transmission. It is possible that the existing infection prevention and control measures surrounding sensory use, such as hand hygiene before and after

use, supervision during use, and exclusion of ill children from the centre, may be reducing the risk of disease transmission even though higher risk fomites are being used, but more research is required to substantiate that claim.

Limitations

The data collection component of this project was extremely labour intensive. Paper records are kept and organized to optimize billing for each centre. Child records were not located in the same place from month to month as they are based on full time or part time attendance. In addition, many children had similar first names and often attendance sheets referred to children by shorter versions of their given name and did not include last names or last name initials. Therefore, a significant amount of time was spent ensuring the same child's record was being transcribed into the data collection tool and cross-referencing attendance with the paper based communication book was required. Occasionally, no reasons for children's absences were documented. These situations were defined as absences not due to illness and were not counted in the centre's incidence. This may have created an under-estimation of illness.

While consistent policies and documentation tools existed in all centres, audits were not conducted to ensure staff compliance with those policies including sensory use. Sensory use documentation was sometimes missing or only defined for a week's period and not a specific day. If sensory use was not clearly defined on a daily basis, it was recorded as 'no data'. During the study design, it was anticipated that wet sensory use was only introduced into programming once per week but after an in-depth review of program plans during data collection, this was not the case. In actuality, wet sensory was utilized significantly more often than originally anticipated making analysis of illness due to wet sensory use difficult. Sensory use was sometimes used in conjunction with dry sensory use

or more than one wet sensory item was used on one day. As a result, it was impossible to determine which sensory activity may have contributed to illness.

Limitations related to incubation periods also existed. No times of symptom onset were given; therefore exact durations from exposure to symptom onset could not be calculated. Also, there was no direct observation of children using sensory materials to assess length of use on any given day; therefore amount of exposure could not be assessed. Lastly, the specific type of wet or dry sensory item used (e.g. painting v “goop”) was not always recorded therefore illness could not be compared to specific types of sensory materials.

Additional limitations existed regarding controlling confounding variables such as seasonality of wet sensory use. In addition, due to time constraints and lack of resources, key indicators of infectious disease susceptibility that may have influenced the data were not able to be fully assessed. These indicators included socioeconomic status, immune status and vaccination status. All four centres had immunization policies in place to promote adherence to provincial vaccine schedules for early childhood but individual child attendance records were not compared to immunization statuses. All four centres also accepted children from families with lower socioeconomic statuses but no data was collected specific to individual records.

Recommendations

Child care settings are considered high risk sites for infectious disease transmission and further research is required to ensure public health recommendations for these settings are evidence-based. Unfortunately, unlike healthcare facilities, child care centres do not have the documentation tools or resources to put surveillance systems in place that would

generate strong data sets. As more and more centres are moving to electronic documentation, extraction of data from these sites will hopefully become easier.

While licensed child care centres in Ontario are legislated to provide a significant amount of documentation regarding a child's health and development, the documentation is not optimal for quantitative assessment. Future methods for collecting data from child care centres would best be done by designing data collection tools specifically for the intended study objective, requesting active participation by the employees at the child care centre in using the tool, and providing on-site training for staff. In addition, public health staff could promote and support electronic documentation tools that could aid in issues directly affecting the centres, such as outbreaks or disease reporting, but also aid in future research.

An additional recommendation for a study design would be a two-tiered approach by sampling sensory materials for microbial diversity to identify pathogens that could present a risk of illness. Secondly, cohorts of children should be followed over time and if symptoms develop, laboratory analysis of specimens should be conducted to cross-reference to any pathogens noted from the sensory materials. Laboratory techniques are such that specific typing can identify different pathogens of the same species.

Lastly, future research involving this target group should involve the supervisors and directors of child care settings in the study design process. While not specifically trained in methods of research design or epidemiology, their knowledge of child care systems and contribution is critical to overall success.

Conclusion

Illnesses in childcare were able to be explored using incidence rates, incidence and child attendance days. Unfortunately, due to a lack of data that could be directly tested, it is inconclusive whether a link or trend is noted between wet sensory use and illness. The hypothesis was not able to be adequately addressed due to the limitations noted above. Sensory use in child care settings is an essential component of child learning and development and further research needs to be conducted on specific infectious disease risks associated with these materials.

References

- Agresti, A., & Coull, B. A. (1998). Approximate is better than “exact” for interval estimation of binomial proportions. *Journal of the American Statistical Association*, 52, 119-126.
- Akhter, J., al-Hajjar, S., Myint, S., & Qadri, S. M. (1995). Viral contamination of environmental surfaces on a general paediatric ward and playroom in a major referral centre in Riyadh. *European Journal of Epidemiology*, 11(5), 587-90.
- Akihara, S., Phan, T. G., Nguyen, T. A., Hansman, G., Okitsu, S., & Ushijima, H. (2005). Existence of multiple outbreaks of viral gastroenteritis among infants in a day care center in Japan. *Archives of Virology*, 150(10), 2061-75.
- Boone, S. A., & Gerba, C. P. (2005). The occurrence of influenza A virus on household and day care center fomites. *Journal of Infection*, 51(2), 103-109.
- Bruning, J., & Kintz, B.L. (1979). *Computational handbook of statistics (2nd edition)*. London, England: Scott Foresman & Co.
- Bures, S., Fishbain, J. T., Uyehara, C. F., Parker, J. M., & Berg, B. W. (2000). Computer keyboards and faucet handles as reservoirs of nosocomial pathogens in the intensive care unit. *American Journal of Infection Control*, 28(6), 465-71.
- Butz, A. M., Fosarelli, P., Dick, J., Cusack, T., & Yolken, R. (1993). Prevalence of rotavirus on high-risk fomites in day-care facilities. *Pediatrics*, 92(2), 202-205.
- Canadian Pediatric Society. (2009). Health implications of children in child care centres. Part B: Injuries and infections. *Pediatric Child Health* 14(1), 40-43.

- Canadian Pediatric Society. (1999). *Well Beings: A guide to promote the physical health, safety and emotional well-being of children in child care centres and family day care homes (2nd ed., pp. 95)*. Ottawa, ON: Canadian Pediatric Society.
- Carabin, H., Gyorkos, T. W., Soto, J. C., Joseph, L., Payment, P., & Collet, J. (1999). Effectiveness of a training program in reducing infections in toddlers attending day care centers. *Epidemiology*, *10*(3), 219-227.
- Cook, S. M., Glass, R. I., LeBaron, C. W., & Ho, M. S. (1990). Global seasonality of rotavirus infections. *Bulletins of the World Health Organization*, *68*(2), 171-177.
- County of Simcoe. (2009). *For the greater good: A report on County of Simcoe Services*. [Brochure]. Retrieved electronically September 19, 2009 from: http://www.simcoe.ca/ws_cos/groups/public/@pub/@cos/@ci/@nr/documents/web_content/wscos_004349.pdf
- Davies, M. W., Mehr, S., Garland, S., and Morley, C. (2000). Bacterial colonization of toys in neonatal intensive care cots. *Pediatrics*, *106*(2), retrieved electronically July 25, 2009 from: <http://www.pediatrics.org/cgi/content/full/106/2/e18>
- Day Nurseries Act, R.S.O. 1990, c.D.2, Reg. 262, s. 30 -34.*
- Dean, A. G., Sullivan, K., M., & Soe, M. M. (2009) OpenEpi: Open Source Epidemiologic Statistics for Public Health, Version 2.3. Retrieved electronically April 29, 2010 from: www.OpenEpi.com
- Dennehy, P. H., Cortese, M. M., Bégué, R. E., Jaeger, J. L., Roberts, N. E., Zhang, R., et al. (2006). A case-control study to determine risk factors for hospitalization for rotavirus gastroenteritis in U.S. children. *The Pediatric Infectious Disease Journal*, *25*, 1123-1131.

- Ekanem, E. E., DuPont, H. L., Pickering, L. K., Selwyn, B. J., & Hawkins, C. M. (1983).
Transmission dynamics of enteric bacteria in day-care centers. *American Journal of Epidemiology*, *118*(4), 562-72.
- Fau, C., Billaud, G., Pinchinat, S., Lina, B., Kaplon, J., Pothier, P., et al. (2008).
Epidemiology and burden of rotavirus diarrhea in day care centers in Lyon, France. *Archives of Pediatrics & Adolescent Medicine*, *15*(7), 1183-92.
- Ferson, M. J., Ressler, K.-A., McIver, C. J., Isaacs, M., & Rawlinson, W. D.
(2000). Norwalk-like virus as a cause of a gastroenteritis outbreak in a childcare centre. *Australian and New Zealand Journal of Public Health*, *24*, 342-343.
- Ferson, M. J., Stringfellow, S., McPhie, K., McIver, C. J., & Simos, A. (1997).
Longitudinal study of rotavirus infection in child-care centres. *Journal of Paediatric Child Health*, *33*(2), 157-60.
- Fleming, K., & Randle, J. (2006). Toys—friend or foe? A study of infection risk in a paediatric intensive care unit. *Paediatric Nursing*, *18*(4), 14-18.
- Hertz-Picciotto, I., Baker, R. J., Yap, P-S., Dostá, M., Joad, J. P., Lipsett, M. et al.
(2007). Early childhood lower respiratory illness and air pollution. *Environmental Health Perspectives*, *115*, 1510-1518.
- Holaday, B., Pantell, R., Lewis, C., & Gilliss, C. L. (1990). Patterns of fecal coliform contamination in day-care centers. *Public Health Nursing*, *7*(4), 224-228.
- Hughes, W.T., Williams, B., Williams, B., & Pearson, T. (1986) The nosocomial colonization of T. Bear. *Infection Control*, *7*(10), 495-500.

- Hutto, C., Little, E. A., Ricks, R., Lee, J. D., & Pass, R. F. (1986). Isolation of cytomegalovirus from toys and hands in a day care center. *Journal of Infectious Diseases*, 154(3), 527-30.
- Itah, A. Y., & Ben, A. E. (2004). Incidence of enteric bacteria and *Staphylococcus aureus* in day care centers in Akwa Ibom State, Nigeria. *Southeast Asian Journal of Tropical Medicine and Public Health*, 35(1), 202-9.
- Jones, E. L., Kramer, A., Gaither, M., & Gerba, C. P. (2007). Role of fomite contamination during an outbreak of norovirus on houseboats. *International Journal of Environmental Health Research*, 17(2), 123-31.
- Keswick, B. H., Pickering, L. K., DuPont, H. L., & Woodward, W. E. (1983). Survival and detection of rotaviruses on environmental surfaces in day care centers. *Applied Environmental Microbiology*, 46(4), 813-816.
- Laborde, D. L., Weigle, K. A., Weber, D. J., & Kotch, J. B. (1993). Effect of fecal contamination on diarrheal illness rates in day-care centers. *American Journal of Epidemiology*, 138(4), 243-255.
- Last, J. M. (Ed.). (2001). *A dictionary of epidemiology* (4th ed). New York, NY. Oxford University Press.
- Lee, L., Tin, S., & Kelley, S. T. (2007). Culture-independent analysis of bacterial diversity in a child-care facility. *BMC Microbiology*, 7(27), retrieved electronically July 11, 2009 from: <http://www.biomedcentral.com/1471-2180/7/27>
- Levine, O. S., Farley, M., Harrison, L. H., Lefkowitz, L., McGeer, A., & Schwartz, B. (1999). Risk factors for invasive pneumococcal disease in children: A population-based case-control study in North America. *Pediatrics*, 103(3), e28.

- Little, K., & Cutcliffe, S. (2006). The safe use of children's toys within the healthcare setting. *Nursing Times*, 102(38), 34-7.
- Merriman, E., Corwin, P., & Ikram, R. (2002). Toys are a potential source of cross-infection in general practitioners' waiting rooms. *British Journal of General Practice*, 52(475), 138-140.
- Merritt, T. D., & Herlihy, C. (2003). Salmonella outbreak associated with chicks and ducklings at childcare centres. *The Medical Journal of Australia*, 179, 63-64.
- Mohle-Boetani, J. C., Stapleton, M., Finger, R., Bean, N., Poundstone, J., Blake, P., et al. (1995). Communitywide shigellosis: Control of an outbreak and risk factors in child day-care centers. *American Journal of Public Health*, 85(6), 812-817.
- Moore, D. L. (2004). Nosocomial infections in newborn nurseries and neonatal intensive care units. In C. G. Mayhall (Ed.), *Hospital Epidemiology and Infection Control: Third Edition* (p. 852). Philadelphia: Lippincott Williams & Wilkins.
- Mounts, A. W., Ando, T., Koopmans, M., Bresee, J. S., Noel, J., & Glass, R. I. (2000). Cold weather seasonality of gastroenteritis associated with Norwalk-like viruses. *Journal of Infectious Diseases*, 181, S284-287.
- Mygind, O., Ronne, T., Soe, A. L., Henrik, W. C., & Ricks, P. (2003). Comparative intervention study among Danish daycare children: the effect on illness of time spent outdoors. *Scandinavian Journal of Public Health*, 31(6), 439-43.
- Nesti, M. M., & Goldbaum, M. (2007). Infectious diseases and daycare and preschool education. *Jornal de Pediatria*, 83(4), 299-312.
- Petersen, N. J., & Bressler, G. K. (1986). Design and modification of the day care environment. *Review of Infectious Diseases*, 8(4), 618-21.

- Rogers, M., Weinstock, D. M., Eagan, J., Kiehn, T., Armstrong, D., & Sepkowitz, K. A. (2000). Rotavirus outbreak on a pediatric oncology floor: possible association with toys. *American Journal of Infection Control*, 28(5), 378-380.
- Rosenfeldt, V., Vesikari, T., Pang, X. L., Zeng, S. Q., Tvede, M., & Paerregaard, A. (2005). Viral etiology and incidence of acute gastroenteritis in young children attending day-care centers. *Pediatric Infectious Disease Journal*, 24(11), 962-5.
- Reves, R. R., Morrow, A. L., Bartlett, A. V., Caruso, C. J., Plumb, R. L., Lu, B. T., et al. (1993). Child day care increases the risk of clinic visits for acute diarrhea and diarrhea due to rotavirus. *American Journal of Epidemiology*, 137(1), 97-107.
- Sattar, S. A., Lloyd-Evans, N., Springthorpe, V. S., & Nair, R. C. (1986). Institutional outbreaks of rotavirus diarrhoea: potential role of fomites and environmental surfaces as vehicles for virus transmission. *Journal of Hygiene*, 96(2), 277-289.
- Sempertegui, F., Estrella, B., Egas, J., Carrion, P., Yerovi, L., Diaz, S. et al. (1995). Risk of diarrheal disease in Ecuadorian day-care centers. *Pediatric Infectious Diseases Journal*, 14(7), 606-612.
- Silva, A. M., Leite, E. G., Assis, R. M., Majerowicz, S., & Leite, J. P. (2001). An outbreak of gastroenteritis associated with astrovirus serotype 1 in a day care center, in Rio de Janeiro, Brazil. *Memórias do Instituto Oswaldo Cruz*, 96(8), 1069-73.
- Smalheiser, N. R. (2004). Bath toys--a source of gastrointestinal infection. *New England Journal of Medicine*, 350(5), 521.
- Statistics Canada. (2001). *2001 community profiles*. Retrieved electronically February 28, 2010, from: <http://www12.statcan.ca/english/Profil01/CP01/Index.cfm?Lang=E>

- Staskel, D. M., Briley, M. E., Field, L. H., & Barth, S. S. (2007). Microbial evaluation of foodservice surfaces in Texas child-care centers. *Journal of the American Dietetic Association, 107*(5), 854-9.
- Thomas, M. K., Majowicz, S. E., MacDougall, L., Sockett, P. N., Kovac, S. J., Fyfe, M. et al. (2006). Population distribution and burden of acute gastrointestinal illness in British Columbia, Canada. *BMC Public Health, 6* (307), retrieved electronically February 20, 2010, from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1764889>
- Thrane, N., Søndergaard, C., Schønheyder, H. C., & Sørensen, H. T. (2005). Socioeconomic factors and risk of hospitalization with infectious diseases in 0- to 2-year old Danish children. *European Journal of Epidemiology, 20*(5), 467-474.
- Van, R., Morrow, A. L., Reves, R. R., & Pickering, L. K. (1991). Environmental contamination in child day-care centres. *American Journal of Epidemiology, 113*(5), 460-470.
- vila-Aguero, M. L., German, G., Paris, M. M., & Herrera, J. F. (2004). Toys in a pediatric hospital: are they a bacterial source? *American Journal of Infection Control, 32*(5), 287-290.
- Wahl, E., & Bevanger, L. (2007). An outbreak of giardiasis in a child day-care centre in Trondheim. *Tidsskrift for den Norske Laegeforening, 127*(2), 184-6.
- Werber, D., Behnke, S. C., Fruth, A., Merle, R., Menzler, S., Glaser, S. et al. (2007). Shiga Toxin-producing *Escherichia coli* Infection in Germany—Different Risk Factors for Different Age Groups. *American Journal of Epidemiology, 165*(4), 425-434.

- Weniger, B. G., Ruttenber, A. J., Goodman, R. A., Juranek, D. D., Wahlquist, S. P., & Smith, J. D. (1983). Fecal coliforms on environmental surfaces in two day care centers. *Applied Environmental Microbiology*, 45(2), 733-5.
- White, L. J., Buttery, J., Cooper, B., Nokes, D. J., & Medley, G. F. (2008). Rotavirus within day care centres in Oxfordshire, UK: characterization of partial immunity. *Journal of the Royal Society Interface*, 5(29), 1481-90.
- Wilde, J., Van, R., Pickering, L., Eiden, J., & Yolken, R. (1992). Detection of rotaviruses in the day care environment by reverse transcriptase polymerase chain reaction. *Journal of Infectious Diseases*, 166(3), 507-11.
- Wu, H. M., Fornek, M., Schwab, K. J., Chapin, A. R., Gibson, K., Schwab, E., et al. (2005). A norovirus outbreak at a long-term-care facility: the role of environmental surface contamination. *Infection Control and Hospital Epidemiology*, 26(10), 802-810.

SENSORY USE AND RISK OF ILLNESS

Appendix

Centre Operating Date (dd/mm/yyyy)	Attendance Absent (Illness) = 0 Absent (Non- illness) = 1 Present = 2 Not Enrolled = X	Centre A Age Group: 30.1 - 72 months																											
	Unique ID	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
	Gender (M/F)	F	M	F	M	M	F	F	M	M	M	M	F	F	M	F	F	M	M	M	F	F	F	M	M	M	F	F	F
02/09/2008	1	x	2	2	2	x	x	x	1	x	2	2	x	2	2	2	2	x	2	2	x	2	2	x	2	2	x	2	
03/09/2008	2	x	2	2	2	x	x	x	0	x	2	2	x	x	x	x	2	2	2	2	2	2	x	2	2	x	2	2	
04/09/2008	2	x	2	2	2	x	x	2	2	x	2	2	x	x	2	x	2	2	1	2	x	2	2	x	2	2	x	2	
05/09/2008	2	x	2	2	2	x	x	x	x	x	x	x	x	2	x	x	2	2	1	2	x	2	2	x	2	2	x	2	
08/09/2008	2	x	2	2	2	x	x	x	x	x	2	x	x	2	2	2	2	2	2	x	x	2	2	x	2	2	x	2	
09/09/2008	2	x	2	2	2	x	x	2	0	x	2	2	x	2	x	2	2	2	2	2	2	2	2	x	2	2	x	2	
10/09/2008	x	x	x	2	2	x	x	x	0	x	2	2	x	x	2	x	2	2	2	2	x	x	2	x	2	2	x	2	
11/09/2008	2	x	2	x	2	x	x	2	0	x	2	2	x	x	x	x	2	2	2	2	2	2	x	2	2	x	2	2	
12/09/2008	2	x	2	x	1	x	x	2	x	x	x	x	x	2	x	x	2	x	2	2	x	2	2	x	2	2	x	1	
15/09/2008	x	x	x	2	1	x	x	x	x	x	x	2	x	x	2	2	2	0	2	x	x	1	2	x	x	1	2	1	
16/09/2008	2	x	2	x	1	x	x	2	0	x	2	x	x	2	x	2	2	x	2	2	x	2	2	x	2	2	x	1	
17/09/2008	x	x	x	2	1	x	x	x	2	x	x	2	x	x	x	2	2	0	2	x	x	1	2	x	x	1	2	1	
18/09/2008	1	x	1	x	1	x	x	2	2	x	2	x	x	x	x	x	2	0	2	2	x	1	2	x	1	2	x	1	
19/09/2008	x	x	x	2	1	x	x	2	x	x	x	2	x	x	2	x	2	0	2	x	x	1	2	x	x	1	2	1	
22/09/2008	x	x	x	2	2	x	x	x	x	x	x	2	x	x	x	2	2	2	2	2	2	x	x	2	x	2	x	2	
23/09/2008	1	x	2	x	2	x	x	2	2	x	2	x	x	2	x	2	2	2	2	2	2	2	2	x	2	2	x	2	
24/09/2008	x	x	x	2	2	x	x	x	2	x	x	2	x	x	2	x	2	2	2	2	2	x	x	2	x	2	x	2	
25/09/2008	2	x	2	x	2	x	x	2	2	x	2	x	x	x	x	x	2	2	2	2	2	2	x	2	2	x	2	2	
26/09/2008	1	x	2	x	2	x	x	x	x	x	x	2	x	2	2	x	2	x	2	2	x	2	2	x	2	2	x	2	
29/09/2008	x	x	x	2	2	x	x	x	x	x	x	2	x	x	x	2	2	2	2	2	2	2	x	x	2	x	2	2	
30/09/2008	2	x	2	x	2	x	x	2	0	x	2	x	x	2	x	2	2	2	2	2	2	2	2	x	2	2	x	2	
01/10/2008	x	x	x	2	2	x	x	x	0	x	x	2	x	x	2	x	2	2	2	2	2	2	x	x	2	x	2	2	
02/10/2008	2	x	2	x	2	x	x	2	0	x	2	x	x	x	x	x	1	2	2	2	2	2	x	2	2	x	2	2	
03/10/2008	2	x	2	x	2	x	x	2	x	x	x	x	x	2	x	x	2	x	2	x	2	x	2	x	2	x	x	2	
06/10/2008	x	x	x	2	2	x	x	x	x	x	x	1	x	x	2	1	2	2	2	2	2	x	x	2	x	2	x	2	
07/10/2008	2	x	2	x	2	x	x	1	2	x	2	x	x	2	x	2	2	2	2	2	2	2	2	x	2	2	x	2	
08/10/2008	x	x	x	2	2	x	x	x	2	x	x	2	x	x	2	x	2	2	2	2	2	2	x	x	2	x	2	2	
09/10/2008	2	x	2	x	1	x	x	2	2	x	2	x	x	x	x	x	2	2	2	2	2	2	x	1	2	x	1	2	
10/10/2008	x	x	x	2	1	x	x	2	x	x	x	2	x	x	x	x	1	x	2	2	x	1	2	x	1	2	x	1	
14/10/2008	2	x	2	x	2	x	x	2	2	x	2	x	x	2	x	2	2	x	2	2	x	2	2	x	2	2	x	2	

SENSORY USE AND RISK OF ILLNESS

15/10/2008	x	x	x	2	2	x	x	x	2	x	x	2	x	x	2	x	2	2	2	x	x	2	
16/10/2008	2	x	2	x	2	x	x	2	2	x	2	x	x	x	x	x	2	2	2	2	2	x	2
17/10/2008	2	x	2	x	2	x	x	2	x	x	x	x	x	2	x	x	2	2	2	2	x	x	2
20/10/2008	x	x	x	2	2	x	x	x	x	x	x	2	x	x	x	2	2	1	2	x	x	2	
21/10/2008	2	x	2	x	2	x	x	1	2	x	2	x	x	2	x	2	2	2	2	2	x	2	
22/10/2008	x	x	x	2	2	x	x	x	2	x	x	2	x	x	2	x	2	2	2	x	x	2	
23/10/2008	2	x	2	x	2	x	x	2	2	x	2	x	x	x	x	x	2	2	0	2	x	2	
24/10/2008	x	x	x	2	2	x	x	2	x	x	x	2	x	x	2	x	2	x	0	2	x	2	
27/10/2008	x	x	x	2	2	x	x	x	x	x	x	2	x	x	2	2	2	2	2	x	x	2	
28/10/2008	2	x	2	x	2	x	x	2	2	x	2	x	x	2	x	2	2	x	2	2	x	2	
29/10/2008	x	x	x	2	2	x	x	x	2	x	x	2	x	x	2	x	2	2	2	x	x	2	
30/10/2008	2	x	2	x	2	x	x	2	2	x	2	x	x	x	x	x	2	2	2	2	x	2	
31/10/2008	2	x	1	1	2	x	x	x	x	x	x	2	x	1	x	2	2	2	2	2	x	2	
03/11/2008	x	x	x	2	2	x	x	x	x	x	x	2	x	x	2	1	2	2	1	x	x	2	
04/11/2008	2	x	2	x	2	x	x	0	2	x	2	x	x	2	x	2	2	2	2	2	x	2	
05/11/2008	x	x	x	2	2	x	x	x	2	x	x	2	x	x	2	x	2	2	2	x	x	2	
06/11/2008	2	x	2	x	2	x	x	0	2	x	x	x	x	x	x	x	2	2	1	2	x	2	
07/11/2008	x	x	x	2	2	x	x	0	x	x	x	2	x	x	x	x	2	x	1	x	x	2	
10/11/2008	x	x	x	2	2	x	x	x	x	x	x	2	x	x	2	2	2	0	1	x	x	2	
11/11/2008	2	x	2	x	2	x	x	2	2	x	2	x	x	2	x	2	2	x	2	2	x	2	
12/11/2008	x	x	x	2	0	x	x	x	2	x	x	2	x	x	2	x	2	2	2	x	x	0	
13/11/2008	2	x	2	x	2	x	x	2	2	x	x	x	x	2	x	x	2	2	2	2	x	2	
14/11/2008	2	x	2	x	2	x	x	2	x	x	x	x	x	1	x	x	2	2	2	2	x	2	
17/11/2008	x	x	x	2	2	x	x	x	x	x	x	2	x	x	2	2	2	x	2	x	x	2	
18/11/2008	2	x	2	x	2	x	x	2	2	x	2	x	x	2	x	2	2	x	2	2	x	2	
19/11/2008	x	x	x	2	2	x	x	x	2	x	x	2	x	x	2	x	2	x	2	x	x	2	
20/11/2008	2	x	2	x	2	x	x	2	2	x	x	x	x	2	x	x	2	x	2	2	x	2	
21/11/2008	x	x	x	1	2	x	x	2	x	x	x	2	x	x	x	x	2	x	0	x	x	2	
24/11/2008	x	x	x	2	2	x	x	x	x	x	x	2	x	x	2	2	2	x	2	x	x	2	
25/11/2008	2	x	2	x	2	x	x	2	2	x	2	x	x	2	x	2	2	x	2	2	x	2	
26/11/2008	x	x	x	2	2	x	x	x	2	x	x	0	x	x	2	x	2	x	2	x	x	2	
27/11/2008	2	x	2	x	2	x	x	1	2	x	x	x	x	x	x	x	2	x	2	2	x	2	
28/11/2008	2	x	2	2	1	x	x	2	x	x	x	0	x	2	2	x	2	x	2	1	x	1	
01/12/2008	x	x	x	2	2	x	x	x	x	x	x	2	x	x	x	2	2	x	2	x	x	2	
02/12/2008	2	x	2	x	2	x	x	0	2	x	2	x	x	2	x	2	2	x	2	2	x	2	
03/12/2008	x	x	x	1	2	x	x	x	2	x	x	2	x	x	2	x	2	x	2	x	x	2	
04/12/2008	2	x	2	x	2	x	x	0	0	x	x	x	x	x	x	x	2	x	2	2	x	2	
05/12/2008	2	x	2	x	2	x	x	0	x	x	x	x	x	2	x	x	2	x	1	x	x	2	
08/12/2008	x	x	x	2	2	x	x	x	x	x	x	2	x	x	x	2	2	x	2	x	x	2	
09/12/2008	2	x	2	x	2	x	x	2	2	x	2	x	x	2	x	2	1	x	2	2	x	2	
10/12/2008	x	x	x	2	2	x	x	x	2	x	x	1	x	x	2	x	2	x	2	x	x	2	

SENSORY USE AND RISK OF ILLNESS

11/12/2008	2	x	2	x	2	x	x	2	1	x	x	x	x	x	x	2	x	2	2	x	2	
12/12/2008	x	x	x	2	2	x	x	2	x	x	x	2	x	x	x	2	x	2	2	x	2	
15/12/2008	x	x	x	2	2	x	x	x	x	x	x	2	x	x	x	2	2	x	2	x	x	2
16/12/2008	2	x	2	x	2	x	x	2	2	x	2	x	x	2	x	2	2	x	2	2	x	2
17/12/2008	x	x	x	2	2	x	x	x	2	x	x	2	x	x	2	x	2	x	2	x	x	2
18/12/2008	2	x	2	x	2	x	x	2	1	x	x	x	x	x	x	2	x	2	2	x	2	
19/12/2008	2	x	2	x	2	x	x	2	x	x	x	x	x	1	x	x	2	x	2	x	x	2
22/12/2008	x	x	x	1	2	x	x	x	x	x	x	1	x	2	2	1	2	x	2	x	x	2
23/12/2008	1	x	2	x	2	x	x	1	2	x	1	x	x	2	1	1	2	x	2	2	x	2
24/12/2008	x	x	2	1	1	x	x	x	2	x	x	x	x	x	x	2	x	1	x	x	2	
29/12/2008	1	x	2	1	1	x	x	x	x	x	x	1	x	2	x	1	2	x	1	x	x	1
30/12/2008	2	x	0	x	1	x	x	1	0	x	1	x	x	2	2	1	2	x	2	1	x	1
31/12/2008	1	x	0	1	1	x	x	x	2	x	x	1	x	1	2	x	1	x	2	x	x	1
02/01/2009	2	x	0	1	1	x	x	x	x	x	x	x	x	x	x	0	x	x	x	x	1	
05/01/2009	x	x	x	2	2	x	x	x	x	x	x	2	x	x	2	2	0	x	x	x	x	2
06/01/2009	2	x	0	x	2	x	x	2	0	x	0	x	x	2	x	2	0	x	x	2	x	2
07/01/2009	x	x	x	2	1	x	x	x	0	x	x	2	x	x	x	x	2	x	x	x	x	1
08/01/2009	2	x	2	x	2	x	x	2	0	x	x	x	x	2	x	x	2	x	x	2	x	2
09/01/2009	x	x	x	2	1	x	x	x	x	x	x	2	x	x	2	x	2	x	x	2	x	1
12/01/2009	x	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	2	x	x	x	x	2
13/01/2009	2	x	2	x	1	x	x	1	0	x	2	x	x	2	x	2	2	x	x	2	x	1
14/01/2009	x	x	x	2	2	x	x	x	0	x	x	2	x	x	0	2	2	x	x	x	x	2
15/01/2009	2	x	2	x	0	x	x	2	0	x	x	x	x	2	x	2	2	x	x	2	x	0
16/01/2009	2	x	2	x	0	x	x	2	x	x	x	x	x	2	x	x	2	x	x	x	x	0
19/01/2009	x	x	x	2	0	x	x	x	x	x	x	2	x	x	2	x	2	x	x	x	x	0
20/01/2009	2	x	2	x	0	x	x	2	0	x	2	x	x	2	x	2	2	x	x	2	x	0
21/01/2009	x	x	x	2	2	x	x	x	0	x	x	2	x	x	x	2	2	x	x	x	x	2
22/01/2009	0	x	1	x	2	x	x	0	0	x	x	x	x	2	x	x	2	x	x	2	x	2
23/01/2009	x	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	2	x	x	2	x	2
26/01/2009	x	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	2	x	x	x	x	2
27/01/2009	0	x	0	x	2	x	x	0	0	x	2	x	x	0	x	2	2	x	x	2	x	2
28/01/2009	x	x	x	2	2	x	x	x	2	x	x	2	x	x	x	2	2	x	x	x	x	2
29/01/2009	2	x	2	x	2	x	x	2	0	x	x	x	x	2	x	x	2	x	x	2	x	2
30/01/2009	1	x	2	x	2	x	x	2	x	x	x	x	x	2	x	x	2	x	x	x	x	2
02/02/2009	x	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	2	x	x	x	x	2
03/02/2009	2	x	2	x	2	x	x	1	0	x	2	x	x	2	x	2	2	x	x	2	x	2
04/02/2009	x	x	x	2	1	x	x	x	0	x	x	2	x	x	2	2	2	x	x	x	x	1
05/02/2009	2	x	2	x	2	x	x	2	0	x	x	x	x	2	x	x	2	x	x	2	x	2

SENSORY USE AND RISK OF ILLNESS

06/02/2009	x	x	2	2	2	x	x	x	x	x	x	2	x	x	2	x	2	x	x	x	x	2
09/02/2009	x	x	x	2	2	x	x	x	x	x	x	2	x	x	2	x	2	x	x	x	x	2
10/02/2009	2	x	2	x	2	x	x	2	0	x	1	x	x	2	x	2	2	x	x	2	x	2
11/02/2009	x	x	x	2	2	x	x	x	0	x	x	2	x	x	x	2	2	x	x	x	x	2
12/02/2009	2	x	2	x	2	x	x	2	0	x	x	x	x	2	x	x	2	x	x	2	x	2
13/02/2009	2	x	2	1	2	x	x	2	x	x	x	2	x	2	x	x	2	x	x	2	x	2
17/02/2009	2	x	2	x	2	x	x	2	0	x	2	x	x	2	x	2	2	x	x	2	x	2
18/02/2009	x	x	x	2	2	x	x	x	0	x	x	2	x	x	x	2	2	x	x	x	x	2
19/02/2009	2	x	2	x	2	x	x	2	0	x	x	x	x	2	x	x	2	x	x	2	x	2
20/02/2009	x	x	x	2	0	x	x	x	x	x	x	2	x	x	2	x	2	x	x	x	x	0
23/02/2009	x	x	x	2	2	x	x	x	x	x	x	2	x	x	2	x	2	x	x	x	x	2
24/02/2009	1	x	2	x	2	x	x	2	2	x	2	x	x	2	x	2	2	x	x	1	x	2
25/02/2009	x	x	x	2	2	x	x	x	2	x	x	2	x	x	x	2	2	x	x	x	x	2
26/02/2009	2	x	2	x	2	x	x	2	0	x	x	x	x	2	x	x	2	x	x	1	x	2
27/02/2009	2	x	2	x	2	x	x	2	x	x	x	x	x	2	x	x	2	x	x	1	x	2
02/03/2009	x	x	x	2	x	x	x	x	x	x	x	2	x	x	2	x	2	x	x	x	x	x
03/03/2009	2	x	2	x	2	x	x	2	0	x	2	x	x	2	x	2	2	x	x	1	x	2
04/03/2009	x	x	x	2	x	x	x	x	0	x	x	2	x	x	x	2	2	x	x	x	x	x
05/03/2009	1	x	2	x	2	x	x	0	0	x	x	x	x	2	x	x	0	x	x	1	x	2
06/03/2009	x	x	x	2	x	x	x	x	x	x	x	2	x	x	x	x	2	x	x	x	x	x
09/03/2009	x	x	x	2	x	x	x	x	x	x	x	2	2	x	x	2	x	2	x	x	x	x
10/03/2009	2	x	2	x	2	x	x	2	0	x	x	x	x	2	x	2	2	x	x	2	x	2
11/03/2009	x	x	x	2	x	x	x	x	0	x	x	2	x	x	2	2	2	x	x	x	x	x
12/03/2009	2	x	2	x	2	x	x	2	0	x	x	x	x	2	x	x	2	x	x	2	x	2
13/03/2009	2	x	2	x	x	x	x	2	x	x	x	x	x	2	x	x	2	x	x	2	x	x
16/03/2009	2	x	2	0	x	x	x	x	x	x	x	2	x	2	2	x	2	x	x	x	x	x
17/03/2009	2	x	2	2	2	x	x	1	2	x	x	2	x	2	x	2	2	x	x	2	x	2
18/03/2009	2	x	2	2	x	x	x	x	2	x	x	1	x	2	2	2	2	x	x	2	x	x
19/03/2009	2	x	2	2	2	x	x	1	2	x	x	x	x	2	x	x	2	x	x	2	x	2
20/03/2009	0	x	2	2	x	x	x	x	x	x	x	x	x	2	x	x	2	x	x	2	x	x
23/03/2009	x	x	x	2	x	x	x	x	x	x	x	2	x	x	2	x	2	x	x	x	x	x
24/03/2009	2	x	2	x	2	x	x	2	0	x	2	x	x	2	x	2	1	x	x	2	x	2
25/03/2009	x	x	x	0	x	x	x	x	2	x	x	2	x	x	2	2	2	x	x	x	x	x
26/03/2009	2	x	2	x	2	x	x	2	0	x	x	x	x	2	x	x	2	x	x	2	x	2
27/03/2009	x	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	2	x	x	x	x	2
30/03/2009	x	x	x	2	x	x	x	x	x	x	x	2	x	x	2	x	1	x	x	x	x	x
31/03/2009	2	x	2	x	2	x	x	2	2	x	1	x	x	2	x	2	1	x	x	2	x	2
01/04/2009	x	x	x	2	x	x	x	x	2	x	x	2	x	x	0	2	2	x	x	x	x	x
02/04/2009	2	x	2	x	x	x	x	2	1	x	x	x	x	2	x	x	2	x	x	2	x	x
03/04/2009	2	x	2	x	2	x	x	2	x	x	x	x	x	2	x	x	2	x	x	2	x	2

SENSORY USE AND RISK OF ILLNESS

06/04/2009	x	x	x	2	x	x	x	x	x	x	x	2	x	2	x	x	2	x	x	x	x	x
07/04/2009	2	x	2	x	2	x	x	0	2	x	x	x	x	2	x	2	2	x	x	2	x	2
08/04/2009	x	x	x	2	x	x	x	x	2	x	x	2	x	x	x	2	2	x	x	x	x	x
09/04/2009	0	x	2	x	x	x	x	2	2	x	x	x	x	2	x	x	2	x	x	2	x	x
13/04/2009	2	x	x	1	x	x	x	x	x	x	x	1	x	2	x	x	1	x	x	2	x	x
14/04/2009	2	x	2	x	2	x	x	2	x	x	2	x	x	2	x	2	2	x	x	1	x	2
15/04/2009	x	x	x	2	2	x	x	x	0	x	x	2	x	x	x	2	2	x	x	x	x	2
16/04/2009	2	x	2	x	x	x	x	2	0	x	x	x	x	2	x	x	2	x	x	2	x	x
17/04/2009	x	x	x	2	x	x	x	x	x	x	x	2	x	x	2	x	2	x	x	x	x	x
20/04/2009	x	x	x	2	x	x	x	x	x	x	x	2	x	x	x	x	2	x	x	x	x	x
21/04/2009	2	x	2	x	2	x	x	2	0	x	2	x	x	2	x	2	2	x	x	2	x	2
22/04/2009	x	x	x	2	x	x	x	x	x	x	x	2	x	x	x	2	2	x	x	x	x	x
23/04/2009	2	x	2	x	x	x	x	2	0	x	x	x	x	2	x	x	2	x	x	2	x	x
24/04/2009	x	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	2	x	x	0	x	2
27/04/2009	x	x	x	2	x	x	x	x	x	x	x	2	x	x	x	x	2	x	x	x	x	x
28/04/2009	2	x	2	x	2	x	x	2	2	x	2	x	x	2	x	2	2	x	x	2	x	2
29/04/2009	x	x	x	2	x	x	x	x	1	x	x	2	x	x	x	2	2	x	x	x	x	x
30/04/2009	2	x	2	x	2	x	x	1	1	x	x	x	x	2	x	x	2	x	x	2	x	2
01/05/2009	0	x	1	2	x	x	x	x	x	x	x	1	x	2	2	x	2	x	x	2	x	x
04/05/2009	x	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	2	x	x	x	x	2
05/05/2009	2	x	2	x	2	x	x	2	0	x	2	x	x	2	x	2	2	x	x	2	x	2
06/05/2009	x	x	x	2	x	x	x	x	0	x	x	1	x	x	2	2	2	x	x	x	x	x
07/05/2009	2	x	2	x	x	x	x	2	2	x	2	x	x	2	x	2	2	x	x	2	x	x
08/05/2009	x	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	2	x	x	2	x	2
11/05/2009	x	x	x	2	x	x	x	x	x	x	x	2	x	x	x	x	2	x	x	x	x	x
12/05/2009	2	x	2	x	2	x	x	2	0	x	2	x	x	2	x	0	2	x	x	2	x	2
13/05/2009	x	x	x	2	x	x	x	x	0	x	x	2	x	x	2	0	2	x	x	x	x	x
14/05/2009	2	x	2	x	2	x	x	0	0	x	2	x	x	2	x	2	2	x	x	2	x	2
15/05/2009	2	x	2	x	2	x	x	2	x	x	x	x	x	2	x	x	2	x	x	2	x	2
19/05/2009	2	x	2	x	2	x	x	2	x	x	2	x	x	2	x	2	2	x	x	2	x	2
20/05/2009	x	x	x	2	x	x	x	x	2	x	x	2	x	x	x	2	2	x	x	x	x	x
21/05/2009	1	x	2	x	x	x	x	2	2	x	2	x	x	2	x	2	2	x	x	2	x	x
22/05/2009	2	x	x	2	2	x	x	x	2	x	x	2	x	x	x	x	2	x	x	x	x	2
25/05/2009	x	x	x	2	x	x	x	x	x	x	x	2	x	x	x	x	2	x	x	x	x	x
26/05/2009	2	x	2	x	2	x	x	2	x	x	2	x	x	2	x	2	2	x	x	2	x	2
27/05/2009	x	x	x	2	x	x	x	x	2	x	x	2	x	x	x	2	2	x	x	x	x	x
28/05/2009	2	x	2	x	2	x	x	2	0	x	2	x	x	2	x	x	2	x	x	2	x	2
29/05/2009	1	x	2	x	x	x	x	2	0	x	x	x	x	2	x	x	2	x	x	2	x	x
01/06/2009	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x	x

SENSORY USE AND RISK OF ILLNESS

02/06/2009	2	x	2	x	2	x	x	2	x	x	2	x	x	2	x	2	2	x	x	2	x	2
03/06/2009	x	x	x	2	x	x	x	x	2	x	x	x	x	x	x	2	2	x	x	x	x	x
04/06/2009	2	x	2	x	x	x	x	2	2	x	2	x	x	2	x	2	2	x	x	2	x	x
05/06/2009	x	x	x	2	2	x	x	x	2	x	x	x	x	x	x	2	x	x	x	x	x	2
08/06/2009	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x	x	x
09/06/2009	2	x	2	x	2	x	x	2	2	x	2	2	x	2	x	2	2	x	x	2	x	2
10/06/2009	x	x	x	2	2	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x	x	2
11/06/2009	2	x	2	x	2	x	x	2	2	x	1	x	x	2	x	x	2	x	x	2	x	2
12/06/2009	1	x	2	x	2	x	x	2	2	x	x	x	x	2	x	x	2	x	x	2	x	2
15/06/2009	x	x	x	2	2	x	x	x	x	x	x	x	x	x	x	1	x	x	x	x	x	2
16/06/2009	2	x	2	x	2	x	x	2	2	x	2	x	x	2	x	x	2	x	x	2	x	2
17/06/2009	x	x	x	2	2	x	x	x	0	x	x	x	x	x	x	2	x	x	x	x	x	2
18/06/2009	2	x	2	x	x	x	x	2	0	x	2	x	x	2	x	x	1	x	x	2	x	x
19/06/2009	x	x	x	2	2	x	x	x	x	x	x	x	x	x	x	1	x	x	x	x	x	2
22/06/2009	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x	x	x
23/06/2009	2	x	2	x	x	x	x	2	2	x	2	x	x	2	x	x	2	x	x	2	x	x
24/06/2009	x	x	x	2	2	x	x	x	2	x	x	x	x	x	x	1	x	x	x	x	x	2
25/06/2009	1	x	1	2	2	x	x	2	2	x	2	x	x	2	x	x	1	x	x	2	x	2
26/06/2009	1	x	2	2	2	x	x	x	x	x	x	x	x	2	x	x	1	x	x	2	x	2
29/06/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	x	x	1	x	x	1	x	x	x
30/06/2009	1	x	2	x	x	x	x	x	2	x	x	x	x	2	x	x	1	x	x	1	x	x
02/07/2009	x	x	x	1	x	x	x	x	0	x	x	x	x	2	x	2	x	x	x	1	x	x
03/07/2009	x	x	2	1	x	x	x	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x
06/07/2009	x	x	2	2	x	x	x	x	x	x	x	x	x	2	x	x	x	x	x	2	x	x
07/07/2009	2	x	2	2	2	x	x	x	0	x	x	x	x	2	x	2	x	x	x	2	x	2
08/07/2009	2	x	2	2	2	x	x	x	2	x	x	x	x	2	2	2	x	x	x	2	x	2
09/07/2009	2	x	x	2	2	x	x	x	2	x	x	x	x	2	x	2	x	x	x	2	x	2
10/07/2009	x	x	x	2	1	x	x	x	x	x	x	x	x	2	x	x	x	x	x	2	x	1
13/07/2009	2	x	x	1	2	x	x	x	x	x	x	x	x	2	x	x	x	x	x	2	x	2
14/07/2009	2	x	x	1	2	x	x	x	2	x	x	x	x	2	x	2	x	x	x	2	x	2
15/07/2009	2	x	2	1	2	x	x	x	2	x	x	x	x	2	x	2	x	x	x	2	x	2
16/07/2009	2	x	2	1	2	x	x	x	0	x	x	x	x	0	x	2	x	x	x	2	x	2
17/07/2009	x	x	2	1	2	x	x	x	x	x	x	x	x	2	x	x	x	x	x	2	x	x
20/07/2009	x	x	2	2	2	x	x	x	x	x	x	x	x	2	x	x	x	x	x	2	x	2
21/07/2009	2	x	x	2	2	x	x	x	0	x	x	x	x	2	x	2	x	x	x	2	x	2
22/07/2009	2	x	2	1	2	x	x	x	2	x	x	x	x	2	x	2	x	x	x	2	x	2
23/07/2009	2	x	x	1	2	x	x	x	2	x	x	x	x	2	x	2	x	x	x	2	x	2
24/07/2009	x	x	0	1	2	x	x	x	x	x	x	x	x	2	x	x	x	x	x	2	x	2
27/07/2009	x	x	2	1	2	x	x	x	x	x	x	x	x	2	x	x	x	x	x	2	x	2
28/07/2009	x	x	x	1	2	x	x	x	1	x	x	x	x	2	x	2	x	x	x	2	x	2

SENSORY USE AND RISK OF ILLNESS

29/07/2009	x	x	x	1	2	x	x	x	1	x	x	x	x	2	x	2	x	x	x	2	x	2
30/07/2009	1	x	x	1	2	x	x	x	1	x	x	x	x	2	x	2	x	x	x	2	x	2
31/07/2009	1	x	2	1	2	x	x	x	x	x	x	x	x	1	x	x	x	x	x	2	x	2
04/08/2009	2	x	2	x	2	x	x	x	2	x	x	x	x	2	x	1	x	x	x	1	x	2
05/08/2009	2	x	2	x	2	x	x	x	1	x	x	x	x	2	x	2	x	x	x	2	x	2
06/08/2009	2	x	x	x	2	x	x	x	2	x	x	x	x	2	x	2	x	x	x	2	x	2
07/08/2009	x	x	2	x	2	x	x	x	x	x	x	x	x	2	x	x	x	x	x	1	x	2
10/08/2009	1	x	2	1	x	x	x	x	x	x	x	x	x	1	x	x	x	x	x	2	x	x
11/08/2009	2	x	x	1	2	x	x	x	0	x	x	x	x	2	x	2	x	x	x	2	x	2
12/08/2009	2	x	2	1	x	x	x	x	0	x	x	x	x	1	x	2	x	x	x	2	x	x
13/08/2009	2	x	x	1	2	x	x	x	2	x	x	x	x	1	x	2	x	x	x	2	x	2
14/08/2009	x	x	2	1	x	x	x	x	x	x	x	x	x	2	x	x	x	x	x	2	x	x
17/08/2009	x	x	2	x	x	x	x	x	x	x	x	x	x	1	x	x	x	x	x	2	x	x
18/08/2009	2	x	x	x	2	x	x	x	1	x	x	x	x	2	x	2	x	x	x	2	x	2
19/08/2009	2	x	2	x	x	x	x	x	1	x	x	x	x	2	x	2	x	x	x	2	x	x
20/08/2009	2	x	x	x	2	x	x	x	2	x	x	x	x	1	x	2	x	x	x	2	x	2
21/08/2009	x	x	2	x	x	x	x	x	x	x	x	x	x	1	x	x	x	x	x	1	x	x
24/08/2009	0	x	2	2	x	x	x	x	1	x	x	x	x	1	x	x	x	x	x	2	x	x
25/08/2009	2	x	x	2	2	x	x	x	1	x	x	x	x	1	x	2	x	x	x	0	x	2
26/08/2009	2	x	2	2	x	x	x	x	x	x	x	x	x	1	x	2	x	x	x	0	x	x
27/08/2009	2	x	x	2	2	x	x	x	x	x	x	x	x	1	x	2	x	x	x	0	x	2
28/08/2009	2	x	2	2	x	x	x	x	x	x	x	x	x	2	x	x	x	x	x	0	x	x
31/08/2009	X	x	2	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x	x	2	x	x
01/09/2009	2	x	x	x	2	x	x	x	x	x	x	2	x	x	x	2	x	x	x	2	x	2
02/09/2009	2	x	2	x	x	x	x	x	x	x	x	2	x	x	x	2	x	x	x	2	x	x
03/09/2009	2	x	x	x	2	x	x	x	x	x	x	2	x	x	x	2	x	x	x	2	x	2
04/09/2009	x	x	2	x	x	x	x	x	x	x	x	2	x	x	x	x	x	x	x	2	x	x
08/09/2009	x	x	x	2	2	x	x	x	x	x	x	2	x	x	x	2	x	x	x	2	x	2
09/09/2009	x	x	x	2	x	x	x	x	x	x	x	2	x	x	x	2	x	x	x	x	x	x
10/09/2009	x	x	2	2	2	x	x	x	x	x	x	2	x	x	x	2	x	x	x	2	x	2
11/09/2009	x	x	x	2	x	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x
14/09/2009	x	x	2	2	x	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x
15/09/2009	x	x	x	2	x	x	x	x	x	x	2	x	x	x	x	2	x	x	x	2	x	x
16/09/2009	x	x	2	2	x	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x
17/09/2009	x	x	2	x	2	x	x	x	x	x	2	x	x	x	x	2	x	x	x	2	x	2
18/09/2009	x	x	2	2	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x
21/09/2009	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x
22/09/2009	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	2	x	x	x	2	x	x
23/09/2009	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x

SENSORY USE AND RISK OF ILLNESS

Centre Operating Date (dd/mm/yyyy)	24/09/2009	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	x	x	x	2	x	x	
	25/09/2009	x	x	2	x	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	
	28/09/2009	x	x	x	2	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	
	29/09/2009	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	2	x	x	x	2	x	x
	30/09/2009	x	x	2	x	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
	01/10/2009	x	x	x	2	x	x	x	x	x	x	x	x	x	x	2	x	x	x	2	x	x	
	02/10/2009	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	2	x	x
	05/10/2009	x	x	2	x	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
	06/10/2009	x	x	x	2	x	x	x	x	x	x	x	x	x	x	0	x	x	x	2	x	x	
	07/10/2009	x	x	2	x	x	x	x	x	x	x	2	2	x	x	x	x	x	x	x	x	x	x
	08/10/2009	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x
	09/10/2009	x	x	2	x	x	x	x	x	x	x	2	2	x	x	x	x	x	x	x	x	x	x
	13/10/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	2	x	x	
	14/10/2009	x	x	2	2	x	x	x	x	x	x	2	2	x	x	x	x	x	x	x	x	x	x
	15/10/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	2	x	x	
	16/10/2009	x	x	2	2	x	x	x	x	x	x	2	2	x	x	x	x	x	x	x	x	x	x
	19/10/2009	x	x	2	2	x	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x
	20/10/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	2	x	x	
	21/10/2009	x	x	2	2	x	x	x	x	x	x	2	2	x	x	x	x	x	x	x	x	x	x
	22/10/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	2	x	x	
	23/10/2009	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
	26/10/2009	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
	27/10/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	2	x	x	
	28/10/2009	x	x	2	2	x	x	x	x	x	x	2	2	x	x	x	x	x	x	x	x	x	x
	29/10/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	
	30/10/2009	x	x	2	2	x	x	x	x	x	x	2	2	x	x	x	x	x	x	2	x	x	
	02/11/2009	x	x	0	2	x	x	x	x	x	x	x	0	x	x	x	x	x	x	x	x	x	x
	03/11/2009	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x	2	x	x	x	2	x	x
	04/11/2009	x	x	0	2	x	x	x	x	x	x	x	0	x	x	x	x	x	x	x	x	x	x
	05/11/2009	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x	2	x	x	x	2	x	x
	06/11/2009	x	x	2	1	x	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x
	09/11/2009	x	x	2	2	x	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x
	10/11/2009	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x	2	x	x	x	2	x	x
11/11/2009	x	x	2	2	x	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	
12/11/2009	x	x	x	x	x	x	x	x	x	x	1	x	x	x	x	x	x	x	2	x	x		
13/11/2009	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	x	x	x	2	x	x		
16/11/2009	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x	
17/11/2009	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x	2	x	x	x	2	x	x	
18/11/2009	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x	
19/11/2009	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x	2	x	x	x	2	x	x	

SENSORY USE AND RISK OF ILLNESS

20/11/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
23/11/2009	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
24/11/2009	x	x	x	x	x	x	x	x	x	1	x	x	x	x	1	x	x	x	2	x	x	x
25/11/2009	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
26/11/2009	x	x	x	x	x	x	x	x	x	2	x	x	x	x	1	x	x	x	2	x	x	x
27/11/2009	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
30/11/2009	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
01/12/2009	x	x	x	x	x	x	x	x	x	2	x	x	x	x	2	x	x	x	2	x	x	x
02/12/2009	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
03/12/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	0	x	x	x	2	x	x	x
04/12/2009	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
07/12/2009	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
08/12/2009	x	x	x	x	x	x	x	x	x	2	x	x	x	x	2	x	x	x	2	x	x	x
09/12/2009	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
10/12/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	2	x	x	x
11/12/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
14/12/2009	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
15/12/2009	x	x	x	x	x	x	x	x	x	2	x	x	x	x	2	x	x	x	2	x	x	x
16/12/2009	x	x	2	2	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
17/12/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x
18/12/2009	x	x	2	x	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
21/12/2009	x	x	1	1	x	x	x	x	x	x	2	x	x	x	x	x	x	x	1	x	x	x
22/12/2009	x	x	2	1	x	x	x	x	x	1	2	x	x	x	1	x	x	x	2	x	x	x
23/12/2009	x	x	2	1	x	x	x	x	x	x	2	x	x	x	x	x	x	x	1	x	x	x
24/12/2009	x	x	x	1	x	x	x	x	x	x	x	x	x	x	1	x	x	x	2	x	x	x
28/12/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
29/12/2009	x	x	1	1	x	x	x	x	x	1	x	x	x	x	1	x	x	x	1	x	x	x
30/12/2009	x	x	1	1	x	x	x	x	x	x	1	x	x	x	x	x	x	x	2	x	x	x
31/12/2009	x	x	x	1	x	x	x	x	x	x	x	x	x	x	1	x	x	x	1	x	x	x

SENSORY USE AND RISK OF ILLNESS

Attendance Absent (Illness) = 0 Absent (Non-illness) = 1 Present = 2 Not Enrolled = X		Centre B Age Group: 30.1 - 72 months																	
		Unique ID	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
Gender (M/F)		F	M	F	M	F	F	F	F	F	F	M	F	F	M	F	F		
Centre Operating Date (dd/mm/yyyy)	01/09/2008																		
	02/09/2008	2	x	x	x	x	2	2	x	2	x	x	2	2	x	x	x	x	
	03/09/2008	2	2	2	2	2	2	2	x	2	x	x	2	2	x	x	x	x	
	04/09/2008	2	x	2	2	x	2	2	x	1	x	x	2	2	x	x	x	x	
	05/09/2008	x	2	2	x	x	2	2	x	x	x	x	2	2	x	x	x	x	
	08/09/2008	2	x	x	2	1	x	2	x	2	x	x	1	2	x	x	x	x	
	09/09/2008	2	x	2	2	x	2	2	x	2	x	x	2	x	x	x	x	x	
	10/09/2008	2	x	x	2	2	x	1	x	2	x	x	2	2	x	x	x	x	
	11/09/2008	1	x	2	1	x	2	2	x	2	x	x	2	x	x	x	x	x	
	12/09/2008	2	x	2	x	x	2	2	x	2	x	x	1	x	x	x	x	x	
	15/09/2008	x	x	x	2	2	x	x	x	2	x	x	2	2	x	x	x	x	
	16/09/2008	2	x	2	x	x	2	2	x	2	x	x	2	x	x	x	x	x	
	17/09/2008	x	x	x	2	2	x	x	x	2	x	x	2	2	x	x	x	x	
	18/09/2008	1	x	2	x	x	2	2	x	2	x	x	2	x	x	x	x	x	
	19/09/2008	x	x	x	1	2	x	x	x	2	x	x	1	2	x	x	x	x	
	22/09/2008	x	x	x	2	2	x	x	x	2	x	x	2	2	x	x	x	x	
	23/09/2008	2	x	2	x	x	2	2	x	x	x	x	2	x	x	x	x	x	
	24/09/2008	x	x	x	2	2	x	x	x	1	x	x	2	2	x	x	x	x	
	25/09/2008	2	x	2	x	x	2	2	x	x	x	x	1	x	x	x	x	x	
	26/09/2008	1	x	2	x	x	2	2	x	2	x	x	2	2	x	x	x	x	
	29/09/2008	x	x	x	2	2	x	x	x	2	x	x	2	2	x	x	x	x	
	30/09/2008	2	x	2	x	x	2	2	x	x	x	x	2	x	x	x	x	x	
	01/10/2008	x	x	x	2	2	x	x	x	2	x	x	1	2	x	x	x	x	
	02/10/2008	2	x	2	x	x	2	2	x	x	x	x	2	x	x	x	x	x	
	03/10/2008	2	x	x	x	x	x	x	x	x	x	x	2	2	x	x	x	x	
	06/10/2008	x	x	x	1	2	x	x	x	2	x	x	2	2	x	x	x	x	
07/10/2008	2	x	2	x	x	2	2	x	x	x	x	2	x	x	x	x	x		
08/10/2008	x	x	x	2	2	x	x	x	2	x	x	1	2	x	x	x	x		
09/10/2008	2	x	2	x	x	2	2	x	x	x	x	2	x	x	x	x	x		
10/10/2008	2	x	2	2	2	2	2	x	2	x	x	2	x	x	x	x	x		
13/01/1900	x																		
14/10/2008	2	x	1	x	x	1	2	x	x	x	x	2	x	x	2	x	x		
15/10/2008	x	x	x	x	1	x	x	x	2	x	x	2	2	x	x	x	x		

SENSORY USE AND RISK OF ILLNESS

16/10/2008	2	x	2	x	x	1	2	x	x	x	x	2	x	x	2	x	x
17/10/2008	2	x	x	x	x	x	x	x	x	x	x	1	2	x	x	x	x
20/10/2008	x	x	x	x	2	x	x	x	2	x	x	2	2	x	x	x	x
21/10/2008	2	x	2	x	x	1	2	x	x	x	x	2	x	x	2	x	x
22/10/2008	x	x	x	x	2	x	x	x	2	x	x	2	2	x	x	x	x
23/10/2008	2	x	2	x	x	2	2	x	x	x	x	2	x	x	2	x	x
24/10/2008	x	x	1	x	2	2	2	x	2	x	x	2	2	x	2	x	x
27/10/2008	x	x	x	x	2	x	x	x	2	x	x	2	2	x	x	x	x
28/10/2008	2	x	2	x	x	2	2	x	x	x	x	2	x	x	2	x	x
29/10/2008	x	x	x	x	2	x	x	x	2	x	x	1	2	x	x	x	x
30/10/2008	2	x	2	x	x	2	2	x	x	x	x	2	x	x	2	x	x
31/10/2008	x	x	2	x	2	2	2	x	2	x	x	2	x	x	2	x	x
03/11/2008	x	x	x	x	x	2	x	x	2	x	x	2	1	x	x	x	x
04/11/2008	1	x	2	x	2	x	2	x	x	x	x	2	x	x	2	x	x
05/11/2008	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
06/11/2008	2	x	2	x	2	x	2	x	x	x	x	2	x	x	2	x	x
07/11/2008	x	x	x	x	x	2	x	x	1	x	x	2	2	x	x	x	x
10/11/2008	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
11/11/2008	2	x	2	x	2	x	2	x	x	x	x	2	x	x	2	x	x
12/11/2008	x	x	x	x	x	2	x	x	2	x	x	1	2	x	x	x	x
13/11/2008	2	x	2	x	2	x	2	x	x	x	x	2	x	x	2	x	x
14/11/2008	2	x	2	x	2	x	2	x	x	x	x	2	x	x	2	x	x
17/11/2008	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
18/11/2008	2	x	2	x	2	x	2	x	x	x	x	2	x	x	2	x	x
19/11/2008	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
20/11/2008	1	x	2	x	2	x	2	x	x	x	x	2	x	x	2	x	x
21/11/2008	x	x	x	x	x	2	x	x	2	x	x	1	2	x	x	x	x
24/11/2008	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
25/11/2008	2	x	2	x	2	x	2	x	x	x	x	2	x	x	2	x	x
26/11/2008	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
27/11/2008	2	x	2	x	2	x	2	x	x	x	x	2	x	x	2	x	x
28/11/2008	1	x	2	x	2	2	2	x	2	x	x	2	2	x	2	x	x
01/12/2008	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
02/12/2008	2	x	2	x	2	x	2	x	x	x	x	1	x	x	2	x	x
03/12/2008	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
04/12/2008	1	x	2	x	2	x	2	x	x	x	x	2	x	x	2	x	x
05/12/2008	2	x	x	x	x	x	x	x	x	x	x	2	2	x	x	x	x
08/12/2008	x	x	x	x	x	0	x	x	2	x	x	2	2	x	x	x	x
09/12/2008	2	x	2	x	2	x	2	x	x	x	x	2	x	x	2	x	x
10/12/2008	x	x	x	x	x	0	x	x	2	x	x	1	2	x	x	x	x
11/12/2008	2	x	2	x	2	x	2	x	x	x	x	2	x	x	2	x	x

SENSORY USE AND RISK OF ILLNESS

12/12/2008	x	x	2	x	2	2	2	x	2	x	x	2	x	x	2	x	x
15/12/2008	x	x	x	x	x	2	x	x	2	x	x	1	2	x	x	x	x
16/12/2008	2	x	2	x	1	x	2	x	x	x	x	2	x	x	2	x	x
17/12/2008	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
18/12/2008	2	x	2	x	2	x	2	x	x	x	x	2	x	x	2	x	x
19/12/2008	2	x	x	x	x	x	x	x	x	x	x	2	2	x	x	x	x
22/12/2008	x	x	x	x	2	2	2	x	2	x	x	2	1	x	x	x	x
23/12/2008	2	x	1	x	1	2	2	x	x	x	x	2	x	x	1	x	x
24/12/2008	1	x	x	x	2	1	1	x	1	x	x	1	1	x	1	x	x
25/12/2008																	
26/12/2008																	
29/12/2008	x	x	x	x	1	1	2	x	2	x	x	2	1	x	x	x	x
30/12/2008	2	x	1	x	1	2	1	x	2	x	x	2	x	x	1	x	x
31/12/2008	2	x	x	x	2	1	2	x	2	x	x	1	1	x	x	x	x
01/01/2009																	
02/01/2009	2	x	1	x	2	x	1	x	x	x	x	x	x	x	x	x	x
05/01/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
06/01/2009	2	x	2	x	2	x	2	x	2	x	x	x	x	x	2	x	x
07/01/2009	x	x	x	x	x	2	x	x	x	x	x	2	2	x	x	x	x
08/01/2009	2	x	2	x	2	x	2	x	2	x	x	x	x	x	2	x	x
09/01/2009	x	x	1	x	2	2	2	x	x	x	x	x	x	x	2	x	x
12/01/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
13/01/2009	2	x	2	x	2	x	2	x	2	x	x	x	x	x	2	x	x
14/01/2009	x	x	x	x	x	2	x	x	x	x	x	2	2	x	x	x	x
15/01/2009	1	x	2	x	2	x	1	x	2	x	x	x	x	x	2	x	x
16/01/2009	2	x	x	x	x	x	x	x	x	x	x	2	2	x	x	x	x
19/01/2009	x	x	x	x	x	2	x	x	x	x	x	2	2	x	x	x	x
20/01/2009	2	x	2	x	2	x	2	x	2	x	x	x	x	x	2	x	x
21/01/2009	x	x	x	x	x	2	x	x	x	x	x	2	2	x	x	x	x
22/01/2009	2	x	1	x	2	x	2	x	0	x	x	x	x	x	2	x	x
23/01/2009	x	x	2	x	2	2	2	x	x	x	x	x	x	x	2	x	x
26/01/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
27/01/2009	2	x	2	x	2	x	2	x	2	x	x	x	x	x	2	x	x
28/01/2009	x	x	x	x	x	2	x	x	x	x	x	2	2	x	x	x	x
29/01/2009	2	x	2	x	2	x	2	x	2	x	x	x	x	x	2	x	x
30/01/2009	2	x	x	x	x	x	x	x	x	x	x	2	2	x	x	x	x
02/02/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
03/02/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
04/02/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
05/02/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
06/02/2009	x	x	x	x	x	2	x	x	2	x	x	1	2	x	x	x	x

SENSORY USE AND RISK OF ILLNESS

09/02/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
10/02/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
11/02/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
12/02/2009	1	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
13/02/2009	2	x	2	x	2	2	2	x	2	x	x	2		x	1	x	x
16/02/2009																	
17/02/2009	0	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
18/02/2009	x	x	x	x	x	2	x	x	2	x	x	2	x	x	x	x	x
19/02/2009	0	x	2	x	2	x	2	x	x	x	x	x	2	x	2	x	x
20/02/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
23/02/2009	x	x	x	x	x	2	x	x	2	x	x	2	1	x	x	x	x
24/02/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
25/02/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
26/02/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
27/02/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
02/03/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
03/03/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
04/03/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
05/03/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
06/03/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
09/03/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
10/03/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
11/03/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
12/03/2009	1	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
13/03/2009	2	x	1	x	2	x	2	x	x	x	x	x	x	x	2	x	x
16/03/2009	x	x	2	x	1	2	1	x	2	x	x	1	1	x	2	x	x
17/03/2009	1	x	2	x	2	x	1	x	x	x	x	2	x	x	2	x	x
18/03/2009	x	x	2	x	2	1	2	x	2	x	x	2	1	x	2	x	x
19/03/2009	1	x	2	x	2	x	2	x	x	x	x	2	x	x	2	x	x
20/03/2009	x	x	2	x	2	x	2	x	1	x	x	2	x	x	2	x	x
23/03/2009	x	x	x	x	x	2	x	x	2	x	x	1	2	x	x	x	x
24/03/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	1	x	x
25/03/2009	x	x	x	x	x	2	x	x	2	x	x	1	2	x	x	x	x
26/03/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
27/03/2009	x	x	x	x	x	2	x	x	2	x	x	1	2	x	x	x	x
30/03/2009	x	x	x	x	x	2	x	x	2	x	x	1	2	x	x	x	x
31/03/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
01/04/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
02/04/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
03/04/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
06/04/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x

SENSORY USE AND RISK OF ILLNESS

07/04/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
08/04/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
09/04/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
10/04/2009																	
13/04/2009	x	x	2	x	2	2	2	x	1	x	x	2	2	x	2	x	x
14/04/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
15/04/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
16/04/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
17/04/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
20/04/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
21/04/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
22/04/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
23/04/2009	2	x	2	x	1	x	2	x	x	x	x	x	x	x	2	x	x
24/04/2009	x	x	2	x	2	1	2	x	2	x	x	2	x	x	2	x	x
27/04/2009	x	x	x	x	x	1	x	x	0	x	x	2	2	x	x	x	x
28/04/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
29/04/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
30/04/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
01/05/2009	2	x	2	x	2	2	2	x	2	x	x	2	2	x	2	x	x
04/05/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
05/05/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
06/05/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
07/05/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
08/05/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
11/05/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
12/05/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
13/05/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
14/05/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
15/05/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
18/05/2009																	
19/05/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
20/05/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
21/05/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
22/05/2009	x	x	x	x	x	2	x	x	1	x	x	2	2	x	x	x	x
25/05/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
26/05/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
27/05/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
28/05/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
29/05/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
01/06/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
02/06/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x

SENSORY USE AND RISK OF ILLNESS

03/06/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
04/06/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
05/06/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
08/06/2009	x	x	x	x	x	2	x	x	2	x	x	2	0	x	x	x	x
09/06/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
10/06/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
11/06/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
12/06/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
15/06/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
16/06/2009	1	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
17/06/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
18/06/2009	1	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
19/06/2009	x	x	x	x	x	2	x	x	2	x	x	1	2	x	x	x	x
22/06/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
23/06/2009	2	x	2	x	2	x	2	x	x	x	x	x	x	x	2	x	x
24/06/2009	x	x	x	x	x	2	x	x	2	x	x	2	2	x	x	x	x
25/06/2009	1	x	2	x	1	x	2	x	x	x	x	x	x	x	2	x	x
26/06/2009	1	x	2	x	2	2	2	x	2	x	x	2	2	x	2	x	x
29/06/2009	x	x	2	x	2	2	2	x	2	x	x	2	1	x	2	x	x
30/06/2009	x	x	2	x	2	1	2	x	2	x	x	2	1	x	2	x	x
01/07/2009																	
02/07/2009	1	x	2	x	1	2	2	x	1	x	x	x	1	x	2	x	x
03/07/2009	x	x	2	x	2	2	2	x	1	x	x	x	1	x	2	x	x
06/07/2009	x	x	x	x	0	2	2	x	2	x	x	x	1	x	2	x	x
07/07/2009	x	x	x	x	0	2	2	x	2	x	x	2	1	x	2	x	x
08/07/2009	x	x	x	x	2	2	2	x	2	x	x	2	1	x	2	x	x
09/07/2009	1	x	x	x	2	2	2	x	2	x	x	x	1	x	2	x	x
10/07/2009	x	x	x	x	2	2	2	x	1	x	x	x	1	x	2	x	x
13/07/2009	x	x	x	x	1	2	2	x	1	x	x	x	2	x	2	x	x
14/07/2009	x	x	x	x	2	1	2	x	1	x	x	2	2	x	2	x	x
15/07/2009	x	x	x	x	2	1	2	x	1	x	x	2	2	x	2	x	x
16/07/2009	1	x	x	x	2	1	2	x	1	x	x	x	2	x	2	x	x
17/07/2009	x	x	x	x	2	1	2	x	1	x	x	x	2	x	2	x	x
20/07/2009	x	x	x	x	2	1	2	x	1	x	x	x	2	x	2	x	x
21/07/2009	x	x	x	x	2	2	2	x	1	x	x	2	2	x	2	x	x
22/07/2009	x	x	x	x	1	2	2	x	1	x	x	2	2	x	2	x	x
23/07/2009	1	x	x	x	2	2	2	x	1	x	x	x	2	x	2	x	x
24/07/2009	x	x	x	x	2	2	2	x	1	x	x	x	2	x	2	x	x
27/07/2009	x	x	x	x	2	2	x	x	x	x	x	x	1	x	2	x	x
28/07/2009	x	x	x	x	2	2	x	x	x	x	x	2	1	x	2	x	x
29/07/2009	x	x	x	x	2	2	x	x	x	x	x	2	1	x	2	x	x

SENSORY USE AND RISK OF ILLNESS

30/07/2009		1	x	x	x	2	2	x	x	x	x	x	x	1	x	2	x	x
31/07/2009		x	x	x	x	2	2	x	x	x	x	x	x	1	x	1	x	x
03/08/2009																		
04/08/2009		x	x	x	x	2	1	x	x	x	x	x	2	1	x	2	x	x
05/08/2009		x	x	x	x	2	1	x	x	x	x	x	2	1	x	2	x	x
06/08/2009		x	x	x	x	2	1	x	x	x	x	x	1	x	2	x	x	
07/08/2009		x	x	x	x	2	1	x	x	x	x	x	1	x	2	x	x	
10/08/2009		x	x	x	x	2	1	x	x	x	x	x	2	x	2	x	x	
11/08/2009		x	x	x	x	2	2	x	x	x	x	x	1	2	x	2	x	x
12/08/2009		x	x	x	x	2	2	x	x	x	x	x	1	2	x	2	x	x
13/08/2009		x	x	x	x	2	2	x	x	x	x	x	2	x	2	x	x	
14/08/2009		x	x	x	x	2	2	x	x	x	x	x	2	x	2	x	x	
17/08/2009		x	x	x	x	1	2	x	x	x	x	x	2	x	2	x	x	
18/08/2009		x	x	x	x	1	2	x	x	x	x	x	2	2	x	2	x	x
19/08/2009		x	x	x	x	1	2	x	x	x	x	x	2	2	x	2	x	x
20/08/2009		x	x	x	x	1	2	x	x	x	x	x	2	x	2	x	x	
21/08/2009		x	x	x	x	2	2	x	x	x	x	x	2	2	x	1	x	x
24/08/2009		x	x	x	x	2	2	x	x	x	x	x	2	x	2	x	x	
25/08/2009		x	x	x	x	2	2	x	x	x	x	x	2	2	x	2	x	x
26/08/2009		x	x	x	x	2	2	x	x	x	x	x	2	2	x	2	x	x
27/08/2009		x	x	x	x	2	2	x	x	x	x	x	1	x	2	x	x	
28/08/2009		x	x	x	x	1	2	x	x	x	x	x	1	x	2	x	x	
31/08/2009		x	x	x	x	2	2	x	x	x	x	x	1	x	2	x	x	
01/09/2009		x	x	x	x	2	2	x	x	x	x	x	1	x	x	2	x	x
02/09/2009		x	x	x	x	1	2	x	x	x	x	x	1	x	x	2	x	x
03/09/2009		x	x	x	x	1	2	x	x	x	x	x	2	x	x	1	x	x
04/09/2009		x	x	x	x	2	2	x	x	x	x	x	1	x	x	1	x	x
07/09/2009																		
08/09/2009		x	x	x	x	2	2	x	x	x	x	x	2	x	x	2	x	x
09/09/2009		x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
10/09/2009		x	x	x	x	2	2	x	x	x	x	x	2	x	x	2	x	x
11/09/2009		x	x	x	x	x	2	x	x	x	x	x	2	x	x	x	x	x
14/09/2009		x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
15/09/2009		x	x	x	x	2	x	x	x	x	x	x	2	x	x	2	x	x
16/09/2009		x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
17/09/2009		x	x	x	x	1	x	x	x	x	x	x	2	x	x	2	x	x
18/09/2009		x	x	x	x	2	x	x	x	x	x	x	2	x	x	2	x	x
21/09/2009		x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
22/09/2009		x	x	x	x	2	x	x	x	x	x	x	2	x	x	2	x	x
23/09/2009		x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
24/09/2009		x	x	x	x	2	x	x	x	x	x	x	1	x	x	2	x	x

SENSORY USE AND RISK OF ILLNESS

25/09/2009	x	x	x	x	x	1	x	x	x	x	x	x	x	x	x	x	x
28/09/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
29/09/2009	x	x	x	x	2	x	x	x	x	x	x	2	x	x	2	x	x
30/09/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
01/10/2009	x	x	x	x	2	x	x	x	x	x	x	2	x	x	2	x	x
02/10/2009	x	x	x	x	2	x	x	x	x	x	x	2	x	x	2	x	x
05/10/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
06/10/2009	x	x	x	x	2	x	x	x	x	x	x	2	x	x	2	x	x
07/10/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
08/10/2009	x	x	x	x	2	x	x	x	x	x	x	2	x	x	2	x	x
09/10/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
12/10/2009																	
13/10/2009	x	x	x	x	2	x	x	x	x	x	x	2	x	x	2	x	x
14/10/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
15/10/2009	x	x	x	x	1	x	x	x	x	x	x	2	x	x	2	x	x
16/10/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
19/10/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
20/10/2009	x	x	x	x	2	x	x	x	x	x	x	2	x	x	2	x	x
21/10/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
22/10/2009	x	x	x	x	2	x	x	x	x	x	x	2	x	x	2	x	x
23/10/2009	x	x	x	x	2	x	x	x	x	x	x	x	x	x	2	x	x
26/10/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
27/10/2009	x	x	x	x	2	x	x	x	x	x	x	2	x	x	2	x	x
28/10/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
29/10/2009	x	x	x	x	2	x	x	x	x	x	x	2	x	x	x	x	x
30/10/2009	x	x	x	x	2	2	x	x	x	x	x	2	x	x	2	x	x
02/11/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
03/11/2009	x	x	x	x	2	x	x	x	x	x	x	1	x	x	2	x	x
04/11/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
05/11/2009	x	x	x	x	2	x	x	x	x	x	x	1	x	x	2	x	x
06/11/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
09/11/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
10/11/2009	x	x	x	x	2	x	x	x	x	x	x	1	x	x	2	x	x
11/11/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
12/11/2009	x	x	x	x	2	x	x	x	x	x	x	1	x	x	2	x	x
13/11/2009	x	x	x	x	2	2	x	x	x	x	x	2	x	x	2	x	x
16/11/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
17/11/2009	x	x	x	x	2	x	x	x	x	x	x	2	x	x	2	x	x
18/11/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x
19/11/2009	x	x	x	x	2	x	x	x	x	x	x	2	x	x	2	x	x
20/11/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x

SENSORY USE AND RISK OF ILLNESS

23/11/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x	x
24/11/2009	x	x	x	x	2	x	x	x	x	x	x	2	x	x	2	x	x	x
25/11/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x	x
26/11/2009	x	x	x	x	2	x	x	x	x	x	x	2	x	x	2	x	x	x
27/11/2009	x	x	x	x	2	2	x	x	x	x	x	x	x	x	x	x	x	x
30/11/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x	x
01/12/2009	x	x	x	x	2	x	x	x	x	x	x	2	x	x	2	x	x	x
02/12/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x	x
03/12/2009	x	x	x	x	2	x	x	x	x	x	x	2	x	x	2	x	x	x
04/12/2009	x	x	x	x	2	2	x	x	x	x	x	2	x	x	2	x	x	x
07/12/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x	x
08/12/2009	x	x	x	x	2	x	x	x	x	x	x	1	x	x	1	x	x	x
09/12/2009	x	x	x	x	x	1	x	x	x	x	x	x	x	x	x	x	x	x
10/12/2009	x	x	x	x	0	x	x	x	x	x	x	2	x	x	2	x	x	x
11/12/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
14/12/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x	x
15/12/2009	x	x	x	x	2	x	x	x	x	x	x	1	x	x	2	x	x	x
16/12/2009	x	x	x	x	x	2	x	x	x	x	x	x	x	x	x	x	x	x
17/12/2009	x	x	x	x	2	x	x	x	x	x	x	2	x	x	x	x	x	x
18/12/2009	x	x	x	x	2	2	x	x	x	x	x	1	x	x	x	x	x	x
21/12/2009	x	x	x	x	2	2	x	x	x	x	x	x	x	x	x	x	x	x
22/12/2009	x	x	x	x	2	2	x	x	x	x	x	1	x	x	2	x	x	x
23/12/2009	x	x	x	x	2	2	x	x	x	x	x	x	x	x	x	x	x	x
24/12/2009	x	x	x	x	1	x	x	x	x	x	x	1	x	x	2	x	x	x
25/12/2009																		
28/12/2009	x	x	x	x	1	x	x	x	x	x	x	x	x	x	1	x	x	x
29/12/2009	x	x	x	x	2	1	x	x	x	x	x	1	x	x	x	x	x	x
30/12/2009	x	x	x	x	1	x	x	x	x	x	x	x	x	x	1	x	x	x
31/12/2009	x	x	x	x	1	x	x	x	x	x	x	1	x	x	1	x	x	x

SENSORY USE AND RISK OF ILLNESS

Attendance Absent (Illness) = 0 Absent (Non-illness) = 1 Present = 2 Not Enrolled = X		Centre B Age Group: 30.1 - 72 months																		
		41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59
Unique ID																				
Gender (M/F)		F	M	M	F	M	F	M	F	F	M	M	M	M	M	F	F	F	F	
Centre Operating Date (dd/mm/yyyy)	01/09/2008																			
	02/09/2008	2	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	
	03/09/2008	2	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	
	04/09/2008	2	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	
	05/09/2008	2	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	
	08/09/2008	2	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	
	09/09/2008	2	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	
	10/09/2008	2	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	
	11/09/2008	2	x	x	x	x	x	x	x	x	x	x	x	2	2	1	2	2	2	
	12/09/2008	2	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	
	15/09/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	1	2	2	2	
	16/09/2008	2	x	x	x	x	x	x	x	x	x	x	x	2	2	1	2	2	2	
	17/09/2008	x	x	x	x	x	x	x	x	x	x	x	x	1	2	1	2	2	2	
	18/09/2008	2	x	x	x	x	x	x	x	x	x	x	x	1	2	1	2	2	2	
	19/09/2008	x	x	x	x	x	x	x	x	x	x	x	x	1	0	2	2	2	2	
	22/09/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	
	23/09/2008	2	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	
	24/09/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	1	2	2	2	
	25/09/2008	2	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	
	26/09/2008	2	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	
	29/09/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	
	30/09/2008	2	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	1	
	01/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	2	
	02/10/2008	2	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	
	03/10/2008	2	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	
	06/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	
	07/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	
	08/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	
09/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2		
10/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2		
13/01/1900																				
14/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2		
15/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	2		

SENSORY USE AND RISK OF ILLNESS

16/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
17/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
20/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	1	2	2
21/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
22/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	x	1	2	2
23/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
24/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
27/10/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
28/10/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	1	2	2	2
29/10/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	2
30/10/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
31/10/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
03/11/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
04/11/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
05/11/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	2
06/11/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
07/11/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
10/11/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
11/11/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
12/11/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	2
13/11/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	1	2	2	2	2	2
14/11/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	1
17/11/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
18/11/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
19/11/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
20/11/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
21/11/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	1	2	2	2	2
24/11/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
25/11/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
26/11/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	2
27/11/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
28/11/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	1
01/12/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	1	2	2
02/12/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
03/12/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	x	1	2	2
04/12/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
05/12/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	1	2	2	2	2
08/12/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
09/12/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
10/12/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	2
11/12/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	1	2	2	2	2

SENSORY USE AND RISK OF ILLNESS

12/12/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
15/12/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	1	2	2	1	2	2
16/12/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	1	2	2	1	2	2
17/12/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	1	2	x	1	2	2
18/12/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	1	2	2	1	2	2
19/12/2008	2	x	x	x	x	x	x	x	x	x	x	x	x	1	2	2	1	1	2
22/12/2008	1	x	x	x	x	x	x	x	x	x	x	x	x	1	2	2	1	2	2
23/12/2008	1	x	x	x	x	x	x	x	x	x	x	x	x	1	1	2	1	1	2
24/12/2008	1	x	x	x	x	x	x	x	x	x	x	x	x	1	1	2	1	2	1
25/12/2008																			
26/12/2008																			
29/12/2008	1	x	x	x	x	x	x	x	x	x	x	x	x	1	2	1	1	2	1
30/12/2008	1	x	x	x	x	x	x	x	x	x	x	x	x	1	1	1	1	2	1
31/12/2008	1	x	x	x	x	x	x	x	x	x	x	x	x	1	1	x	1	2	1
01/01/2009																			
02/01/2009	1	x	x	x	x	x	x	x	x	x	x	x	x	1	2	1	1	2	1
05/01/2009	1	x	x	x	x	x	x	x	x	x	x	x	x	1	2	2	1	2	2
06/01/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
07/01/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	2
08/01/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
09/01/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	0	2	2	2	2	2
12/01/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	0	2	2	0	2	2
13/01/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	0	2	2	0	2	0
14/01/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	2
15/01/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	1	2	2	2
16/01/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
19/01/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
20/01/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
21/01/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	2
22/01/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
23/01/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
26/01/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
27/01/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
28/01/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	1	2	x	2	2	2
29/01/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
30/01/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
02/02/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	0
03/02/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
04/02/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	2
05/02/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
06/02/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2

SENSORY USE AND RISK OF ILLNESS

09/02/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
10/02/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
11/02/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	2
12/02/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	1	2	2
13/02/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	1
16/02/2009																			
17/02/2009	1	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
18/02/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	2
19/02/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
20/02/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	1	2	2	2	2
23/02/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	1	2	2	2	2	2
24/02/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	1	2	2	2	2	2
25/02/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	1	2	x	2	2	2
26/02/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
27/02/2009	2	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
02/03/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
03/03/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
04/03/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	2
05/03/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
06/03/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
09/03/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
10/03/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
11/03/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	2
12/03/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
13/03/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
16/03/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	1	2	2	1
17/03/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
18/03/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	1
19/03/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	1	2	2	2
20/03/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	1	2	2	1
23/03/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	1	2	2	2
24/03/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	1	2	2	2
25/03/2009	2	x	1	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	2
26/03/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	1	2	2	2
27/03/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	1	2	2	2
30/03/2009	2	x	1	x	x	x	x	x	x	x	x	x	x	0	2	1	2	2	2
31/03/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	1	2	2	2
01/04/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	2
02/04/2009	1	x	2	x	x	x	x	x	x	x	x	x	x	2	2	1	0	2	2
03/04/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	1	0	2	2
06/04/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	2	0	1	2

SENSORY USE AND RISK OF ILLNESS

07/04/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	2	0	2	2
08/04/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	x	0	2	0
09/04/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	2	0	2	2
10/04/2009																			
13/04/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	2	0	2	0
14/04/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
15/04/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	2
16/04/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	2	2	1	2
17/04/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
20/04/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	2	2	1	2
21/04/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
22/04/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	1
23/04/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
24/04/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	2	2	1	2
27/04/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
28/04/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
29/04/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	2
30/04/2009	2	x	2	x	x	x	x	x	x	x	x	x	x	1	2	2	2	1	2
01/05/2009	2	x	2	x	1	x	x	x	x	x	x	x	x	2	2	2	2	1	1
04/05/2009	2	x	2	x	2	x	x	x	x	x	x	x	x	2	2	2	2	1	2
05/05/2009	2	x	2	x	2	x	x	x	x	x	x	x	x	2	2	2	2	2	2
06/05/2009	2	x	2	x	2	x	x	x	x	x	x	x	x	2	2	x	2	2	2
07/05/2009	2	x	2	x	2	x	x	x	x	x	x	x	x	2	2	2	2	2	2
08/05/2009	2	x	2	x	2	x	x	x	x	x	x	x	x	2	2	2	2	2	2
11/05/2009	2	x	2	x	2	x	x	x	x	x	x	x	x	0	2	2	2	2	2
12/05/2009	2	x	2	x	2	x	x	x	x	x	x	x	x	2	2	2	2	2	2
13/05/2009	2	x	2	x	2	x	x	x	x	x	x	x	x	2	2	x	2	2	2
14/05/2009	2	x	2	x	2	x	x	x	x	x	x	x	x	2	2	2	2	2	2
15/05/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	2	2	2	1
18/05/2009																			
19/05/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	2	1	2	2
20/05/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	2	2	2	2
21/05/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	2	2	2	2
22/05/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	0	2	2	2	2
25/05/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	2	2	2	2
26/05/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	2	2	2	2
27/05/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	1	2	2	2	2	2
28/05/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	1	2	2	2	2	2
29/05/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	2	2	2	2
01/06/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	2	2	2	2
02/06/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	2	2	2	2

SENSORY USE AND RISK OF ILLNESS

Centre Operating Date (dd/mm/yyyy)	03/06/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	0	2	2
	04/06/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	2	2	2
	05/06/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	2	2	2
	08/06/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	1	2	2
	09/06/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	2	2	2
	10/06/2009	1	x	2	x	2	2	x	x	x	x	x	x	x	2	2	2	2	1
	11/06/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	2	2	2
	12/06/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	2	2	2
	15/06/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	2	2	2
	16/06/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	2	2	2
	17/06/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	2	2	2
	18/06/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	2	2	2
	19/06/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	1	2	2
	22/06/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	1	2	2	2	2
	23/06/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	2	2	2
	24/06/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	1	2	2	2	2
	25/06/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	2	2	2
	26/06/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	1	2	2	2	2
	29/06/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	1	2	1
	30/06/2009	2	x	2	x	2	2	x	x	x	x	x	x	x	2	2	1	2	1
	01/07/2009																		
	02/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	03/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	06/07/2009	x	x	2	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	07/07/2009	x	x	2	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	08/07/2009	x	x	2	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	09/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	10/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	13/07/2009	x	x	2	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	14/07/2009	x	x	2	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	15/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	16/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	17/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	20/07/2009	x	x	2	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	21/07/2009	x	x	2	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
22/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
23/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
24/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
27/07/2009	x	x	1	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
28/07/2009	x	x	1	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
29/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	

SENSORY USE AND RISK OF ILLNESS

	30/07/2009		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	31/07/2009		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	03/08/2009																				
	04/08/2009		x	x	2	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	05/08/2009		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	06/08/2009		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	07/08/2009		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	10/08/2009		x	x	2	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	11/08/2009		x	x	1	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	12/08/2009		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	13/08/2009		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	14/08/2009		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	17/08/2009		x	x	2	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	18/08/2009		x	x	2	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	19/08/2009		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	20/08/2009		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	21/08/2009		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	24/08/2009		x	x	2	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	25/08/2009		x	x	2	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	26/08/2009		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	27/08/2009		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	28/08/2009		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	31/08/2009		x	x	2	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	01/09/2009		x	2	2	2	2	1	2	1	2	2	x	x	x	x	x	x	x	x	
	02/09/2009		x	2	2	2	2	1	2	2	2	2	x	x	x	x	x	x	x	x	
	03/09/2009		x	2	2	2	2	1	2	2	2	2	x	x	x	x	x	x	x	x	
	04/09/2009		x	2	2	2	2	1	2	2	2	2	x	x	x	x	x	x	x	x	
	07/09/2009																				
Centre Operating Date (dd/mm/yyyy)	08/09/2009		x	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	
	09/09/2009		x	2	2	2	2	2	2	2	2	2	1	2	2	x	x	x	x	x	
	10/09/2009		x	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	
	11/09/2009		x	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	
	14/09/2009		x	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	
	15/09/2009		x	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	
	16/09/2009		x	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	
	17/09/2009		x	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	
	18/09/2009		x	2	2	0	2	2	2	0	2	2	2	2	2	x	x	x	x	x	x
	21/09/2009		x	2	2	2	2	2	2	2	1	2	2	2	2	x	x	x	x	x	x
	22/09/2009		x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	23/09/2009		x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	24/09/2009		x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x

SENSORY USE AND RISK OF ILLNESS

25/09/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
28/09/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
29/09/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
30/09/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
01/10/2009	x	2	2	2	2	2	2	2	1	2	2	2	2	x	x	x	x	x	x
02/10/2009	x	2	2	2	2	2	2	2	1	2	2	2	2	x	x	x	x	x	x
05/10/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
06/10/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
07/10/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
08/10/2009	x	2	2	2	2	2	2	1	2	2	2	2	2	x	x	x	x	x	x
09/10/2009	x	2	2	2	2	2	2	1	2	1	2	2	2	x	x	x	x	x	x
12/10/2009																			
13/10/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
14/10/2009	x	1	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
15/10/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
16/10/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
19/10/2009	x	2	2	2	2	2	0	2	2	2	2	2	2	x	x	x	x	x	x
20/10/2009	x	2	2	2	2	2	0	2	2	2	2	2	2	x	x	x	x	x	x
21/10/2009	x	2	2	2	2	2	0	2	2	2	0	2	2	x	x	x	x	x	x
22/10/2009	x	2	2	2	2	2	2	1	2	2	2	2	2	x	x	x	x	x	x
23/10/2009	x	2	2	2	2	2	2	2	2	2	2	2	0	x	x	x	x	x	x
26/10/2009	x	0	2	2	2	2	2	2	2	2	2	2	0	x	x	x	x	x	x
27/10/2009	x	0	2	2	2	2	2	2	2	2	2	2	0	x	x	x	x	x	x
28/10/2009	x	0	2	2	2	2	2	2	2	2	2	2	0	x	x	x	x	x	x
29/10/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
30/10/2009	x	2	2	2	2	2	2	2	2	2	2	2	0	x	x	x	x	x	x
02/11/2009	x	0	2	2	2	2	2	2	2	2	2	0	2	x	x	x	x	x	x
03/11/2009	x	2	2	2	2	2	2	2	2	2	2	0	2	x	x	x	x	x	x
04/11/2009	x	2	2	2	2	2	2	2	2	2	2	0	2	x	x	x	x	x	x
05/11/2009	x	2	2	2	2	2	2	2	2	2	1	0	2	x	x	x	x	x	x
06/11/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
09/11/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
10/11/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
11/11/2009	x	2	0	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
12/11/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
13/11/2009	x	2	2	2	2	2	0	2	2	2	2	2	2	x	x	x	x	x	x
16/11/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
17/11/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
18/11/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
19/11/2009	x	2	2	2	0	2	2	1	2	2	2	2	2	x	x	x	x	x	x
20/11/2009	x	2	2	2	2	2	2	1	2	2	2	2	2	x	x	x	x	x	x

SENSORY USE AND RISK OF ILLNESS

23/11/2009	x	2	1	2	2	2	2	2	2	0	2	2	2	x	x	x	x	x	x
24/11/2009	x	2	1	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
25/11/2009	x	2	1	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
26/11/2009	x	2	1	2	2	2	2	2	2	2	1	2	2	x	x	x	x	x	x
27/11/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
30/11/2009	x	2	2	2	0	2	2	2	2	2	2	0	2	x	x	x	x	x	x
01/12/2009	x	2	2	2	2	2	2	2	2	2	2	1	2	x	x	x	x	x	x
02/12/2009	x	2	2	2	2	2	2	2	2	2	1	2	1	x	x	x	x	x	x
03/12/2009	x	2	2	2	2	2	2	2	0	2	2	2	2	x	x	x	x	x	x
04/12/2009	x	2	2	2	2	2	2	2	0	2	2	2	2	x	x	x	x	x	x
07/12/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
08/12/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
09/12/2009	x	2	2	2	2	2	2	2	2	1	2	2	2	x	x	x	x	x	x
10/12/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
11/12/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
14/12/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
15/12/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
16/12/2009	x	2	2	1	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
17/12/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
18/12/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
21/12/2009	x	1	2	2	1	2	2	1	2	2	1	2	1	x	x	x	x	x	x
22/12/2009	x	1	2	2	1	2	2	1	2	2	1	1	1	x	x	x	x	x	x
23/12/2009	x	1	2	2	1	2	2	1	2	2	1	1	1	x	x	x	x	x	x
24/12/2009	x	1	2	1	1	2	1	1	1	2	1	1	1	x	x	x	x	x	x
25/12/2009																			
28/12/2009	x	1	2	2	1	2	1	1	1	1	1	1	1	x	x	x	x	x	x
29/12/2009	x	1	2	2	1	2	1	1	1	1	1	1	1	x	x	x	x	x	x
30/12/2009	x	1	2	2	1	2	1	1	1	1	1	1	1	x	x	x	x	x	x
31/12/2009	x	1	2	2	1	2	1	1	1	1	1	1	1	x	x	x	x	x	x

SENSORY USE AND RISK OF ILLNESS

Attendance Absent (Illness) = 0 Absent (Non-illness) = 1 Present = 2 Not Enrolled = X		Centre C Age Group: 30.1 - 72 months																						
		Unique ID																						
		60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	
Centre Operating Date (dd/mm/yyyy)	02/09/2008	2	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x
	03/09/2008	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	04/09/2008	2	x	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x
	05/09/2008	1	x	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	08/09/2008	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	09/09/2008	2	2	2	2	2	2	2	2	1	2	2	2	2	x	2	2	2	x	x	x	x	x	x
	10/09/2008	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	11/09/2008	2	x	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x
	12/09/2008	2	x	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	15/09/2008	2	2	2	2	2	2	1	2	0	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	16/09/2008	1	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x
	17/09/2008	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	18/09/2008	2	x	2	2	2	2	2	2	2	2	0	2	x	2	2	2	2	x	x	x	x	x	x
	19/09/2008	2	x	2	2	2	2	2	2	2	2	0	2	2	2	2	2	2	x	x	x	x	x	x
	22/09/2008	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	23/09/2008	2	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x
	24/09/2008	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	25/09/2008	2	x	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x
	26/09/2008	2	x	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	29/09/2008	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
30/09/2008	2	2	2	2	2	2	2	2	1	2	2	1	x	2	2	2	2	x	x	x	x	x	x	
01/10/2008	2	2	2	2	2	1	2	1	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	
02/10/2008	2	x	1	0	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x	
03/10/2008	2	x	2	0	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	
06/10/2008	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	
07/10/2008	2	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x	
08/10/2008	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	
09/10/2008	2	x	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x	
10/10/2008	2	x	2	2	2	2	2	1	2	2	1	2	2	2	2	2	2	x	x	x	x	x	x	
14/10/2008	2	2	2	2	2	2	2	2	2	1	2	2	x	2	1	2	x	x	x	x	x	x	x	
15/10/2008	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	2	x	x	x	x	x	x	x	

SENSORY USE AND RISK OF ILLNESS

	16/10/2008	2	x	2	2	2	2	2	2	2	2	2	2	2	2	2	x	2	1	2	x	x	x	x	x	x
	17/10/2008	2	x	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	2	x	x	x	x	x	x
	20/10/2008	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	2	x	x	x	x	x	x
	21/10/2008	2	2	2	2	2	2	2	2	0	2	2	2	2	2	2	x	2	1	2	x	x	x	x	x	x
	22/10/2008	0	2	2	2	2	2	2	2	0	2	2	2	2	2	2	2	2	1	2	x	x	x	x	x	x
	23/10/2008	2	x	2	2	2	2	2	2	2	2	2	2	2	2	x	2	1	2	x	x	x	x	x	x	x
	24/10/2008	2	x	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	2	x	x	x	x	x	x
	27/10/2008	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2	2	1	0	x	x	x	x	x	x
	28/10/2008	2	2	2	1	2	2	2	2	2	2	2	2	2	2	x	2	1	0	x	x	x	x	x	x	x
	29/10/2008	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	2	x	x	x	x	x	x
	30/10/2008	2	x	2	2	2	2	2	2	2	2	2	2	2	2	x	2	1	2	x	x	x	x	x	x	x
	31/10/2008	2	x	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	2	x	x	x	x	x	x	x
	03/11/2008	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	0	1	2	x	x	x	x	x	x	x
	04/11/2008	1	2	2	2	2	2	2	2	2	2	2	2	2	2	x	0	1	2	x	x	x	x	x	x	x
	05/11/2008	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	2	x	x	x	x	x	x	x
	06/11/2008	2	x	2	2	2	2	2	2	2	2	2	2	2	2	x	2	1	2	x	x	x	x	x	x	x
	07/11/2008	2	x	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	2	x	x	x	x	x	x	x
	10/11/2008	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	2	x	x	x	x	x	x	x
	11/11/2008	2	2	2	2	2	2	0	2	0	2	2	2	2	2	x	2	1	2	x	x	x	x	x	x	x
	12/11/2008	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	13/11/2008	1	x	1	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x	x
	14/11/2008	2	x	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	17/11/2008	2	2	1	2	1	2	2	1	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	18/11/2008	2	2	1	2	1	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x	x
	19/11/2008	2	2	1	2	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	20/11/2008	0	x	1	2	1	2	2	2	0	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x	x
	21/11/2008	2	x	1	2	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	24/11/2008	2	2	2	2	1	2	2	2	2	2	2	2	2	1	2	2	2	1	x	x	x	x	x	x	x
	25/11/2008	1	2	2	2	1	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x	x
	26/11/2008	1	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	27/11/2008	2	x	2	2	1	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x	x
	28/11/2008	2	x	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	01/12/2008	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	02/12/2008	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x
Centre Operating Date (dd/mm/yyyy)	03/12/2008	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	04/12/2008	2	x	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x
	05/12/2008	2	x	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	08/12/2008	2	2	2	2	2	2	2	2	2	2	2	1	2	2	2	2	2	2	2	x	x	x	x	x	x
	09/12/2008	1	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	2	x	x	x	x	x	x
	10/12/2008	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x
	11/12/2008	2	x	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	2	x	x	x	x	x	x

SENSORY USE AND RISK OF ILLNESS

12/12/2008	2	x	2	2	2	2	2	1	2	2	2	2	2	2	2	2	x	x	x	x	x	x
15/12/2008	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
16/12/2008	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x
17/12/2008	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
18/12/2008	2	x	2	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x
19/12/2008	2	x	2	2	1	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
22/12/2008	2	0	2	2	2	2	2	1	2	2	2	2	2	2	2	2	x	x	x	x	x	x
23/12/2008	2	0	2	2	1	2	2	1	2	2	1	2	x	2	2	2	x	x	x	x	x	x
24/12/2008	1	1	2	2	1	2	1	1	2	1	1	2	2	1	2	2	x	x	x	x	x	x
29/12/2008	2	2	1	2	1	2	1	1	1	2	1	2	2	1	2	2	x	x	x	x	x	x
30/12/2008	2	2	1	2	1	2	1	1	2	2	1	1	x	2	1	2	x	x	x	x	x	x
31/12/2008	1	1	1	2	1	2	1	1	2	1	1	2	2	1	2	1	x	x	x	x	x	x
02/01/2009	1	x	1	1	1	2	1	1	2	1	1	1	2	2	0	2	x	x	x	x	x	x
05/01/2009	2	2	0	2	2	2	2	2	2	2	2	2	x	2	2	0	2	x	x	x	x	x
06/01/2009	x	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x
07/01/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
08/01/2009	2	x	2	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x
09/01/2009	2	x	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
12/01/2009	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x
13/01/2009	x	2	2	2	2	2	2	1	2	2	2	2	x	2	0	2	x	x	x	x	x	x
14/01/2009	x	2	2	2	2	2	2	2	2	0	2	2	2	2	0	2	x	x	x	x	x	x
15/01/2009	2	x	2	2	2	2	2	2	2	0	2	2	x	2	2	2	x	x	x	x	x	x
16/01/2009	2	x	2	2	2	2	2	2	2	0	2	2	2	2	2	2	x	x	x	x	x	x
19/01/2009	2	2	2	2	2	2	2	0	2	2	2	x	2	2	2	1	x	x	x	x	x	x
20/01/2009	x	2	2	2	2	2	0	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x
21/01/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
22/01/2009	2	x	2	2	2	2	2	2	2	0	2	2	x	2	2	2	x	x	x	x	x	x
23/01/2009	2	x	2	2	2	2	2	2	2	0	2	2	2	2	2	2	x	x	x	x	x	x
26/01/2009	2	2	2	0	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x
27/01/2009	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x
28/01/2009	x	2	2	0	2	2	2	2	2	2	0	2	2	2	2	0	x	x	x	x	x	x
29/01/2009	2	x	2	0	2	2	2	2	2	2	2	2	x	2	0	2	x	x	x	x	x	x
30/01/2009	x	x	2	0	2	0	2	2	2	2	0	2	2	0	0	2	x	x	x	x	x	x
02/02/2009	2	0	2	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x
03/02/2009	x	0	2	2	0	2	0	2	2	2	2	2	x	0	2	2	x	x	x	x	x	x
04/02/2009	x	0	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
05/02/2009	2	x	2	2	2	2	2	2	2	2	2	1	x	2	2	2	x	x	x	x	x	x
06/02/2009	2	x	2	2	2	2	0	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x

SENSORY USE AND RISK OF ILLNESS

	09/02/2009	2	2	2	2	2	2	2	2	1	2	2	2	x	2	2	2	x	x	x	x	x	x
	10/02/2009	x	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x
	11/02/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	12/02/2009	2	x	2	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x
	13/02/2009	2	x	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	17/02/2009	x	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x
	18/02/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	19/02/2009	2	x	2	2	2	2	2	2	2	2	2	2	x	2	2	1	x	x	x	x	x	x
	20/02/2009	2	x	2	2	2	2	2	2	2	2	2	2	2	2	1	1	x	x	x	x	x	x
	23/02/2009	2	2	1	2	2	2	2	2	2	2	2	2	x	2	2	1	x	x	x	x	x	x
	24/02/2009	x	2	1	2	2	2	2	2	2	2	2	2	x	2	1	1	x	x	x	x	x	x
	25/02/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	2	1	1	x	x	x	x	x	x
	26/02/2009	2	x	2	2	2	2	2	2	2	2	2	2	x	2	2	1	x	x	x	x	x	x
	27/02/2009	2	x	2	2	2	2	1	2	2	2	2	2	1	2	1	x	x	x	x	x	x	x
	02/03/2009	2	1	2	2	2	2	2	2	2	2	2	x	x	2	2	2	x	x	x	x	x	x
	03/03/2009	x	1	2	2	2	2	1	2	2	2	2	x	2	2	2	x	x	x	x	x	x	x
	04/03/2009	x	2	2	2	2	2	1	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	05/03/2009	2	x	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x
	06/03/2009	2	x	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x
	09/03/2009	2	2	1	2	2	2	2	2	2	2	2	x	x	2	2	2	2	x	x	x	x	x
	10/03/2009	x	2	1	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x
	11/03/2009	x	2	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x
	12/03/2009	2	x	1	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x
	13/03/2009	2	x	1	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	16/03/2009	2	2	1	2	2	1	2	2	2	1	1	x	x	2	2	2	x	x	x	x	x	x
	17/03/2009	x	1	1	2	2	1	2	2	2	1	2	2	x	2	1	2	x	x	x	x	x	x
	18/03/2009	x	2	1	2	2	1	2	2	2	1	2	2	2	2	1	2	x	x	x	x	x	x
	19/03/2009	2	x	1	2	2	1	2	2	2	1	2	2	x	2	2	2	x	x	x	x	x	x
	20/03/2009	2	x	1	2	2	1	2	1	2	1	2	2	2	2	2	1	x	x	x	x	x	x
	23/03/2009	2	2	1	2	2	2	2	2	2	2	2	x	x	2	2	2	x	x	x	x	x	x
	24/03/2009	x	2	1	2	2	2	2	2	2	2	2	2	x	2	2	2	x	x	x	x	x	x
	25/03/2009	x	2	1	2	2	2	2	2	2	2	2	2	2	2	2	0	x	x	x	x	x	x
	26/03/2009	2	x	2	2	2	2	2	2	2	2	2	2	x	0	2	2	x	x	x	x	x	x
	27/03/2009	2	x	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x
	30/03/2009	2	2	2	2	2	2	2	2	2	1	x	x	2	2	2	1	x	x	x	x	x	x
	31/03/2009	x	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x
	01/04/2009	x	x	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x
	02/04/2009	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x
	03/04/2009	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x
	06/04/2009	2	1	1	2	2	2	2	2	2	2	2	x	x	1	2	2	2	x	x	x	x	x

SENSORY USE AND RISK OF ILLNESS

	07/04/2009	x	2	1	2	2	2	2	2	2	2	2	2	1	x	2	2	2	2	x	x	x	x	x
	08/04/2009	x	x	1	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x
	09/04/2009	2	2	1	1	2	2	2	1	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x
	13/04/2009	1	2	2	2	1	2	2	1	2	1	2	x	x	2	2	2	1	x	x	x	x	x	x
	14/04/2009	x	x	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x	x
	15/04/2009	x	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x	x
	16/04/2009	2	x	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x	x
	17/04/2009	2	x	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x	x
	20/04/2009	2	2	2	2	2	2	2	2	2	2	2	x	x	2	2	2	2	x	x	x	x	x	x
	21/04/2009	x	x	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x	x
	22/04/2009	x	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x	x
	23/04/2009	2	x	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x	x
	24/04/2009	2	x	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x	x
	27/04/2009	2	2	2	2	2	2	2	2	2	2	2	x	x	2	2	2	2	x	x	x	x	x	x
	28/04/2009	x	x	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x	x
	29/04/2009	x	2	2	2	2	2	2	2	2	2	2	x	0	2	2	2	x	x	x	x	x	x	x
	30/04/2009	2	x	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x	x
	01/05/2009	2	x	2	2	2	2	1	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x	x
	04/05/2009	2	2	2	2	2	2	2	2	2	2	2	x	x	2	2	2	2	x	x	x	x	x	x
	05/05/2009	x	x	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x	x
	06/05/2009	x	1	2	2	2	2	2	2	1	2	2	x	2	2	2	2	x	x	x	x	x	x	x
	07/05/2009	2	x	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x	x
	08/05/2009	2	x	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x	x
	11/05/2009	2	2	2	2	2	2	2	2	2	2	2	x	x	2	2	2	2	x	x	x	x	x	x
Centre Operating Date (dd/mm/yyyy)	12/05/2009	x	x	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x	x
	13/05/2009	x	1	2	2	2	2	2	2	2	2	2	x	2	0	2	2	x	x	x	x	x	x	x
	14/05/2009	2	x	2	2	0	2	2	2	2	2	2	x	2	0	2	2	x	x	x	x	x	x	x
	15/05/2009	2	x	2	2	2	2	1	2	2	2	2	x	2	0	2	2	x	x	x	x	x	x	x
	19/05/2009	x	x	2	2	2	2	2	2	2	2	2	1	x	2	0	2	2	x	x	x	x	x	x
	20/05/2009	x	1	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x	x
	21/05/2009	2	x	2	2	2	2	2	2	2	2	2	1	x	2	2	2	x	x	x	x	x	x	x
	22/05/2009	2	x	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x
	25/05/2009	2	2	1	2	2	2	2	2	2	2	2	x	x	2	2	2	2	x	x	x	x	x	x
	26/05/2009	x	x	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x
	27/05/2009	x	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x
	28/05/2009	2	x	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x
	29/05/2009	2	x	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x
	01/06/2009	2	2	2	2	2	2	2	2	2	2	2	2	x	x	2	2	2	2	x	x	x	x	x
	02/06/2009	x	x	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	x

SENSORY USE AND RISK OF ILLNESS

03/06/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	
04/06/2009	2	x	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	2	x	x	x	x	x
05/06/2009	2	x	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	2	x	x	x	x	x
08/06/2009	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	2	2	2	2	2	x	x	x	x	x
09/06/2009	x	x	2	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	2	2	x	x	x	x	x
10/06/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	2	2	x	x	x	x	x
11/06/2009	2	x	2	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	2	2	x	x	x	x	x
12/06/2009	2	x	2	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	2	2	x	x	x	x	x
15/06/2009	2	1	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	2	2	1	2	2	x	x	x	x	x
16/06/2009	x	x	2	2	2	1	2	2	2	2	2	2	2	2	2	x	2	2	2	2	2	2	x	x	x	x	x
17/06/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	2	2	x	x	x	x	x
18/06/2009	1	x	2	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	1	2	2	2	x	x	x	x	x
19/06/2009	2	x	2	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	2	2	x	x	x	x	x
22/06/2009	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	x	x	0	2	1	2	2	x	x	x	x	x
23/06/2009	x	x	2	2	1	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	2	2	x	x	x	x	x
24/06/2009	x	1	2	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	2	2	x	x	x	x	x
25/06/2009	2	x	2	2	2	2	2	2	2	0	2	2	2	2	2	x	2	2	2	2	2	2	x	x	x	x	x
26/06/2009	2	x	2	2	2	2	2	2	2	2	2	2	2	2	1	x	2	2	2	2	2	2	x	x	x	x	x
29/06/2009	2	2	1	1	2	2	2	2	2	2	2	2	2	2	x	x	1	2	2	1	2	2	x	x	x	x	x
30/06/2009	x	x	1	1	2	2	2	2	2	2	2	2	2	1	x	2	2	2	2	1	2	2	x	x	x	x	x
02/07/2009	2	x	1	1	2	2	2	2	2	2	1	1	1	1	x	2	2	2	1	2	2	2	x	x	x	x	x
03/07/2009	2	x	1	2	2	2	2	2	2	2	1	1	1	1	x	2	2	2	1	2	2	2	x	x	x	x	x
06/07/2009	2	1	2	2	2	2	2	2	2	2	2	2	2	2	x	x	2	2	2	2	2	2	x	x	x	x	x
07/07/2009	x	x	2	2	2	1	2	1	2	2	2	2	2	2	x	1	2	2	1	2	2	2	x	x	x	x	x
08/07/2009	x	1	2	2	2	1	2	2	2	2	2	2	2	2	x	2	2	2	1	2	2	2	x	x	x	x	x
09/07/2009	2	x	2	2	2	1	2	1	2	2	2	2	2	2	x	2	2	2	2	2	2	2	x	x	x	x	x
10/07/2009	1	x	2	2	2	2	2	1	2	1	2	2	2	2	x	2	2	2	2	2	2	2	x	x	x	x	x
13/07/2009	2	2	2	2	2	2	2	2	2	2	1	1	2	2	x	2	2	2	2	2	2	2	x	x	x	x	x
14/07/2009	x	x	2	2	2	2	2	2	2	2	2	1	2	2	x	2	2	2	2	2	2	2	x	x	x	x	x
15/07/2009	x	2	2	2	2	2	2	2	2	2	1	1	2	2	x	2	2	2	2	2	2	2	x	x	x	x	x
16/07/2009	2	x	2	2	2	2	2	2	2	2	1	2	2	2	x	2	1	2	2	2	2	2	x	x	x	x	x
17/07/2009	1	x	2	2	2	2	2	2	2	2	1	2	1	2	x	2	2	2	2	2	2	2	x	x	x	x	x
20/07/2009	x	1	2	2	2	2	2	2	2	2	2	2	2	2	x	x	1	2	1	2	2	2	x	x	x	x	x
21/07/2009	2	x	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	2	2	2	x	x	x	x	x
22/07/2009	x	2	2	2	2	2	2	2	2	2	2	2	2	1	x	2	2	2	2	2	2	2	x	x	x	x	x
23/07/2009	2	x	1	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	2	2	2	x	x	x	x	x
24/07/2009	2	x	2	2	2	2	2	2	2	2	2	2	2	2	x	2	2	2	2	2	2	2	x	x	x	x	x
27/07/2009	x	2	2	2	2	2	2	1	2	2	2	2	2	2	x	x	2	2	2	2	2	2	x	x	x	x	x
28/07/2009	2	x	2	2	2	2	2	1	2	2	2	2	2	2	x	2	2	2	2	2	2	2	x	x	x	x	x
29/07/2009	x	2	2	2	2	2	2	1	2	2	2	2	2	2	x	2	2	2	2	1	2	2	x	x	x	x	x

SENSORY USE AND RISK OF ILLNESS

Centre Operating Date (dd/mm/yyyy)	30/07/2009	2	x	2	2	2	2	2	1	2	1	2	2	x	2	2	2	2	x	x	x	x	x	
	31/07/2009	2	x	1	2	2	2	2	1	2	2	1	2	x	2	1	2	2	x	x	x	x	x	
	04/08/2009	x	x	2	x	2	x	2	2	2	2	2	2	x	2	2	2	1	x	x	x	x	x	
	05/08/2009	x	2	2	1	2	x	2	2	2	2	2	2	x	2	2	2	1	x	x	x	x	x	
	06/08/2009	2	x	1	x	2	x	2	2	2	2	1	2	x	2	2	2	1	x	x	x	x	x	
	07/08/2009	2	x	1	x	2	x	1	2	2	2	1	2	x	2	2	2	1	x	x	x	x	x	
	10/08/2009	2	2	2	1	2	x	1	2	2	2	2	2	x	x	2	2	2	2	x	x	x	x	x
	11/08/2009	x	x	2	x	2	x	1	2	1	2	2	2	x	2	2	2	2	x	x	x	x	x	
	12/08/2009	x	2	2	1	2	x	1	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	
	13/08/2009	2	x	2	x	2	x	1	2	1	2	2	2	x	2	2	2	2	x	x	x	x	x	
	14/08/2009	2	x	2	x	2	x	1	1	2	2	1	2	x	2	2	2	2	x	x	x	x	x	
	17/08/2009	x	1	2	2	2	x	1	2	2	2	2	2	x	x	2	2	2	1	x	x	x	x	x
	18/08/2009	x	x	2	x	2	x	1	2	1	2	2	2	x	2	2	2	1	x	x	x	x	x	
	19/08/2009	x	1	2	2	2	x	2	2	1	2	2	2	x	2	2	2	1	x	x	x	x	x	
	20/08/2009	2	x	2	x	2	x	2	2	2	2	2	2	x	2	2	2	1	x	x	x	x	x	
	21/08/2009	2	x	2	x	2	x	2	2	2	2	2	2	1	x	2	2	1	1	x	x	x	x	x
	24/08/2009	x	2	2	2	2	x	2	2	2	2	2	2	x	x	2	1	2	2	x	x	x	x	x
	25/08/2009	x	x	2	x	2	x	2	2	2	2	2	2	1	x	2	2	2	2	x	x	x	x	x
	26/08/2009	x	2	2	1	2	x	2	2	1	2	2	2	x	2	2	2	2	x	x	x	x	x	
	27/08/2009	2	x	2	x	2	x	2	2	2	2	2	2	x	2	2	2	2	x	x	x	x	x	
	28/08/2009	2	x	1	x	2	x	2	1	2	2	2	2	x	2	2	2	2	x	x	x	x	x	
	31/08/2009	x	2	1	2	2	2	2	2	2	2	2	2	x	x	2	2	2	2	x	x	x	x	x
	01/09/2009	x	x	1	x	2	2	2	2	1	1	2	2	x	x	2	2	x	2	2	2	2	2	x
	02/09/2009	x	2	1	2	2	1	2	2	2	1	2	2	x	x	2	2	x	2	2	2	1	1	x
	03/09/2009	2	x	1	x	2	2	2	2	2	2	2	2	x	x	2	2	x	2	2	2	2	2	x
	04/09/2009	2	x	1	x	2	2	2	2	2	2	2	2	x	x	2	2	x	1	1	2	2	2	x
	08/09/2009	x	x	2	x	2	2	2	2	2	2	2	2	x	x	2	2	x	2	2	2	2	2	2
	09/09/2009	x	2	2	1	2	2	2	2	x	2	x	2	x	x	2	2	x	2	2	2	2	2	2
	10/09/2009	2	x	x	x	x	2	2	2	2	2	2	2	x	x	2	2	x	2	2	2	2	2	2
	11/09/2009	2	x	2	x	2	2	2	2	x	2	x	2	x	x	2	x	x	2	2	2	2	2	2
	14/09/2009	x	2	2	2	2	2	2	2	x	x	x	2	x	x	2	x	x	2	2	2	2	2	2
	15/09/2009	2	x	x	x	x	2	x	x	2	2	2	2	x	x	x	x	2	x	2	2	2	2	2
	16/09/2009	x	2	2	2	2	2	2	2	x	x	x	2	x	x	2	x	x	2	2	2	2	2	2
	17/09/2009	2	x	x	x	x	2	x	x	2	2	2	2	x	x	x	x	2	x	2	2	2	2	2
	18/09/2009	2	x	x	x	x	2	x	x	2	2	2	2	x	x	x	x	2	x	2	2	2	2	2
	21/09/2009	x	2	2	2	2	2	2	2	x	x	x	2	x	x	2	x	x	2	0	2	0	2	2
	22/09/2009	2	x	x	x	x	2	x	x	1	2	1	x	x	x	x	2	x	2	2	2	0	2	2
	23/09/2009	x	2	2	2	2	x	2	2	x	x	x	2	x	x	2	x	x	2	2	2	2	2	2
	24/09/2009	2	x	x	x	x	2	x	x	2	2	2	2	x	x	x	x	2	x	2	2	2	2	2

SENSORY USE AND RISK OF ILLNESS

	25/09/2009	x	x	0	2	2	x	2	2	x	x	x	2	x	x	2	x	x	2	2	2	2	2	1
	28/09/2009	x	0	0	2	2	x	2	2	x	x	x	2	x	x	2	x	x	2	2	2	2	2	2
	29/09/2009	2	2	x	x	x	2	x	x	1	2	2	x	x	x	x	2	x	2	2	2	2	2	2
	30/09/2009	x	x	2	2	2	x	2	2	x	x	x	2	x	x	2	x	x	2	2	2	2	2	2
	01/10/2009	2	x	x	x	x	2	x	x	2	2	1	x	x	x	x	2	x	2	2	2	2	2	2
	02/10/2009	2	x	x	x	x	2	x	x	2	2	2	x	x	x	x	2	x	2	2	2	2	2	2
	05/10/2009	x	2	1	2	2	x	2	2	x	x	x	x	x	x	2	x	x	2	2	2	2	2	2
	06/10/2009	2	x	x	x	x	2	x	x	2	2	2	x	x	x	x	2	x	2	2	2	2	2	2
	07/10/2009	x	2	2	2	2	x	2	2	x	x	x	1	x	x	2	x	x	2	2	2	2	2	2
	08/10/2009	2	x	x	x	x	2	x	x	2	2	2	x	x	x	x	2	x	2	2	2	2	2	2
	09/10/2009	x	x	2	2	2	x	2	2	x	x	x	1	x	x	2	x	x	2	2	2	2	1	2
	13/10/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	1	2	2	2	2
	14/10/2009	2	x	x	x	2	2	2	2	2	2	2	2	x	x	2	2	x	2	2	2	2	2	2
	15/10/2009	x	2	2	1	2	x	2	2	x	x	x	2	x	x	2	x	x	2	2	2	2	2	2
	16/10/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
	19/10/2009	x	2	2	2	2	x	2	1	x	x	x	x	x	x	2	x	x	2	2	2	2	2	2
	20/10/2009	2	x	x	x	x	2	x	x	2	2	2	x	x	x	x	2	x	2	2	2	2	2	2
	21/10/2009	x	2	2	2	2	x	2	2	x	x	x	2	x	x	2	x	x	2	2	2	2	2	2
	22/10/2009	2	x	2	x	x	x	x	x	2	2	2	2	x	x	x	2	x	2	2	2	2	2	2
	23/10/2009	0	2	2	2	2	2	x	x	0	0	0	x	x	x	2	1	x	2	2	2	2	2	2
	26/10/2009	2	x	x	x	2	2	2	2	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
	27/10/2009	2	x	2	2	x	2	x	x	1	2	2	2	x	x	2	2	x	2	1	2	2	2	2
	28/10/2009	x	2	2	2	2	x	2	2	x	x	x	2	x	x	x	x	x	2	2	2	2	2	2
	29/10/2009	2	x	x	x	x	2	x	x	2	2	2	x	x	x	x	2	x	2	2	2	2	2	2
	30/10/2009	2	x	x	x	x	1	x	x	2	2	2	x	x	x	2	2	x	2	2	2	2	2	2
	02/11/2009	x	2	0	1	2	x	2	0	x	x	x	x	x	x	2	x	x	1	2	2	2	2	2
	03/11/2009	2	x	x	x	x	2	x	x	2	2	2	x	x	x	x	2	x	2	2	2	2	2	2
	04/11/2009	x	2	2	1	2	x	2	2	x	x	x	2	x	x	1	x	x	2	2	2	2	2	2
	05/11/2009	2	x	x	x	x	2	x	x	2	2	2	x	x	x	x	2	x	0	2	2	2	2	2
	06/11/2009	x	x	2	2	2	2	2	2	x	x	x	2	x	x	1	x	x	2	2	2	2	2	2
	09/11/2009	x	0	2	2	2	x	2	2	x	x	x	x	x	x	2	x	x	2	2	0	2	2	2
	10/11/2009	2	x	x	x	x	2	x	x	2	1	2	x	x	x	x	2	x	2	1	0	2	2	2
	11/11/2009	x	2	2	2	2	x	2	2	x	x	x	2	x	x	2	x	x	2	2	2	1	0	0
	12/11/2009	2	x	x	x	x	2	x	x	1	1	2	x	x	x	x	2	x	2	2	2	2	2	0
	13/11/2009	2	x	x	x	x	2	x	x	2	2	2	x	x	x	x	2	x	2	1	2	2	0	0
	16/11/2009	x	1	2	1	2	x	2	2	x	x	x	x	x	x	2	x	x	2	2	2	2	2	2
	17/11/2009	2	x	x	x	x	2	x	x	2	2	2	x	x	x	x	2	x	2	1	2	2	2	2
	18/11/2009	x	2	2	1	2	x	2	2	x	x	x	2	x	x	2	x	x	2	2	2	2	2	2
	19/11/2009	2	x	x	x	x	2	x	x	2	2	2	x	x	x	x	2	x	2	2	2	2	2	2
	20/11/2009	x	x	0	2	2	x	2	2	x	x	x	2	x	x	2	x	x	2	2	2	2	2	2

Centre Operating Date (dd/mm/yyyy)

SENSORY USE AND RISK OF ILLNESS

23/11/2009	x	2	2	2	1	x	2	2	x	x	x	x	x	x	2	x	x	2	2	2	2	2
24/11/2009	2	x	x	x	x	2	x	x	2	2	2	x	x	x	x	2	x	2	2	2	2	2
25/11/2009	x	2	2	2	2	x	2	2	x	x	x	2	x	x	2	x	x	2	2	2	2	2
26/11/2009	2	x	x	x	x	2	x	x	2	2	2	x	x	x	x	2	x	2	2	2	2	2
27/11/2009	2	2	2	2	2	2	2	x	x	x	x	2	x	x	2	2	x	2	2	2	2	2
30/11/2009	x	2	2	2	2	x	2	2	x	x	x	x	x	x	2	x	x	2	2	2	2	2
01/12/2009	2	x	x	x	x	2	x	x	2	2	2	x	x	x	x	2	x	2	1	2	2	2
02/12/2009	x	2	2	2	2	x	2	2	x	x	x	2	x	x	2	x	x	2	2	2	2	2
03/12/2009	2	x	x	x	x	2	x	x	2	2	2	x	x	x	x	2	x	2	2	2	2	2
04/12/2009	2	x	x	x	x	2	x	x	2	2	2	x	x	x	x	2	x	2	2	2	2	2
07/12/2009	x	2	2	2	2	x	2	2	x	x	x	x	x	x	2	x	x	2	2	0	2	2
08/12/2009	2	x	x	x	x	2	x	x	2	2	2	x	x	x	x	2	x	2	1	2	0	2
09/12/2009	x	1	2	2	2	x	2	1	x	x	x	2	x	x	2	x	x	2	2	2	2	2
10/12/2009	2	x	x	x	x	2	x	x	2	2	2	x	x	x	x	2	x	2	2	2	2	2
11/12/2009	2	x	2	2	2	2	2	2	x	x	x	2	x	x	2	x	x	1	2	2	2	2
14/12/2009	x	1	2	2	2	x	2	2	x	x	x	x	x	x	2	x	x	1	2	2	2	2
15/12/2009	2	x	x	x	x	2	x	x	2	2	2	x	x	x	x	2	x	1	2	2	2	2
16/12/2009	x	2	2	2	2	x	2	2	x	x	x	2	x	x	2	x	x	1	2	2	2	2
17/12/2009	2	x	x	x	x	2	x	x	2	2	1	x	x	x	x	2	x	1	2	2	2	2
18/12/2009	2	x	x	x	x	x	x	x	2	2	2	x	x	x	x	2	x	1	2	2	2	2
21/12/2009	2	2	1	2	2	2	2	1	x	2	x	1	x	x	1	2	x	2	2	2	2	2
22/12/2009	2	x	x	x	2	2	2	x	2	2	1	x	x	x	x	2	x	2	2	2	2	2
23/12/2009	2	1	1	1	2	2	2	1	x	2	x	1	x	x	1	2	x	1	2	2	1	2
24/12/2009	2	x	x	x	x	1	x	x	1	2	1	x	x	x	x	1	x	1	1	2	1	2
29/12/2009	2	x	x	x	2	2	x	x	1	1	1	x	x	x	x	1	x	1	1	2	1	2
30/12/2009	2	2	1	2	2	2	x	1	x	2	x	2	x	x	2	x	x	1	1	2	1	2
31/12/2009	2	x	x	x	x	1	x	x	1	2	1	x	x	x	x	1	x	1	1	2	1	1

SENSORY USE AND RISK OF ILLNESS

Attendance Absent (Illness) = 0 Absent (Non-illness) = 1 Present = 2 Not Enrolled = X		Centre C																			
		Age Group: 30.1 - 72 months																			
Unique ID		82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	00	10
Centre Operating Date (dd/mm/yyyy)	02/09/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2
	03/09/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	x	x	2	2
	04/09/2008	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	05/09/2008	x	x	x	x	x	x	x	x	x	x	x	2	x	2	2	x	x	2	2	2
	08/09/2008	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x	x	x	x	x
	09/09/2008	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	10/09/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	11/09/2008	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	12/09/2008	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	15/09/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	16/09/2008	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	17/09/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	18/09/2008	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	19/09/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	22/09/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	23/09/2008	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	0
	24/09/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	25/09/2008	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	26/09/2008	x	x	x	x	x	x	x	x	x	x	x	2	x	2	2	2	2	2	2	2
	29/09/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
30/09/2008	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2	
01/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
02/10/2008	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2	
03/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
06/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
07/10/2008	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2	
08/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
09/10/2008	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2	
10/10/2008	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2	
14/10/2008	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2	
15/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	

SENSORY USE AND RISK OF ILLNESS

	16/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	
	17/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x	x	x	
	20/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	21/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	
	22/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	23/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	
	24/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	
	27/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	28/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	
	29/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	30/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	1	2	2	2	2	2	2	2	
	31/10/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	
	03/11/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	04/11/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	
	05/11/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	06/11/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	
	07/11/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	10/11/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	11/11/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	0	0	2	
	12/11/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	13/11/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	
	14/11/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	
	17/11/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	18/11/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	
	19/11/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	20/11/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	
	21/11/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	24/11/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	25/11/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	
	26/11/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	27/11/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	1	
	28/11/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	x	
	01/12/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	02/12/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	
Centre Operating Date (dd/mm/yyyy)	03/12/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	04/12/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	
	05/12/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x	x	x	
	08/12/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	09/12/2008	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	
	10/12/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	11/12/2008	x	x	x	x	x	x	x	x	x	x	x	x	0	2	2	2	2	2	2	2	0

SENSORY USE AND RISK OF ILLNESS

12/12/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	1	1	2
15/12/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
16/12/2008	x	x	x	x	x	x	x	x	x	x	x	0	2	2	2	2	2	2	2
17/12/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
18/12/2008	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2
19/12/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x	x
22/12/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	1
23/12/2008	x	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	2	2	1
24/12/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	1	2	2	1	2	x
29/12/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	x	x	1	
30/12/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	1	2	2	1	1	1
31/12/2008	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	x	x	x	
02/01/2009	x	x	x	x	x	x	x	x	x	x	x	2	1	x	x	2	x	x	x
05/01/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x
06/01/2009	x	x	x	x	x	x	x	x	x	x	x	2	2	2	x	2	2	2	2
07/01/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x
08/01/2009	x	x	x	x	x	x	x	x	x	x	x	2	2	2	x	2	2	2	2
09/01/2009	x	x	x	x	x	x	x	x	x	x	x	2	x	2	2	2	2	2	2
12/01/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x
13/01/2009	x	x	x	x	x	x	x	x	x	x	x	0	2	2	x	2	2	2	2
14/01/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x
15/01/2009	x	x	x	x	x	x	x	x	x	x	x	2	2	2	x	2	2	2	1
16/01/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	x	x	x
19/01/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
20/01/2009	x	x	x	x	x	x	x	x	x	x	x	2	2	2	x	2	2	2	0
21/01/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x
22/01/2009	x	x	x	x	x	x	x	x	x	x	x	2	2	2	x	2	2	2	0
23/01/2009	x	x	x	x	x	x	x	x	x	x	x	0	x	2	2	2	2	0	
26/01/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x
27/01/2009	x	x	x	x	x	x	x	x	x	x	x	2	1	1	x	2	2	2	2
28/01/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x
29/01/2009	x	x	x	x	x	x	x	x	x	x	x	2	1	0	x	2	0	0	2
30/01/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x
02/02/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
03/02/2009	x	x	x	x	x	x	x	x	x	x	x	2	2	1	2	2	2	2	2
04/02/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
05/02/2009	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2
06/02/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x

SENSORY USE AND RISK OF ILLNESS

Centre Operating Date (dd/mm/yyyy)	09/02/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	10/02/2009	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	11/02/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	12/02/2009	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	13/02/2009	x	x	x	x	x	x	x	x	x	x	x	2	x	2	2	2	2	2	2
	17/02/2009	x	x	x	x	x	x	x	x	x	x	1	2	2	2	2	2	2	2	2
	18/02/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	19/02/2009	x	x	x	x	x	x	x	x	x	x	2	2	0	2	2	2	2	2	2
	20/02/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	23/02/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	24/02/2009	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	25/02/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	26/02/2009	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	27/02/2009	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2
	02/03/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	03/03/2009	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	04/03/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	05/03/2009	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	06/03/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	09/03/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	10/03/2009	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	11/03/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x
	12/03/2009	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	13/03/2009	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	1	2
	16/03/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
	17/03/2009	x	x	x	x	x	x	x	x	x	x	1	2	1	2	2	1	2	2	2
	18/03/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2
	19/03/2009	x	x	x	x	x	x	x	x	x	x	1	2	1	2	2	2	2	2	2
	20/03/2009	x	x	x	x	x	x	x	x	x	x	x	2	x	2	2	2	2	2	2
	23/03/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2
	24/03/2009	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	x
	25/03/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2
	26/03/2009	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	1	1	x	x
	27/03/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	2	2
	30/03/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2
	31/03/2009	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	x
	01/04/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	02/04/2009	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	03/04/2009	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2
	06/04/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x

SENSORY USE AND RISK OF ILLNESS

	07/04/2009	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	
	08/04/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	09/04/2009	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	13/04/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2
	14/04/2009	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	15/04/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	16/04/2009	x	x	x	x	x	x	x	x	x	x	x	x	2	2	0	2	2	0	0	2	2
	17/04/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x
	20/04/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	21/04/2009	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	22/04/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	23/04/2009	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	24/04/2009	x	x	x	x	x	x	x	x	x	x	x	x	2	x	2	2	2	2	2	2	2
	27/04/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	28/04/2009	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	29/04/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	30/04/2009	x	x	x	x	x	x	x	x	x	x	x	x	2	1	2	2	2	2	2	2	2
	01/05/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	x
	04/05/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	05/05/2009	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	06/05/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	07/05/2009	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	08/05/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	11/05/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	12/05/2009	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	13/05/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	14/05/2009	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	1	1	2	2
	15/05/2009	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	2
	19/05/2009	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	x
	20/05/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	21/05/2009	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	x
	22/05/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	25/05/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	26/05/2009	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	x
	27/05/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	28/05/2009	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	x
	29/05/2009	x	x	x	x	x	x	x	x	x	x	x	x	2	1	2	2	2	2	2	2	x
	01/06/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
	02/06/2009	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	x

SENSORY USE AND RISK OF ILLNESS

03/06/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
04/06/2009	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	x
05/06/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
08/06/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
09/06/2009	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	x
10/06/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
11/06/2009	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	x
12/06/2009	x	x	x	x	x	x	x	x	x	x	x	2	1	2	2	2	2	x	
15/06/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
16/06/2009	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	x
17/06/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
18/06/2009	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	x
19/06/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
22/06/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
23/06/2009	x	x	x	x	x	x	x	x	x	x	x	1	2	2	2	2	2	2	x
24/06/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
25/06/2009	x	x	x	x	x	x	x	x	x	x	x	1	2	2	2	2	2	2	x
26/06/2009	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	x
29/06/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	x
30/06/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	1	1	2	2	x
02/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
03/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
06/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
07/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
08/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
09/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
10/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
13/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
14/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
15/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
16/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
17/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
20/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
21/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
22/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
23/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
24/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
27/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
28/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
29/07/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x

SENSORY USE AND RISK OF ILLNESS

Centre Operating Date (dd/mm/yyyy)	25/09/2009	2	x	2	2	2	2	2	2	2	0	x	x	x	x	x	x	x	x
	28/09/2009	2	0	2	2	2	2	2	2	2	2	x	x	x	x	x	x	x	x
	29/09/2009	2	2	1	2	2	2	2	2	2	2	2	x	x	x	x	x	x	x
	30/09/2009	2	x	2	2	2	2	2	2	2	2	x	x	x	x	x	x	x	x
	01/10/2009	2	2	2	2	2	2	2	2	2	2	0	x	x	x	x	x	x	x
	02/10/2009	2	2	2	2	2	2	2	2	2	2	0	x	x	x	x	x	x	x
	05/10/2009	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	x	x
	06/10/2009	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	x
	07/10/2009	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	x	x
	08/10/2009	2	x	2	2	2	2	2	2	2	2	1	2	x	x	x	x	x	x
	09/10/2009	1	x	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	x
	13/10/2009	1	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	x
	14/10/2009	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	x
	15/10/2009	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	x
	16/10/2009	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	x
	19/10/2009	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	x
	20/10/2009	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	x
	21/10/2009	2	2	2	2	2	2	2	2	0	2	2	x	x	x	x	x	x	x
	22/10/2009	2	2	2	2	2	2	2	2	0	2	2	x	x	x	x	x	x	x
	23/10/2009	2	2	2	2	2	2	2	2	0	2	2	x	x	x	x	x	x	x
	26/10/2009	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	x
	27/10/2009	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	x
	28/10/2009	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	x
	29/10/2009	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	x
	30/10/2009	2	2	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	x
	02/11/2009	2	2	2	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x
	03/11/2009	2	2	2	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x
	04/11/2009	2	2	2	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x
	05/11/2009	2	x	1	x	2	2	0	2	2	2	2	x	x	x	x	x	x	x
	06/11/2009	2	x	1	x	2	2	0	0	2	2	2	x	x	x	x	x	x	x
	09/11/2009	0	0	2	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x
	10/11/2009	2	0	2	x	2	2	0	2	2	2	2	x	x	x	x	x	x	x
	11/11/2009	2	0	2	x	2	2	0	2	2	2	2	x	x	x	x	x	x	x
	12/11/2009	2	0	2	x	2	2	2	2	2	2	0	x	x	x	x	x	x	x
	13/11/2009	2	0	2	x	2	2	2	2	2	0	0	x	x	x	x	x	x	x
	16/11/2009	2	x	2	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x
	17/11/2009	2	x	2	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x
	18/11/2009	2	2	2	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x
	19/11/2009	2	x	2	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x
	20/11/2009	2	x	2	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x

SENSORY USE AND RISK OF ILLNESS

23/11/2009	2	x	2	x	2	2	1	2	2	2	x	x	x	x	x	x	x	x
24/11/2009	2	2	2	x	2	2	1	2	2	2	2	x	x	x	x	x	x	x
25/11/2009	2	2	2	x	2	2	2	2	2	2	x	x	x	x	x	x	x	x
26/11/2009	2	x	2	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x
27/11/2009	2	2	2	x	2	2	2	2	2	2	x	x	x	x	x	x	x	x
30/11/2009	2	2	2	x	2	2	2	2	2	2	x	x	x	x	x	x	x	x
01/12/2009	2	x	2	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x
02/12/2009	0	x	2	x	2	2	2	2	2	2	x	x	x	x	x	x	x	x
03/12/2009	2	x	2	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x
04/12/2009	2	x	2	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x
07/12/2009	2	x	2	x	2	2	2	2	2	2	x	x	x	x	x	x	x	x
08/12/2009	2	2	2	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x
09/12/2009	2	x	2	x	2	2	2	2	2	2	x	x	x	x	x	x	x	x
10/12/2009	0	2	2	x	2	2	2	2	2	2	1	x	x	x	x	x	x	x
11/12/2009	2	x	2	x	2	2	2	2	2	2	x	x	x	x	x	x	x	x
14/12/2009	2	x	2	x	2	2	2	2	1	2	x	x	x	x	x	x	x	x
15/12/2009	2	x	2	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x
16/12/2009	2	x	2	x	2	2	2	2	2	2	x	x	x	x	x	x	x	x
17/12/2009	2	x	2	x	2	2	2	2	2	0	2	x	x	x	x	x	x	x
18/12/2009	2	x	2	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x
21/12/2009	2	x	1	x	1	2	1	2	2	2	2	x	x	x	x	x	x	x
22/12/2009	2	x	1	x	2	2	1	2	2	2	2	x	x	x	x	x	x	x
23/12/2009	2	x	1	x	2	2	1	2	2	2	2	x	x	x	x	x	x	x
24/12/2009	1	x	1	x	1	2	1	1	1	1	1	x	x	x	x	x	x	x
29/12/2009	2	x	1	x	1	2	2	1	1	2	x	x	x	x	x	x	x	x
30/12/2009	2	x	1	x	1	2	2	1	2	2	x	x	x	x	x	x	x	x
31/12/2009	1	x	1	x	1	2	2	1	1	1	x	x	x	x	x	x	x	x

SENSORY USE AND RISK OF ILLNESS

Attendance Absent (Illness) = 0 Absent (Non- illness) = 1 Present = 2 Not Enrolled = X	Centre D Age Group: 30.1 - 72 months																								
	1 0 1	1 0 2	1 0 3	1 0 4	1 0 5	1 0 6	1 0 7	1 0 8	1 0 9	1 1 0	1 1 1	1 1 2	1 1 3	1 1 4	1 1 5	1 1 6	1 1 7	1 1 8	1 1 9	1 2 0	1 2 1	1 2 2	1 2 3	1 2 4	1 2 5
02/09/2008	x	2	x	x	2	2	x	x	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x	2	x
03/09/2008	x	2	x	x	2	2	x	2	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x	2	2
04/09/2008	x	2	x	x	2	2	x	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	x	2	1
05/09/2008	x	2	2	x	2	2	x	2	1	2	2	2	2	2	2	2	x	x	x	x	x	x	x	2	1
08/09/2008	x	2	2	2	2	2	x	2	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x	2	1
09/09/2008	x	2	x	x	2	2	x	x	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x	2	1
10/09/2008	x	2	x	2	2	2	x	x	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x	2	2
11/09/2008	x	x	x	x	2	2	x	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	x	2	2
12/09/2008	x	x	2	x	2	2	x	2	1	2	2	2	2	2	2	2	x	x	x	x	x	x	x	0	2
15/09/2008	x	2	x	x	2	2	x	x	x	2	1	2	0	2	2	2	x	x	x	x	x	x	x	2	2
16/09/2008	x	x	x	x	2	2	x	1	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x	2	2
17/09/2008	x	2	2	x	2	2	x	x	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x	2	2
18/09/2008	x	x	2	x	2	2	x	2	2	2	2	2	2	2	2	2	x	x	x	x	x	x	x	2	2
19/09/2008	x	2	x	x	2	2	x	x	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x	2	2
22/09/2008	x	2	2	x	2	2	x	x	x	2	2	2	2	2	2	2	x	x	x	x	x	x	x	2	2
23/09/2008	x	x	x	x	2	2	x	2	x	2	x	2	2	2	2	2	x	x	x	x	x	x	x	2	2
24/09/2008	x	2	x	x	2	2	x	x	x	2	x	2	2	2	2	2	x	x	x	x	x	x	x	2	2
25/09/2008	x	x	x	x	2	2	x	2	2	2	x	2	2	2	2	2	x	x	x	x	x	x	x	2	2
26/09/2008	x	1	2	x	2	2	x	1	2	2	x	2	2	1	2	2	x	x	x	x	x	x	x	2	2
29/09/2008	x	2	2	x	2	2	x	x	x	2	x	2	2	2	2	2	x	x	x	x	x	x	x	2	0
30/09/2008	x	x	x	x	2	2	x	x	x	2	x	2	2	2	2	2	x	x	x	x	x	x	x	2	2
01/10/2008	x	2	x	x	2	2	x	x	x	2	x	2	2	2	2	2	x	x	x	x	x	x	x	0	2
02/10/2008	x	x	x	x	2	2	x	2	2	2	x	2	2	2	2	0	x	x	x	x	x	x	x	0	2
03/10/2008	x	x	2	x	2	2	x	2	x	0	x	2	2	2	0	2	x	x	x	2	x	x	x	2	2
06/10/2008	x	2	2	x	2	2	x	x	x	2	x	2	2	2	2	2	x	x	x	2	x	x	x	2	2
07/10/2008	x	x	x	x	2	2	x	2	x	2	x	2	2	2	2	2	x	x	x	x	x	x	x	2	2
08/10/2008	x	2	x	x	2	2	x	x	x	2	x	2	2	2	2	2	x	x	x	2	x	x	x	1	2
09/10/2008	x	x	x	x	2	2	x	2	2	2	x	2	2	2	2	2	x	x	x	2	x	x	x	1	2
10/10/2008	x	2	2	x	2	2	x	x	2	1	x	2	1	2	2	2	x	x	x	2	x	x	x	1	1

SENSORY USE AND RISK OF ILLNESS

Centre Operating Date (dd/mm/yyyy)	14/10/2008	x	x	x	x	2	2	x	2	x	2	x	2	2	2	2	2	x	x	x	2	x	x	x	1	2
	15/10/2008	x	2	x	x	2	2	x	x	x	2	x	2	2	2	2	2	x	x	x	2	x	x	x	2	1
	16/10/2008	x	x	x	x	2	2	x	2	2	2	x	2	2	2	2	2	x	x	x	x	x	x	x	2	1
	17/10/2008	x	x	2	x	2	2	x	2	x	2	x	2	2	2	2	2	x	x	x	x	x	x	x	2	2
	20/10/2008	x	2	x	x	2	2	x	x	x	2	x	2	2	2	2	2	x	x	x	x	x	x	x	2	2
	21/10/2008	x	x	x	x	2	2	x	2	x	2	x	2	2	2	2	2	x	x	x	2	x	x	x	2	2
	22/10/2008	x	2	2	x	2	2	x	x	x	2	x	2	2	2	0	2	x	x	x	2	x	x	x	2	2
	23/10/2008	x	x	x	x	2	2	x	2	2	2	x	2	2	2	2	2	x	x	x	2	x	x	x	2	2
	24/10/2008	x	2	2	x	2	2	x	x	2	2	x	2	2	1	2	2	x	x	x	2	x	x	x	2	2
	27/10/2008	x	2	2	x	2	2	x	x	x	2	x	2	2	2	2	2	x	x	x	x	x	x	x	2	2
	28/10/2008	x	x	x	x	2	2	x	2	x	2	x	2	2	2	2	2	x	x	x	x	x	x	x	2	2
	29/10/2008	x	2	x	x	2	2	x	x	x	2	x	1	2	2	2	2	x	x	x	x	x	x	x	2	2
	30/10/2008	x	x	x	x	2	2	x	2	1	2	x	2	2	2	2	2	x	x	x	x	x	x	x	2	2
	31/10/2008	x	x	2	x	2	2	x	x	2	2	x	2	2	0	2	2	x	x	x	x	x	x	x	2	2
	03/11/2008	x	2	2	x	2	2	x	x	x	2	x	2	2	2	2	2	x	x	2	2	x	x	x	2	2
	04/11/2008	x	x	x	x	2	2	x	2	x	2	x	2	2	2	2	2	x	x	2	x	x	x	x	2	2
	05/11/2008	x	2	x	x	2	2	x	x	x	2	x	2	2	2	2	2	x	x	2	2	x	x	x	2	2
	06/11/2008	x	x	x	x	2	2	x	2	2	2	x	2	2	2	2	2	x	x	2	2	x	x	x	1	2
	07/11/2008	x	2	2	x	2	2	x	x	x	2	x	2	2	2	2	2	x	x	2	2	x	x	x	2	1
	10/11/2008	x	2	2	x	2	2	x	x	x	2	x	0	0	2	2	0	x	x	2	x	x	x	x	2	2
	11/11/2008	x	x	x	x	2	2	x	2	x	2	x	0	2	2	2	0	x	x	2	2	x	x	x	2	2
	12/11/2008	x	2	x	x	2	2	x	x	x	2	x	2	2	2	2	2	x	x	2	x	x	x	x	2	2
	13/11/2008	x	x	x	x	2	2	x	2	2	2	x	2	2	2	2	2	x	x	2	x	x	x	x	2	2
	14/11/2008	x	x	2	x	2	2	x	2	2	2	x	2	2	2	2	2	x	x	2	x	x	x	x	2	2
	17/11/2008	x	2	2	x	2	2	x	x	x	2	x	1	2	2	2	1	x	x	2	x	x	x	x	2	2
	18/11/2008	x	x	x	x	2	2	x	2	x	2	x	1	2	2	2	2	x	x	2	2	x	x	x	2	2
	19/11/2008	x	2	x	x	2	2	x	x	x	2	x	2	0	2	2	2	x	x	2	2	x	x	x	2	2
	20/11/2008	x	x	x	x	2	2	x	2	2	2	x	2	2	2	2	2	x	x	2	2	x	x	x	2	2
	21/11/2008	x	2	1	x	1	2	x	x	x	2	x	2	2	2	2	2	x	x	2	2	x	x	x	2	2
	24/11/2008	x	2	2	x	1	2	x	x	x	2	x	0	2	2	2	2	x	x	2	x	x	x	x	2	2
	25/11/2008	x	x	x	x	1	2	x	2	x	2	x	0	2	2	2	2	x	x	0	x	x	x	x	2	2
	26/11/2008	x	2	x	x	2	1	x	x	x	2	x	2	2	1	2	2	x	x	0	x	x	x	x	2	2
	27/11/2008	x	x	x	x	2	2	x	2	2	2	x	0	2	1	2	2	x	x	2	x	x	x	x	2	2
	28/11/2008	x	2	2	x	2	2	x	1	2	2	x	2	2	1	2	2	x	x	2	2	x	x	x	2	2
	01/12/2008	x	2	2	x	2	2	x	x	x	2	x	2	2	2	2	2	x	2	2	2	x	x	x	2	0
	02/12/2008	x	x	x	x	2	2	x	2	x	2	x	2	2	2	2	2	x	2	2	x	x	x	x	1	2
03/12/2008	x	2	x	x	2	2	x	x	x	2	x	2	2	2	2	2	x	2	2	2	x	x	x	2	2	
04/12/2008	x	x	x	x	1	2	x	2	2	2	x	2	2	2	2	2	x	2	2	2	x	x	x	2	2	
05/12/2008	x	x	2	x	2	2	x	2	1	2	x	2	2	2	1	1	x	2	2	2	x	x	x	2	2	
08/12/2008	x	2	1	x	2	2	x	x	x	2	x	2	2	2	2	2	x	2	2	2	x	x	x	2	2	
09/12/2008	x	x	x	x	x	2	x	1	x	2	x	1	2	2	2	2	x	1	2	2	x	x	x	2	2	

SENSORY USE AND RISK OF ILLNESS

10/12/2008	x	2	x	x	2	2	x	x	x	2	x	2	2	2	2	x	2	0	x	x	x	x	0	2	
11/12/2008	x	x	x	x	x	2	x	1	2	2	x	2	2	2	2	x	2	0	x	x	x	x	2	2	
12/12/2008	x	x	2	x	2	2	x	x	2	2	x	2	2	2	2	x	2	0	x	x	x	x	2	2	
15/12/2008	x	2	2	x	2	2	x	x	x	2	x	2	2	1	2	2	x	2	0	x	x	x	x	2	1
16/12/2008	x	x	x	x	x	2	x	2	x	1	x	2	2	2	2	x	2	2	2	x	x	x	1	2	
17/12/2008	x	2	x	x	2	2	x	x	x	1	x	2	2	2	2	x	2	2	2	x	x	x	2	2	
18/12/2008	x	x	x	x	x	2	x	2	2	2	x	2	2	2	2	x	2	2	2	x	x	x	2	1	
19/12/2008	x	x	2	x	1	2	x	2	1	2	x	2	2	2	2	x	2	2	2	x	x	x	2	2	
22/12/2008	x	1	2	x	2	2	x	x	x	2	x	2	2	1	2	1	x	2	2	x	x	x	x	1	
23/12/2008	x	x	2	x	x	1	x	1	x	2	x	2	2	1	2	2	x	2	2	x	x	x	x	1	
24/12/2008	x	1	x	x	1	1	x	x	x	1	x	2	2	1	2	1	x	1	1	x	x	x	x	1	
29/12/2008	x	1	1	x	1	1	x	x	x	2	x	2	2	1	2	1	x	1	1	1	x	x	x	1	
30/12/2008	x	x	x	x	x	2	x	1	x	1	x	2	1	1	2	1	x	1	1	x	x	x	x	1	
31/12/2008	x	1	x	x	2	1	x	x	x	1	x	2	2	1	2	1	x	1	1	1	x	x	x	1	
02/01/2009	x	1	2	x	1	2	x	1	x	1	x	2	1	1	2	1	1	1	2	2	x	x	x	1	
05/01/2009	x	2	2	x	x	2	x	x	x	1	x	2	2	2	2	2	2	2	2	x	x	x	x	2	
06/01/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	x	2	2	2	x	x	x	x	1	
07/01/2009	x	2	x	x	x	2	x	x	x	2	x	1	2	2	2	2	2	2	2	x	x	x	x	2	
08/01/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	x	2	2	2	x	x	x	x	2	
09/01/2009	x	2	2	x	x	2	x	x	x	2	x	2	2	0	2	2	2	2	2	x	x	x	x	0	
12/01/2009	x	2	2	x	x	2	x	x	x	2	x	2	2	0	2	2	2	2	0	x	x	x	x	2	
13/01/2009	x	x	x	x	x	2	x	x	x	2	x	2	0	1	2	2	x	0	0	2	x	x	x	2	
14/01/2009	x	2	x	x	x	2	x	x	x	2	x	2	2	1	2	2	1	0	2	2	x	x	x	2	
15/01/2009	x	x	x	x	x	2	x	x	x	2	x	0	0	1	2	2	x	0	2	2	x	x	x	2	
16/01/2009	x	x	2	x	x	2	x	x	x	2	x	0	0	1	2	0	2	0	2	2	x	x	x	2	
19/01/2009	x	2	2	x	x	2	x	x	x	2	x	0	2	2	2	0	2	2	2	2	x	x	x	2	
20/01/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	0	0	x	2	2	2	x	x	x	2	
21/01/2009	x	2	x	x	x	2	x	x	x	2	x	2	2	2	2	0	1	2	2	x	x	x	x	2	
22/01/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	0	x	2	2	x	x	x	x	1	
23/01/2009	x	2	2	x	x	2	x	x	x	2	x	2	2	2	1	0	2	2	2	2	x	x	x	2	
26/01/2009	x	2	2	x	x	2	x	x	x	2	x	2	2	0	2	2	2	2	2	2	x	x	x	0	
27/01/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	0	2	2	x	2	0	x	x	x	x	0	
28/01/2009	x	2	x	x	x	2	x	x	x	2	x	2	2	2	0	2	2	2	0	2	x	x	x	0	
29/01/2009	x	x	x	x	x	2	x	x	x	2	x	0	2	2	0	2	x	2	2	2	x	x	x	0	
30/01/2009	x	x	2	x	x	2	x	x	x	2	x	0	2	2	0	2	0	2	2	2	x	x	x	0	
02/02/2009	x	2	2	x	x	2	x	x	x	2	x	2	2	2	0	2	2	2	2	2	x	x	x	2	
03/02/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	0	2	x	1	2	2	x	x	x	2	
04/02/2009	x	2	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	x	x	x	x	2	

SENSORY USE AND RISK OF ILLNESS

Centre Operating Date (dd/mm/yyyy)	05/02/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	x	2	2	x	x	x	x	2	2
	06/02/2009	x	2	2	x	x	2	x	x	x	2	x	2	1	2	2	2	2	2	2	x	x	x	x	2	2
	09/02/2009	x	2	2	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	0	2	x	x	x	2	2
	10/02/2009	x	x	x	x	x	2	x	x	x	2	x	1	2	2	2	1	x	2	0	2	x	x	x	2	2
	11/02/2009	x	2	x	x	x	2	x	x	x	2	x	2	0	2	2	0	2	2	0	2	x	x	x	2	2
	12/02/2009	x	x	x	x	x	2	x	x	x	2	x	2	0	2	2	0	x	2	2	2	x	x	x	2	2
	13/02/2009	x	x	2	x	x	2	x	x	x	2	x	2	0	2	2	2	2	2	2	2	x	x	x	2	2
	17/02/2009	x	x	x	x	x	1	x	x	x	2	x	2	2	2	2	2	x	2	2	x	x	x	x	2	2
	18/02/2009	x	2	x	x	x	2	x	x	x	2	x	1	2	2	2	0	2	2	2	x	x	x	x	2	1
	19/02/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	0	x	2	2	x	x	x	x	2	2
	20/02/2009	x	2	2	x	x	2	x	x	x	2	x	2	2	2	2	0	2	2	2	2	x	x	x	2	x
	23/02/2009	x	2	2	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	2	x	x	x	2	2
	24/02/2009	x	x	x	x	x	2	x	x	x	2	x	1	2	2	2	2	x	2	2	x	x	x	x	2	2
	25/02/2009	x	2	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	2	x	x	x	2	2
	26/02/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	x	2	2	2	x	x	x	2	2
	27/02/2009	x	x	2	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	2	x	x	x	2	x
	02/03/2009	x	x	2	x	x	2	x	x	x	0	x	0	2	2	2	0	2	2	2	x	x	x	x	2	2
	03/03/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	0	x	2	2	2	x	x	x	2	x
	04/03/2009	x	x	x	x	x	2	x	x	x	2	x	1	2	2	2	0	2	0	2	x	x	x	x	2	2
	05/03/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	0	x	2	2	x	x	x	x	2	2
	06/03/2009	x	x	2	x	x	2	x	x	x	2	x	2	2	0	1	0	2	1	2	x	x	x	x	2	2
	09/03/2009	x	x	2	x	x	2	x	x	x	2	x	2	2	0	1	2	2	2	0	x	x	x	x	2	0
	10/03/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	0	1	2	x	0	0	2	x	x	x	2	0
	11/03/2009	x	x	x	x	x	2	x	x	x	2	x	1	2	2	2	2	2	2	2	2	x	x	x	2	x
	12/03/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	x	2	0	2	x	x	x	1	x
	13/03/2009	x	x	2	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	0	2	x	x	x	1	x
	16/03/2009	x	x	2	x	x	2	x	x	x	1	x	2	2	2	2	2	2	1	2	2	x	x	x	1	1
	17/03/2009	x	x	x	x	x	2	x	x	x	1	x	1	2	2	2	2	x	2	2	2	x	x	x	1	2
	18/03/2009	x	x	x	x	x	2	x	x	x	2	x	2	1	2	2	0	2	2	2	x	x	x	x	1	2
	19/03/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	x	2	2	x	x	x	x	1	2
	20/03/2009	x	x	2	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	2	x	x	x	1	2
23/03/2009	x	x	2	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	0	x	x	x	2	2		
24/03/2009	x	x	x	x	x	2	x	x	x	2	x	1	0	2	2	2	x	2	2	x	x	x	x	2	1	
25/03/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	0	x	x	x	2	2		
26/03/2009	x	x	x	x	x	2	x	x	x	2	x	0	2	2	2	2	x	2	2	2	x	x	x	2	2	
27/03/2009	x	x	2	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	2	x	x	x	2	2	
30/03/2009	x	x	2	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	2	x	x	x	2	2	
31/03/2009	x	x	x	x	x	2	x	x	x	2	x	1	2	2	2	2	x	2	1	2	x	x	x	2	2	
01/04/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	1	2	2	2	x	x	x	x	2	2	
02/04/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	2	x	x	x	x	2	2

SENSORY USE AND RISK OF ILLNESS

Centre Operating Date (dd/mm/yyyy)	03/04/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	0	2	2	2	2	x	x	x	2	2	
	06/04/2009	x	x	x	x	x	2	x	x	x	2	x	1	2	2	2	2	2	2	2	2	x	x	x	x	1	1
	07/04/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	x	2	2	2	2	x	x	x	2	2
	08/04/2009	x	x	x	x	x	2	x	x	x	2	x	1	2	2	2	2	2	2	2	2	2	x	x	x	2	2
	09/04/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	1	2	2	x	x	x	2	2
	13/04/2009	x	x	x	x	x	1	x	x	x	2	x	1	0	0	2	1	1	1	0	1	x	x	x	1	2	
	14/04/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	x	2	2	1	x	x	x	2	2	
	15/04/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	x	x	x	x	2	1	
	16/04/2009	x	x	x	x	x	2	x	x	x	2	x	2	0	2	2	0	2	2	2	x	x	x	x	2	2	
	17/04/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	0	2	2	2	2	x	x	x	2	2	
	20/04/2009	x	x	x	x	x	2	x	x	x	2	x	2	1	2	2	0	2	2	2	2	x	x	x	2	2	
	21/04/2009	x	x	x	x	x	2	x	x	x	2	x	2	1	2	2	0	x	2	2	x	x	x	x	2	2	
	22/04/2009	x	x	x	x	x	2	x	x	x	2	x	1	1	2	2	2	2	2	2	2	x	x	x	2	2	
	23/04/2009	x	x	x	x	x	2	x	x	x	2	x	2	1	2	2	2	1	2	2	2	x	x	x	2	2	
	24/04/2009	x	x	x	x	x	2	x	x	x	2	x	1	1	2	2	2	2	2	2	2	x	x	x	2	1	
	27/04/2009	x	x	x	x	x	2	x	x	x	2	x	1	2	2	2	2	2	2	2	2	x	x	x	1	2	
	28/04/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	2	x	x	x	2	2	
	29/04/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	2	x	x	x	2	2	
	30/04/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	1	2	2	2	2	2	2	x	x	x	2	2	
	01/05/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	1	2	2	2	2	2	2	x	x	x	0	1	1
	04/05/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	x	2	x	x	x	2	2	2	
	05/05/2009	x	x	x	x	x	2	x	x	x	2	x	1	2	2	2	2	2	x	2	2	x	x	2	2	2	
	06/05/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	2	x	x	2	2	2	
	07/05/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	2	x	x	2	2	2	
	08/05/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	2	x	x	2	2	2	
	11/05/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	x	2	2	x	x	2	2	2	
	12/05/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	x	2	2	x	x	2	2	2	
	13/05/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	2	x	x	2	2	1	
	14/05/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	2	x	x	x	2	2	1
	15/05/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	2	x	x	2	2	2	
19/05/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	x	2	x	x	x	2	2	2		
20/05/2009	x	x	x	x	x	1	x	x	x	2	x	1	2	2	2	2	2	2	2	2	x	x	2	2	2		
21/05/2009	x	x	x	x	x	2	x	x	x	2	x	1	2	2	2	2	2	2	2	2	x	x	2	2	1		
22/05/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	2	x	x	1	2	2		
25/05/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	x	2	2	x	x	1	2	2		
26/05/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	x	2	2	x	x	2	2	2		
27/05/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	2	x	x	x	2	2	2	
28/05/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	2	2	x	x	2	2	2	
29/05/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	2	2	x	x	2	2	2	

SENSORY USE AND RISK OF ILLNESS

Centre Operating Date (dd/mm/yyyy)	01/06/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	x	2	2	x	x	2	2	2	
	02/06/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	x	2	2	x	x	2	2	2	
	03/06/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	2	x	x	2	2	2	
	04/06/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	2	2	x	x	1	2	x	
	05/06/2009	x	x	x	x	x	2	x	x	x	2	x	2	2	2	2	2	2	2	1	2	x	x	2	2	x	
	08/06/2009	x	x	x	x	x	2	x	x	x	2	x	1	2	2	2	2	2	2	x	2	2	x	x	2	2	x
	09/06/2009	x	x	x	x	x	x	x	x	x	2	x	2	2	2	2	2	2	2	x	2	2	x	x	2	2	x
	10/06/2009	x	x	x	x	x	x	x	x	x	2	x	2	2	2	2	2	2	2	2	2	x	x	x	2	2	x
	11/06/2009	x	x	x	x	x	x	x	x	x	2	x	2	2	2	2	2	2	2	2	2	x	x	x	2	2	x
	12/06/2009	x	x	x	x	x	x	x	x	x	2	x	2	0	2	0	2	2	2	2	2	0	x	x	1	2	x
	15/06/2009	x	x	x	x	x	x	x	x	x	2	x	2	2	2	2	2	2	2	x	2	2	x	x	2	2	x
	16/06/2009	x	x	x	x	x	x	x	x	x	2	x	2	2	2	2	2	2	2	x	2	x	x	x	2	2	x
	17/06/2009	x	x	x	x	x	x	x	x	x	2	x	2	2	2	2	2	2	2	2	2	2	x	x	1	2	x
	18/06/2009	x	x	x	x	x	x	x	x	x	2	x	2	2	2	2	2	2	2	2	2	2	x	x	2	2	x
	19/06/2009	x	x	x	x	x	x	x	x	x	2	x	2	2	2	2	2	2	2	2	2	2	x	x	2	2	x
	22/06/2009	x	x	x	x	x	x	x	x	x	2	x	2	2	2	2	1	2	x	0	2	x	x	2	x	x	
	23/06/2009	x	x	x	x	x	x	x	x	x	2	x	1	2	2	2	2	2	x	2	2	x	x	2	x	x	
	24/06/2009	x	x	x	x	x	x	x	x	x	2	x	2	2	2	2	2	2	2	2	2	2	x	x	2	x	x
	25/06/2009	x	x	x	x	x	x	x	x	x	2	x	2	2	2	2	2	2	2	2	2	x	x	x	2	x	x
	26/06/2009	x	x	x	x	x	x	x	x	x	2	x	1	x	x	2	1	2	2	2	2	x	x	x	1	x	x
	29/06/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	x	2	2	x	x	2	x	x	
	30/06/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	0	1	2	x	2	2	x	x	1	x	x	
	02/07/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	1	2	2	0	2	x	2	2	x	x	
	03/07/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	1	2	2	x	2	x	2	1	x	x	
	06/07/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	x	x	2	x	2	1	x	x	
	07/07/2009	x	x	x	x	x	x	x	x	x	1	x	2	x	x	2	1	2	2	2	x	x	2	1	x	x	
	08/07/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	x	0	x	2	1	x	x	
	09/07/2009	x	x	x	x	x	x	x	x	x	1	x	2	x	x	2	2	2	2	2	x	x	2	1	x	x	
	10/07/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	x	0	x	2	1	x	x	
	13/07/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	x	x	2	x	2	2	x	x	
14/07/2009	x	x	x	x	x	x	x	x	x	1	x	2	x	x	2	2	2	2	2	2	x	2	1	x	x		
15/07/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	x	2	x	2	2	x	x		
16/07/2009	x	x	x	x	x	x	x	x	x	1	x	2	x	x	2	2	2	2	2	2	x	2	2	x	x		
17/07/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	x	2	x	2	1	x	x		
20/07/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	x	x	2	x	2	2	x	x		
21/07/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	0	2	2	1	2	x	2	2	x	x		
22/07/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	x	x	x	2	2	x	x		
23/07/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	1	x	x	1	2	x	x		
24/07/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	1	2	2	x	x	x	2	2	x	x		
27/07/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	1	x	x	x	x	1	2	x	x		

SENSORY USE AND RISK OF ILLNESS

28/07/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	1	1	2	0	x	1	2	x	x	
29/07/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	1	1	x	2	x	1	2	x	x	
30/07/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	1	1	2	2	x	0	2	x	x	
31/07/2009	x	x	x	x	x	x	x	x	x	2	x	1	x	x	2	2	1	1	x	2	x	0	2	x	x	
04/08/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	1	2	2	2	2	x	0	2	x	x	
05/08/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	x	x	x	2	2	x	x	
06/08/2009	x	x	x	x	x	x	x	x	x	1	x	2	x	x	2	2	2	2	1	x	x	2	2	x	x	
07/08/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	1	2	2	x	2	x	2	2	x	x	
10/08/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	x	x	2	x	2	2	x	x	
11/08/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	1	2	2	2	2	x	2	2	x	x	
12/08/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	1	1	2	x	2	x	2	2	x	x	
13/08/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	2	2	x	2	1	x	x	
14/08/2009	x	x	x	x	x	x	x	x	x	2	x	1	x	x	2	2	2	1	x	2	x	2	1	x	x	
17/08/2009	x	x	x	x	x	x	x	x	x	1	x	2	x	x	2	2	2	x	x	2	x	2	1	x	x	
18/08/2009	x	x	x	x	x	x	x	x	x	1	x	2	x	x	2	2	2	2	2	2	x	2	1	x	x	
19/08/2009	x	x	x	x	x	x	x	x	x	1	x	2	x	x	2	1	2	2	x	x	x	2	2	x	x	
20/08/2009	x	x	x	x	x	x	x	x	x	1	x	2	x	x	2	2	2	2	2	2	x	x	2	2	x	x
21/08/2009	x	x	x	x	x	x	x	x	x	1	x	2	x	x	2	2	2	2	2	x	x	x	2	2	x	x
24/08/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	1	2	x	x	x	x	2	2	x	x	
25/08/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	1	2	2	2	2	x	2	2	x	x	
26/08/2009	x	x	x	x	x	x	x	x	x	1	x	1	x	x	2	1	2	2	x	2	x	2	2	x	x	
27/08/2009	x	x	x	x	x	x	x	x	x	1	x	2	x	x	2	1	2	2	1	2	x	2	2	x	x	
28/08/2009	x	x	x	x	x	x	x	x	x	1	x	2	x	x	2	1	2	2	x	2	x	2	2	x	x	
31/08/2009	x	x	x	x	x	x	x	x	x	1	x	2	x	x	2	1	2	x	x	2	x	2	2	x	x	
01/09/2009	x	x	x	x	x	x	x	x	x	1	x	2	x	x	2	2	2	2	2	2	2	2	2	x	x	
02/09/2009	x	x	x	x	x	x	x	x	x	1	x	2	x	x	2	2	1	2	2	x	2	2	2	x	x	
03/09/2009	x	x	x	x	x	x	x	x	x	1	x	2	x	x	2	2	2	2	2	1	2	2	2	x	x	
04/09/2009	x	x	x	x	x	x	x	x	x	1	x	2	x	x	2	2	2	2	2	1	2	2	2	x	x	
08/09/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	2	x	2	2	2	x	x	
09/09/2009	x	x	x	x	x	x	x	x	x	x	1	x	x	x	x	2	2	2	1	2	2	2	2	x	x	
10/09/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	2	1	2	2	2	x	x	
11/09/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	x	2	2	2	2	1	2	2	2	x	x	
14/09/2009	x	x	x	x	x	x	x	x	x	x	2	x	x	x	x	2	x	2	2	2	2	2	2	x	x	
15/09/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	2	2	2	2	2	x	x	
16/09/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	x	2	2	2	2	x	x	
17/09/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	2	2	2	2	2	x	x	
18/09/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	2	x	2	2	2	x	x	
21/09/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	2	x	2	2	2	2	x	x	
22/09/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	2	2	2	2	2	x	x	

SENSORY USE AND RISK OF ILLNESS

Centre Operating Date (dd/mm/yyyy)	23/09/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	1	2	2	2	2	2	2	2	x	x	
	24/09/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	2	2	2	2	2	2	2	x	x
	25/09/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	x	2	2	2	2	x	x	
	28/09/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	2	2	2	2	2	2	2	x	x
	29/09/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	2	2	2	2	2	2	2	x	x
	30/09/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	x	2	2	2	2	x	x	
	01/10/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	2	2	2	2	2	2	2	x	x
	02/10/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	2	2	2	2	2	2	2	x	x
	05/10/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	2	2	2	2	0	2	x	x	
	06/10/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	1	2	x	2	2	2	2	x	x	
	07/10/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	2	2	2	2	2	x	x	
	08/10/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	0	2	2	2	2	2	2	2	2	2	x	x
	09/10/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	0	2	2	2	2	2	2	x	x	
	13/10/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	2	2	2	2	2	2	2	x	x
	14/10/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	x	2	2	2	2	x	x	
	15/10/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	1	2	2	2	2	2	2	x	x	
	16/10/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	2	x	2	2	2	2	x	x	
	19/10/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	1	x	2	2	2	2	2	2	x	x	
	20/10/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	1	0	0	2	2	2	2	2	x	x	
	21/10/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	1	2	2	2	2	2	2	2	x	x	
	22/10/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	1	2	0	2	2	0	2	x	x		
	23/10/2009	x	x	x	x	x	x	x	x	x	2	x	1	x	x	2	2	2	2	0	x	2	2	2	2	x	x	
	26/10/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	0	2	2	2	2	2	2	x	x	
	27/10/2009	x	x	x	x	x	x	x	x	x	2	x	1	x	x	2	2	2	2	0	2	2	2	2	2	x	x	
	28/10/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	1	0	x	2	2	2	2	x	x	
	29/10/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	0	1	2	2	1	x	x		
	30/10/2009	x	x	x	x	x	x	x	x	x	x	x	2	x	x	2	2	2	2	2	2	2	2	2	1	x	x	
	02/11/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	2	2	2	0	x	x		
	03/11/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	0	2	0	2	x	2	2	0	x	x		
	04/11/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	0	x	2	0	2	0	x	x		
	05/11/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	0	2	0	2	2	0	2	0	x	x		
	06/11/2009	x	x	x	x	x	x	x	x	x	1	x	x	x	x	x	x	2	2	x	2	2	2	x	x	x		
	09/11/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	2	2	2	2	x	x		
	10/11/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	1	2	2	2	2	2	2	2	2	2	x	x	
	11/11/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	1	x	x	2	2	2	x	x		
12/11/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	x	2	2	2	2	2	2	x	x		
13/11/2009	x	x	x	x	x	x	x	x	x	x	x	2	x	x	2	2	2	1	x	2	2	2	x	x	x			
16/11/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	2	2	2	x	x			
17/11/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	2	0	2	2	2	x	x			
18/11/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	x	0	2	2	2	x	x			

SENSORY USE AND RISK OF ILLNESS

19/11/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	x	2	0	2	2	2	x	x
20/11/2009	x	x	x	x	x	x	x	x	x	2	x	x	x	x	x	x	2	2	x	x	2	2	x	x	x
23/11/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	2	2	2	2	2	x	x
24/11/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	2	2	2	2	2	x	x
25/11/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	1	x	x	2	2	2	x	x	
26/11/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	2	2	2	2	2	x	x
27/11/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	1	x	2	2	2	x	x	x
30/11/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	2	2	2	2	x	x	
01/12/2009	x	x	x	x	x	x	x	x	x	2	x	0	x	x	2	2	2	2	2	x	2	2	2	x	x
02/12/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	1	x	2	2	2	2	x	x	
03/12/2009	x	x	x	x	x	x	x	x	x	2	x	0	x	x	2	2	2	2	2	2	2	2	2	x	x
04/12/2009	x	x	x	x	x	x	x	x	x	x	x	2	x	x	2	2	2	2	x	2	2	2	x	x	x
07/12/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	2	2	2	2	x	x	
08/12/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	1	2	2	2	2	2	x	x
09/12/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	x	x	2	2	2	x	x	
10/12/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	2	1	2	2	2	x	x
11/12/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	2	2	x	x	x	
14/12/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	x	x	2	2	2	x	x	
15/12/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	2	2	2	2	2	x	x
16/12/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	2	x	2	2	2	2	x	x	
17/12/2009	x	x	x	x	x	x	x	x	x	2	x	2	x	x	2	2	2	2	2	2	2	2	2	x	x
18/12/2009	x	x	x	x	x	x	x	x	x	x	x	1	x	x	2	2	2	x	x	2	2	1	x	x	x
21/12/2009	x	x	x	x	x	x	x	x	x	2	x	x	x	x	2	x	2	x	x	2	2	1	1	x	x
22/12/2009	x	x	x	x	x	x	x	x	x	2	x	1	x	x	2	1	2	1	2	2	2	1	1	x	x
23/12/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	1	x	2	1	x	x	1	1	1	x	x
24/12/2009	x	x	x	x	x	x	x	x	x	1	x	1	x	x	1	1	2	1	1	1	1	1	1	x	x
29/12/2009	x	x	x	x	x	x	x	x	x	1	x	1	x	x	2	1	1	1	1	1	1	2	2	x	x
30/12/2009	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2	x	1	1	x	x	2	2	2	x	x
31/12/2009	x	x	x	x	x	x	x	x	x	1	x	1	x	x	2	1	1	1	1	x	1	1	1	x	x